




David-Raphael Dauer (Autor)
**Studies of group 13 metal complexes bearing
nacnac-mimetic bisheterocyclo
methanides and
amides**



David-Raphael Dauer

**STUDIES OF GROUP 13 METAL
COMPLEXES BEARING
NACNAC-MIMETIC BISHETEROCYCLO
METHANIDES AND AMIDES**



Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/7374>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Table of Contents

List of Abbreviations	v
Compound Index.....	vi
1 Introduction	1
1.1 History and Synthesis of the nacnac Ligand	1
1.2 Group 13 Metal Diketiminato Complexes	4
1.3 Low-Valent Group 13 Species – Metallylenes	8
1.4 Related Bridged Bisheterocycles	14
1.5 Scope of This Thesis	23
2 Results and Discussion	25
2.1 Symmetrically Substituted Bisheterocyclo Methanes.....	25
2.1.1 Ligand Syntheses.....	25
2.1.2 Syntheses of the Group 13 Metal Complexes.....	27
2.1.3 Structural Comparison of the Neutral Ligands	29
2.1.4 Structural Comparison of the Metal Complexes.....	37
2.1.5 NMR Spectroscopic Investigations	51
2.1.6 Conclusion	59
2.2 Bis-(4-methylbenzoxazol-2-yl)-methane derivatives.....	61
2.2.1 Ligand Syntheses.....	61
2.2.2 Syntheses of the Group 13 Metal Complexes.....	69
2.2.3 Structural Comparison of 21 , 22 and 23	69
2.2.4 Structural Comparison of 24 – 26	74
2.2.5 Reduction Attempts	77
2.2.6 Conclusion	85
2.3 Asymmetrically Substituted Bisheterocyclo Methanes.....	87
2.3.1 Ligand Syntheses.....	87
2.3.2 Structural Comparison of the Neutral Ligands	88
2.3.3 Syntheses of the Group 13 Metal Complexes.....	94
2.3.4 Structural Comparison of the Metal Complexes.....	95
2.3.5 NMR Spectroscopic Investigations	98
2.4 Lithiated Bisheterocyclo Methanides.....	105
2.4.1 Syntheses of the Lithium Compounds	105
2.4.2 NMR Spectroscopic Investigations	107
2.5 Bisheterocyclo Amines	111
2.5.1 Ligand Syntheses.....	111
2.5.2 Structural Comparison of the Neutral Ligands	112
2.5.3 Hydrogen Bonding Properties of 41 – 43	117
2.5.4 Syntheses of the Aluminium Complexes.....	124
2.5.5 Structural Comparison of the Metal Complexes.....	125
2.5.6 Syntheses and Bonding Properties of Lithiated Species.....	130



2.5.7	<i>NMR Spectroscopic Investigations</i>	133
2.5.8	<i>Conclusion</i>	138
2.6	Excursus: Fluorescence Studies on Bisheterocyclo Methanides.....	141
2.7	Excursus: Phosphorus Containing Bisheterocyclo Methanes	151
2.7.1	<i>Outline of Phospholes</i>	151
2.7.2	<i>Synthesis of the Precursors</i>	155
2.7.3	<i>Coupling Attempts</i>	157
3	Summary and Outlook	159
4	Experimental Information	165
4.1	General Working Procedure.....	165
4.2	Applied Analytical Methods	165
4.2.1	<i>Mass Spectrometry</i>	165
4.2.2	<i>Elemental Analyses</i>	165
4.2.3	<i>NMR Spectroscopy</i>	165
4.2.4	<i>Fluorescence Analyses</i>	166
4.2.5	<i>X-Ray Diffraction</i>	166
4.3	Synthesis and Characterization	169
4.3.1	<i>Ethylbisimidate dihydrochloride (3)</i>	169
4.3.2	<i>Bis-(benzoxazol-2-yl)-methane (4)</i>	169
4.3.3	<i>Bis-(benzothiazol-2-yl)-methane (5)</i>	170
4.3.4	<i>Bis-(4-methylbenzoxazol-2-yl)-methane (19)</i>	171
4.3.5	<i>Dimethylaluminium-bis-(N-methylimidazol-2-yl)-methanide (6)</i> ..	173
4.3.6	<i>Dimethylaluminium-bis-(N-methylbenzimidazol-2-yl)-methanide (7)</i>	174
4.3.7	<i>Dimethylaluminium-bis-(benzoxazol-2-yl)-methanide (8)</i>	175
4.3.8	<i>Dimethylaluminium-bis-(benzothiazol-2-yl)-methanide (9)</i>	175
4.3.9	<i>Dimethylaluminium-bis-(4-methylbenzoxazol-2-yl)-methanide (21)</i>	176
4.3.10	<i>Chloromethylaluminium-bis-(benzoxazol-2-yl)-methanide (10)</i> ...	177
4.3.11	<i>Chloromethylaluminium-bis-(benzothiazol-2-yl)-methanide (11)</i> ..	178
4.3.12	<i>Chloromethylaluminium-bis-(4-methylbenzoxazol-2-yl)-methanide (24)</i>	178
4.3.13	<i>Trimethylgallium (12)</i>	179
4.3.14	<i>Dimethylgallium-bis-(benzoxazol-2-yl)-methanide (13)</i>	180
4.3.15	<i>Dimethylgallium-bis-(benzothiazol-2-yl)-methanide (14)</i>	180
4.3.16	<i>Dimethylgallium-bis-(4-methylbenzoxazol-2-yl)-methanide (22)</i> ..	181
4.3.17	<i>Dimethylindium-bis-(4-methylbenzoxazol-2-yl)-methanide (23)</i> ...	182
4.3.18	<i>Lithium-bis-(benzoxazol-2-yl)-methanide (17)</i>	182
4.3.19	<i>Lithium-bis-(benzothiazol-2-yl)-methanide (18)</i>	183
4.3.20	<i>Lithium-bis-(4-methylbenzoxazol-2-yl)-methanide (30)</i>	184
4.3.21	<i>Benzothiazol-2-yl-acetonitrile (31)</i>	184
4.3.22	<i>(Benzothiazol-2-yl)-(benzoxazol-2'-yl)-methane (32)</i>	185



4.3.23	<i>(Benzothiazol-2-yl)-(N-methylbenzimidazol-2'-yl)-methane (34)</i>	187
4.3.24	<i>Dimethylaluminium-(benzothiazol-2-yl)-(benzoxazol-2'-yl)-methanide (35)</i>	188
4.3.25	<i>Dimethylaluminium-(benzothiazol-2-yl)-(N-methylbenzimidazol-2'-yl)-methane (36)</i>	189
4.3.26	<i>Dimethylgallium-(benzothiazol-2-yl)-(benzoxazol-2'-yl)-methanide (37)</i>	190
4.3.27	<i>Lithium-(benzothiazol-2-yl)-(benzoxazol-2'-yl)-methanide (38)</i>	190
4.3.28	<i>Lithium-(benzothiazol-2-yl)-(N-methylbenzimidazol-2'-yl)-methanide (39)</i>	191
4.3.29	<i>Iodomethylaluminium-bis-(4-methylbenzoxazol-2-yl)-methanide (25)</i>	192
4.3.30	<i>Iodoethylaluminium-bis-(4-methylbenzoxazol-2-yl)-methanide (26)</i>	193
4.3.31	<i>μ-Hydroxido-di-(ethylaluminium-bis-(4-methylbenzoxazol-2-yl)-methanide) iodide (29)</i>	194
4.3.32	<i>(4-Methylbenzoxazol-2-yl)-(4'-methylbenzoxazolium-2'-yl)-methane triiodide (27)</i>	195
4.3.33	<i>1,1,2,2-Tetrakis-(4-methylbenzoxazol-2-yl)-ethane (28)</i>	195
4.3.34	<i>Bis-(benzoxazol-2-yl)-amine (40)</i>	196
4.3.35	<i>Bis-(benzothiazol-2-yl)-amine (41)</i>	197
4.3.36	<i>Bis-(4-methylbenzothiazol-2-yl)-amine (42)</i>	197
4.3.37	<i>Bis-(4-methoxybenzothiazol-2-yl)-amine (43)</i>	198
4.3.38	<i>Dimethylaluminium-bis-(benzothiazol-2-yl)-amide (44)</i>	199
4.3.39	<i>Dimethylaluminium-bis-(4-methylbenzothiazol-2-yl)-amide (45)</i>	200
4.3.40	<i>Dimethylaluminium-bis-(4-methoxybenzothiazol-2-yl)-amide trimethylaluminium (46)</i>	201
4.3.41	<i>Lithium-bis-(benzothiazol-2-yl)-amide (47)</i>	201
4.3.42	<i>Lithium-bis-(4-methylbenzothiazol-2-yl)-amide (48)</i>	202
4.3.43	<i>Diethyl-(phenyl)-phosphate (49)</i>	203
4.3.44	<i>Diethyl-(2-hydroxyphenyl)-phosphonate (50)</i>	203
4.3.45	<i>2-Phosphinophenol (51)</i>	204
4.3.46	<i>2-Bromo-N-methylaniline (52)</i>	205
4.3.47	<i>Diethyl-(2-methylaminophenyl)-phosphonate (53)</i>	206
4.3.48	<i>N-Methyl-2-phosphinoaniline (54)</i>	207
5	Supplement	209
5.1	Crystallographic information	209
5.1.1	<i>Bis-(benzoxazol-2-yl)-methane (4)</i>	209
5.1.2	<i>Bis-(benzothiazol-2-yl)-methane (5)</i>	210
5.1.3	<i>Bis-(4-methylbenzoxazol-2-yl)-methane (19)</i>	211
5.1.4	<i>4-Methylbenzoxazol-2-yl-carboxamide (20)</i>	212
5.1.5	<i>Dimethylaluminium-bis-(N-methylimidazol-2-yl)-methanide (6)</i>	213



5.1.6	<i>Dimethylaluminium-bis-(benzoxazol-2-yl)-methanide (8)</i>	214
5.1.7	<i>Dimethylaluminium-bis-(benzothiazol-2-yl)-methanide (9)</i>	215
5.1.8	<i>Dimethylaluminium-bis-(4-methylbenzoxazol-2-yl)-methanide (21)</i>	216
5.1.9	<i>Chloromethylaluminium-bis-(benzoxazol-2-yl)-methanide (10)</i> ...	217
5.1.10	<i>Chloromethylaluminium-bis-(benzothiazol-2-yl)-methanide (11)</i> ..	218
5.1.11	<i>Chloromethylaluminium-bis-(4-methylbenzoxazol-2-yl)-methanide (24)</i>	219
5.1.12	<i>Dimethylgallium-bis-(benzoxazol-2-yl)-methanide (13)</i>	220
5.1.13	<i>Dimethylgallium-bis-(benzothiazol-2-yl)-methanide (14)</i>	221
5.1.14	<i>Dimethylgallium-bis-(4-methylbenzoxazol-2-yl)-methanide (22)</i> ..	222
5.1.15	<i>Dimethylindium-bis-(4-methylbenzoxazol-2-yl)-methanide (23)</i> ...	223
5.1.16	<i>Benzothiazol-2-yl-benzoxazol-2'-yl-methane (32)</i>	224
5.1.17	<i>2-(Benzothiazol-2-yl)-N-(2'-hydroxyphenyl)-acetamide (33)</i>	225
5.1.18	<i>Benzothiazol-2-yl-N-methylbenzimidazol-2'-yl-methane (34)</i>	226
5.1.19	<i>Dimethylaluminium-benzothiazol-2-yl-benzoxazol-2'-yl-methanide (35)</i>	227
5.1.20	<i>Dimethylaluminium-benzothiazol-2-yl-N-methylbenzimidazol-2'-yl-methanide (36)</i>	228
5.1.21	<i>Dimethylgallium-benzothiazol-2-yl-benzoxazol-2'-yl-methanide (37)</i>	229
5.1.22	<i>Lithium-benzothiazol-2-yl-N-methylbenzimidazol-2'-yl-methanide (39)</i>	230
5.1.23	<i>Iodomethylaluminium-bis-(4-methylbenzoxazol-2-yl)-methanide (25)</i>	231
5.1.24	<i>Iodoethylaluminium-bis-(4-methylbenzoxazol-2-yl)-methanide (26)</i>	232
5.1.25	<i>μ-Hydroxido-di-(ethylaluminium-bis-(4-methylbenzoxazol-2-yl)-methanide) iodide (29)</i>	233
5.1.26	<i>(Z)-2-(4'-methylbenzoxazol-2'-(3'H)-ylidene)-4-methylbenzoxazolium triiodide (27)</i>	234
5.1.27	<i>1,1,2,2-Tetrakis-(4'-methylbenzoxazol-2'-yl)-ethane (28)</i>	235
5.1.28	<i>Bis-(benzothiazol-2-yl)-amine (41)</i>	236
5.1.29	<i>Bis-(4-methylbenzothiazol-2-yl)-amine (42)</i>	237
5.1.30	<i>Bis-(4-methoxybenzothiazol-2-yl)-amine (43)</i>	238
5.1.31	<i>Dimethylaluminium-bis-(benzothiazol-2-yl)-amide (44)</i>	239
5.1.32	<i>Dimethylaluminium-bis-(4-methylbenzothiazol-2-yl)-amide (45)</i> .	240
5.1.33	<i>Trimethylaluminium dimethylaluminium-bis-(4-methoxybenzothiazol-2-yl)-amide (46)</i>	241
5.1.34	<i>Lithium-bis-(4-methylbenzothiazol-2-yl)-amide (48)</i>	242
6	References	243
7	Curriculum Vitae	253