

# Index

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Applications of microemulsions	2
1.1.1	Detergency	2
1.1.2	Cosmetics	3
1.1.3	Pharmaceutics	3
1.1.4	Food	4
1.2	Surfactants	5
1.2.1	Alkyl glucosides	5
1.2.2	Phospholipids	6
1.3	Task description	6
<b>2</b>	<b>Microemulsions</b>	<b>9</b>
2.1	Phase behavior	9
2.1.1	Binary systems	9
2.1.2	The phase prism	12
2.1.3	$T-(\gamma)$ section	14
2.1.4	Efficiency	16
2.1.5	Addition of water soluble additives	18
2.1.6	Co-surfactants	18
2.1.7	Sugar surfactants/phospholipids	19
2.1.8	Phase tetrahedron	20
2.2	Microstructure	21
2.2.1	Microstructure within the $T(\gamma)$ section	21
2.2.2	Amphiphilic film	23
2.2.3	Packing parameter	25
2.2.4	Ultra low interfacial tension	27
2.2.5	Wetting/non-wetting behavior	28
2.3	Small angle neutron scattering	30
2.3.1	<i>Teubner-Strey</i> : Description of the peak maxima	31
2.3.2	Internal interface	32
2.3.3	Domain size	33
2.3.4	Scattering of polydisperse hard sphere systems: Structure factor $S(q)$	33
2.3.5	Scattering of polydisperse hard sphere systems: Particle factor $P(q)$	34
2.3.6	<i>Guinier</i> analysis	35

<b>3 Triglyceride microemulsions</b>	<b>37</b>
3.1 State of the art	37
3.2 Characterization of oils used in chocolate production	38
3.2.1 Cocoa butter	39
3.2.2 Palm oil	40
3.2.3 Milk fat	41
3.2.4 Comparison of the different edible oils	44
3.3 Characterizing co-surfactants in cocoa butter microemulsions	46
3.3.1 Polyglycerol polyricinoleat (PGPR)	46
3.3.2 Polyglycerol ester sugin 475	48
3.3.3 Comparison of PGPR and sugin 475	49
3.4 Food-grade microemulsion	51
3.4.1 Sugin based food-grade microemulsion	52
3.4.2 Comparison of both food-grade microemulsions	54
3.5 Summary	55
<b>4 Sugar and sweeteners</b>	<b>57</b>
4.1 Characterization of sugar	57
4.2 Characterization of sweeteners	62
4.3 Supersaturated sugar microemulsion	67
4.4 Summary	72
<b>5 Alkyl glucosides</b>	<b>75</b>
5.1 Pulsed Field Gradient (PFG) in Nuclear Magnetic Resonance (NMR) diffusometry	76
5.1.1 <i>Hahn</i> spin echo	76
5.1.2 Stimulated Echo	77
5.1.3 Imaging NMR	78
5.1.4 Obstruction effects	79
5.2 Small-angle X-ray diffraction	79
5.2.1 Structural determination	80
5.2.2 Liquid crystalline phases	81
5.2.3 Lamellar phase	82
5.2.4 Hexagonal	82
5.2.5 Cubic phase	83
5.3 Binary phase diagram D <sub>2</sub> O – C <sub>8</sub> G <sub>1</sub>	84
5.4 Ternary phase diagram D <sub>2</sub> O – <i>n</i> -octane – C <sub>8</sub> G <sub>1</sub>	84
5.4.1 Investigations within the two-phase region	86
5.4.2 Hexagonal phase	88
5.4.3 Lamellar phase	90
5.4.4 Three-phase region	93
5.4.5 Self-diffusion NMR measurements in the three-phase channel	94
5.4.6 Imaging NMR within the three-phase channel	98
5.4.7 Three-phase region	100
5.4.8 Self-diffusion NMR measurements in the three-phase region	102
5.4.9 SAXD measurements within the three-phase region	106
5.5 Summary	107

<b>6</b>	<b>Phospholipid based microemulsions</b>	<b>111</b>
6.1	State of the art	111
6.1.1	Parameter of phospholipids	113
6.2	Soy lecithin microemulsions	114
6.3	Epikuron systems	117
6.4	Epikuron <i>versus</i> soy lecithin	119
6.4.1	Microstructure	121
6.4.2	Soy lecithin B10 compared to Epikuron 200	124
6.4.3	Comparing the results obtained to the ones of <i>Shinoda et al.</i>	125
6.4.4	Influence of co-surfactants	126
6.4.5	Microstructure and influence of co-surfactant by means of scattering experiments	127
6.5	Optimum size of a co-surfactant	129
6.5.1	Edible co-surfactants	131
6.5.2	Influence of the edible co-surfactants	132
6.5.3	$C_iE_j$ as co-surfactants	133
6.5.4	Comparison of several $C_iE_j$ surfactants	134
6.6	Summary	135
<b>7</b>	<b>Food-grade microemulsions</b>	<b>137</b>
7.1	State of the art	137
7.2	From an alkane system to a triglyceride one	138
7.3	Middle-chain triglycerides	139
7.3.1	Middle-chain triglycerides by comparison	142
7.4	Long-chain triglycerides	143
7.4.1	Long chain triglycerides by comparison	147
7.5	Commercial oils	147
7.5.1	Commercial triglycerides by comparison	150
7.6	Characterizing surfactants in a triglyceride microemulsion	151
7.6.1	Phospholipids	151
7.6.2	Microstructure of the phospholipid systems	153
7.6.3	Different types of phospholipids	156
7.6.4	The outcome of the best phospholipids	159
7.7	Edible co-surfactants instead of <i>n</i> -butanol	160
7.7.1	Pseudo ternary phase diagram	160
7.7.2	$T(\gamma)$ -cut of food-grade microemulsions	163
7.7.3	Food-grade microemulsions composed of tricaprin in comparison	168
7.8	Prevention of the lamellar phase	169
7.9	SANS measurements of food-grade systems	174
7.10	$\alpha$ -variations in order to increase the efficiency	176
7.11	Invention: Expandible moisture adapting sheets (X-mas)	180
7.11.1	Wetting and non-wetting	180
7.11.2	Three-phase region within a food-grade microemulsion	182
7.11.3	The X-mas principle as a tool to introduce water into chocolate	183
7.12	Summary	184

<b>8</b>	<b>Summary</b>	<b>187</b>
<b>9</b>	<b>Outlook</b>	<b>191</b>
<b>10</b>	<b>Appendix</b>	<b>193</b>
A 1	List of chemicals	193
A 2	SANS investigations	197
A 3	SAXD investigations	199
A 4	NMR investigations	205
A 5	Phase behavior	208
A 6	List of important symbols	211
<b>11</b>	<b>Literature</b>	<b>217</b>