




Christian D. Schmidt (Autor)  
**NMR spectroscopic investigations on VDAC**



<https://cuvillier.de/de/shop/publications/7692>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany  
Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>



# Contents

<b>Nomenclature</b>	<b>1</b>
<b>1 Introduction</b>	<b>5</b>
1.1 Membrane proteins . . . . .	5
1.1.1 Membrane proteins & NMR . . . . .	6
1.2 Mitochondria . . . . .	7
1.3 VDAC – The voltage-dependent anion channel . . . . .	8
1.3.1 Voltage gating of VDAC . . . . .	9
1.3.2 3D structure of VDAC . . . . .	10
1.3.3 Gating models & evolution of the models . . . . .	13
1.3.3.1 Physiological relevance of VDAC gating . . . . .	18
1.4 Aims and Outline . . . . .	20
<b>2 Materials &amp; Methods</b>	<b>21</b>
2.1 Materials . . . . .	21
2.1.1 Chemical reagents . . . . .	21
2.1.2 Bacterial strains . . . . .	21
2.1.3 Growth media . . . . .	22
2.1.4 SDS page gels . . . . .	23
2.2 Methods . . . . .	24
2.2.1 Sample preparation of hVDAC1 . . . . .	24
2.2.1.1 Cloning of hVDAC1 . . . . .	24



2.2.1.2	Site directed mutagenesis . . . . .	24
2.2.1.3	Expression of $^2\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ labelled hVDAC1 . . . . .	25
2.2.1.4	Refolding and purification of hVDAC1 . . . . .	26
2.2.2	Spin labelling . . . . .	27
2.2.3	NMR spectroscopy . . . . .	27
2.2.3.1	Assignment improvement and assignment of hVDAC1 mutants . . . . .	28
2.2.3.2	Estimation of $T_2$ and the global correlation time $\tau_c$ . . . . .	29
2.2.3.3	Determination of chemical shift differences . . . . .	29
2.2.3.4	Determination of intensity changes . . . . .	30
2.2.3.5	Relaxation data experiments . . . . .	30
2.2.3.6	Relaxation data analysis . . . . .	32
2.2.3.7	Structure calculation and refinement . . . . .	34
2.2.4	BLM measurements . . . . .	35
2.2.5	Calculation of PRE effect differences . . . . .	35
<b>3</b>	<b>Results</b>	<b>37</b>
3.1	Improving the assignment of hVDAC1 . . . . .	37
3.1.1	Additional $\text{C}_\beta$ shifts . . . . .	37
3.1.2	Improved backbone assignment . . . . .	39
3.1.3	Improved backbone NOE network . . . . .	42
3.2	A new NMR structure of E73V hVDAC1 . . . . .	45
3.2.1	A 3D structure of E73V hVDAC1 based on the improved NOE network as starting point . . . . .	45
3.2.2	Improving the structure with $^{15}\text{N}$ spin-relaxation data . . . . .	47
3.2.3	Validating the high-resolution structure of E73V hVDAC1 . . . . .	51
3.3	Incorporating the protein's closed state in NMR – Developing a Quintuple hVDAC1 mutant . . . . .	53
3.3.1	General strategy . . . . .	53



3.3.2	Affixing the N-terminal helix to the $\beta$ -barrel . . . . .	54
3.3.2.1	A14C/C127A/S193C/C232A hVDAC1 samples are oxidized by air	55
3.3.2.2	A14C/C127A/S193C/C232A hVDAC1 in liquid state NMR . . . . .	56
3.3.3	Stiffening the linker between $\alpha$ -helix and $\beta$ -barrel . . . . .	59
3.3.3.1	Changing the expression system to the pET28a expression vector .	61
3.3.3.2	Experiments on G21V/G23V hVDAC1 . . . . .	63
3.3.3.3	Experiments on G21V hVDAC1 . . . . .	68
3.3.3.4	Development of a Quintuple hVDAC1 mutant . . . . .	70
3.4	Experiments on Quintuple hVDAC1 and development of a model of the closed state of hVDAC1 . . . . .	72
3.4.1	Quintuple hVDAC1 behaves like a $\Delta N$ construct in BLM measurements . . .	75
3.4.2	Quintuple hVDAC1 in solid state NMR measurements . . . . .	78
3.4.3	Missing and new NOE contacts of Quintuple hVDAC1 . . . . .	80
3.4.4	Probing the new orientation of the N-terminal helix . . . . .	82
3.4.5	A model for the closed state of hVDAC1 . . . . .	86
<b>4</b>	<b>Discussion</b>	<b>87</b>
4.1	A14C/C127A/S193C/C232A hVDAC1 is not closed in NMR samples . . . . .	87
4.2	The structure of hVDAC1 and the N-terminal $\alpha$ -helix in micelles . . . . .	91
4.2.1	The shape of the $\beta$ -barrel . . . . .	92
4.2.2	The old NMR structure in the light of the new findings . . . . .	93
4.3	Quintuple hVDAC1 as a model for the closed state . . . . .	95
4.3.1	The conformation of the N-terminal helix in the closed state of Quintu- ple hVDAC1 . . . . .	99
<b>5</b>	<b>Conclusion &amp; Outlook</b>	<b>103</b>
	<b>Appendix</b>	<b>105</b>



<b>A</b>	<b>Pulse programs</b>	<b>107</b>
A.1	Pulse program of TROSY-HNCACB . . . . .	107
A.2	Pulse program for measurement of $^{15}\text{N}$ - $R_1$ relaxation rates at 900 MHz . . . . .	112
A.3	Pulse program for measurement of $^{15}\text{N}$ - $R_2$ relaxation rates at 900 MHz . . . . .	118
<b>B</b>	<b>Assignment tables of important hVDAC1 mutants</b>	<b>127</b>
B.1	Chemical shift assignment of <i>wt</i> hVDAC1 . . . . .	127
B.2	Chemical shift assignment of E73VC127AC232S hVDAC1 . . . . .	132
B.3	Chemical shift assignment of Quintuple hVDAC1 . . . . .	140
B.4	Chemical shift assignment of hVDAC1 in liposomes . . . . .	148
<b>C</b>	<b>Sequence alignment of mentioned VDAC isoforms</b>	<b>151</b>
<b>D</b>	<b>PDB files of the models for the closed state of VDAC</b>	<b>153</b>
D.1	Model 1 . . . . .	153
D.2	Model 2 . . . . .	166
	<b>Bibliography</b>	<b>179</b>