




Jana Görmer-Redding (Autor)  
**Autonomous Vehicle Groups in Urban Traffic**



<https://cuvillier.de/de/shop/publications/7849>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,  
Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

# Contents

<b>Summary</b>	<b>ii</b>
<b>Zusammenfassung</b>	<b>iv</b>
<b>Acknowledgements</b>	<b>vii</b>
<b>1 Introduction</b>	<b>1</b>
1.1 The Argument . . . . .	2
1.2 The Example . . . . .	4
1.3 The Approach . . . . .	6
1.4 The Contribution . . . . .	9
1.5 The Structure . . . . .	10
<b>2 Background</b>	<b>13</b>
2.1 Organizational Psychology . . . . .	13
2.1.1 Groups and Cooperation . . . . .	14
2.1.2 Group Models . . . . .	18
2.2 Microscopic Traffic Simulation . . . . .	21
2.2.1 Traffic Control . . . . .	22
2.2.2 Traffic Flow . . . . .	24
2.2.3 Traffic Demand . . . . .	25
2.2.4 Microscopic Models . . . . .	26
2.2.5 Traffic Simulation Systems . . . . .	34
2.3 Multi-Agent Systems . . . . .	36
2.3.1 Agents . . . . .	40
2.3.2 Environment . . . . .	45
2.3.3 Interaction . . . . .	47
2.3.4 Organization . . . . .	49
2.3.5 Multi-agent-based Simulation . . . . .	50
2.3.6 Related Work (on Multi-Agent Traffic Interface (MATI) Framework) . . . . .	52
2.4 Requirements for Vehicle Groups in Traffic . . . . .	54
2.4.1 Scenarios . . . . .	54
2.4.2 Requirements . . . . .	55

<b>3 State of the Art</b>	<b>57</b>
3.1 Environments: Traffic Control . . . . .	57
3.1.1 Established Traffic Control . . . . .	59
3.1.2 Dynamic Traffic Control . . . . .	62
3.2 Agent Modeling and Simulation in Traffic . . . . .	65
3.2.1 The Macroscopic View . . . . .	66
3.2.2 The Mesoscopic View . . . . .	67
3.2.3 The Microscopic View . . . . .	68
3.3 Interaction: Traffic Communication . . . . .	71
3.3.1 Intersection Modeling . . . . .	72
3.3.2 Vehicle Modeling . . . . .	74
3.4 Organization: Traffic Architecture . . . . .	74
3.4.1 Central Architecture . . . . .	75
3.4.2 Decentralized Architecture . . . . .	80
3.5 Group Models . . . . .	82
3.5.1 Group Norms . . . . .	83
3.5.2 Goal-based Models . . . . .	84
3.5.3 Comparison of Goal-based Theories . . . . .	95
3.5.4 Role-based Models . . . . .	98
3.5.5 Comparison of vertical dimensions . . . . .	101
3.6 Assumptions . . . . .	101
3.6.1 Settings of Urban Traffic . . . . .	102
3.6.2 Settings of Simulation . . . . .	102
3.6.3 Settings of Agents . . . . .	103
3.7 Research Gap . . . . .	104
3.8 Summary . . . . .	108
<b>4 Agent-based Traffic Management Systems</b>	<b>109</b>
4.1 Requirements . . . . .	110
4.2 Comparison: Agent-oriented Simulation for Cooperative Traffic	111
4.3 Own Approaches . . . . .	112
4.3.1 Streetworld: Agent-based Traffic Simulation . . . . .	112
4.3.2 Simulation package of Transport Simulation Systems integrating three types of transport perspectives (AIMSUN) Extended . . . . .	120
4.3.3 Simulation Scenario . . . . .	123
4.3.4 ATSim: Agent-based Traffic Simulation System . . . . .	131
4.3.5 Multi-Agent Traffic Interface (MATI) . . . . .	138
4.4 Summary . . . . .	149
<b>5 A Model for Vehicle Group Formation</b>	<b>151</b>
5.1 The Conceptual Model . . . . .	151
5.1.1 A-E-I-O-S Categories . . . . .	153
5.1.2 Functional Characterization . . . . .	156
5.2 Individual Control . . . . .	158
5.2.1 Vehicle Agents . . . . .	161



## Contents xi

5.2.2	Execution Layer . . . . .	162
5.2.3	Patterns of Behavior . . . . .	164
5.3	Group Planning . . . . .	167
5.3.1	Physical Environment . . . . .	168
5.3.2	Traffic Cooperation . . . . .	177
5.3.3	Information System . . . . .	178
5.3.4	Rewards and Recognition . . . . .	179
5.4	Group Methods and Structure . . . . .	179
5.4.1	Goals . . . . .	181
5.4.2	Motivating Task . . . . .	182
5.4.3	Group Mission . . . . .	183
5.4.4	Group Membership . . . . .	184
5.5	Group Formation Process . . . . .	185
5.5.1	Conflict Management . . . . .	196
5.5.2	Communication . . . . .	198
5.5.3	Boundary Management . . . . .	199
5.6	Implementation: Grouping Algorithm . . . . .	202
5.7	Summary . . . . .	210
<b>6</b>	<b>Urban Traffic Groups: A Case Study</b>	<b>211</b>
6.1	Simulation Scenarios . . . . .	212
6.1.1	Settings . . . . .	212
6.1.2	Artificial Three Lane Scenario . . . . .	214
6.1.3	The Intersection Scenario . . . . .	214
6.1.4	Realistic Hildesheimer Street Data as a Green Wave Scenario . . . . .	217
6.1.5	Realistic Southern Part of Hanover Scenario . . . . .	219
6.1.6	Artificial Manhattan Grid Scenario . . . . .	220
6.2	Environment: Traffic Simulation . . . . .	222
6.2.1	Creating Environment . . . . .	222
6.2.2	Initializing of Vehicle Groups . . . . .	223
6.3	Agents: The Design of Autonomous Vehicles . . . . .	224
6.3.1	Homogeneous Vehicles . . . . .	225
6.3.2	Heterogeneous Vehicles . . . . .	226
6.3.3	Agent Implementations . . . . .	229
6.4	Interaction: Communication between Traffic Participants . . . . .	231
6.4.1	interpreter for an extended version of AgentSpeak and for programming autonomous agents (Jason) . . . . .	234
6.4.2	MATI . . . . .	234
6.5	Organization: Vehicle Groups in Cities . . . . .	234
6.5.1	Centralized Vehicle Groups . . . . .	237
6.5.2	Decentralized Hierarchical Groups . . . . .	241
6.5.3	Mixed Dynamic Groups . . . . .	248
6.5.4	Individual versus Group . . . . .	251
6.5.5	Cooperative Groups . . . . .	252
6.6	Summary . . . . .	252

<b>7 Evaluation and Presentation of Results</b>	<b>255</b>
7.1 Research Questions and Hypotheses . . . . .	256
7.1.1 Group Effectiveness . . . . .	256
7.1.2 Group Similarities . . . . .	258
7.1.3 Group Formation . . . . .	259
7.1.4 Group Parameter . . . . .	261
7.2 Evaluation Methodology . . . . .	263
7.2.1 Experimental Design . . . . .	264
7.2.2 Evaluation Criteria . . . . .	264
7.2.3 Tools and Measuring Equipment . . . . .	266
7.2.4 Dimensions . . . . .	266
7.3 Evaluation Scenarios and Settings . . . . .	267
7.3.1 Experiment Description . . . . .	268
7.3.2 Experiment Execution . . . . .	275
7.3.3 Data Analysis . . . . .	279
7.4 Simulation Results . . . . .	279
7.4.1 Analysis of Group Efficiency . . . . .	280
7.4.2 Statistic Analysis of Distance . . . . .	284
7.4.3 Statistical Analysis of Group Formation . . . . .	287
7.4.4 Statistical Analysis Parameter . . . . .	288
7.5 Discussion of Outcomes . . . . .	294
7.5.1 Discussion of Research Questions and Hypotheses . . . . .	296
7.5.2 General Outcome and Further Results . . . . .	308
7.6 Summary . . . . .	309
<b>8 Conclusions and Future Perspectives</b>	<b>311</b>
8.1 Main Contributions . . . . .	311
8.1.1 Vehicle Groups in Urban Traffic . . . . .	312
8.1.2 Microscopic Agent-Based Simulation Tool . . . . .	312
8.1.3 Evaluation of Vehicle Groups . . . . .	313
8.2 Limitations and Future Work . . . . .	314
<b>Appendices</b>	<b>317</b>
<b>A Car Following Models</b>	<b>319</b>
A.1 Nagel-Schreckenberg Model (1992) . . . . .	319
A.2 Kinematic Distance Model . . . . .	321
A.3 Model by Pipes (1953) . . . . .	323
A.4 GHR Model (1961) . . . . .	323
A.5 Model by Wiedemann (1974) . . . . .	324
A.6 Optimal Velocity Model (1995) . . . . .	325
A.7 Intelligent Driver Model (2000) . . . . .	327

<b>B Existing Agent-Oriented Simulation Platforms</b>	<b>329</b>
B.1 Efficiency of Agent Simulation . . . . .	331
B.2 AnyLogic . . . . .	332
B.2.1 Installation . . . . .	332
B.2.2 Advantages . . . . .	333
B.2.3 Disadvantages . . . . .	333
B.2.4 Conclusion . . . . .	333
B.3 Java Agent DEvelopment Framework (JADE) . . . . .	333
B.3.1 Installation . . . . .	333
B.3.2 Advantages . . . . .	335
B.3.3 Disadvantages . . . . .	335
B.3.4 Conclusion . . . . .	335
B.4 Jason . . . . .	335
B.4.1 Installation . . . . .	335
B.4.2 Advantages . . . . .	335
B.4.3 Disadvantages . . . . .	337
B.4.4 Conclusion . . . . .	337
B.5 MASON: Multi-Agent Simulator Of Neighborhoods/Networks	337
B.5.1 Installation . . . . .	337
B.5.2 Advantages . . . . .	337
B.5.3 Disadvantages . . . . .	337
B.5.4 Conclusion . . . . .	339
B.6 MATSim: Multi-Agent Transport Simulation Toolkit . . . . .	339
B.6.1 Installation . . . . .	340
B.6.2 Advantages . . . . .	340
B.6.3 Disadvantages . . . . .	340
B.6.4 Conclusion . . . . .	340
B.7 NetLogo . . . . .	341
B.7.1 Installation . . . . .	341
B.7.2 Advantages . . . . .	341
B.7.3 Disadvantages . . . . .	341
B.7.4 Conclusion . . . . .	341
B.8 Repast S . . . . .	341
B.8.1 Installation . . . . .	341
B.8.2 Advantages . . . . .	344
B.8.3 Disadvantages . . . . .	344
B.8.4 Conclusion . . . . .	344
B.9 SeSAM: Shell for Simulated Agent Systems . . . . .	344
B.9.1 Installation . . . . .	344
B.9.2 Advantages . . . . .	344
B.9.3 Disadvantages . . . . .	344
B.9.4 Conclusion . . . . .	346
B.10 Summary Agent Simulation for Cooperative Traffic . . . . .	346

<b>C Technical Aspects of MATI</b>	<b>347</b>
C.1 Installation of MATI . . . . .	350
C.1.1 SUMO . . . . .	350
C.1.2 Maven . . . . .	351
C.1.3 Dependencies . . . . .	352
C.1.4 Example . . . . .	353
C.1.5 Instructions . . . . .	353
C.1.6 HDF5 . . . . .	353
C.2 Directory and file structure . . . . .	354
C.2.1 Scenario configuration . . . . .	354
C.2.2 Analyzing Tools . . . . .	366
C.3 MATI Test . . . . .	372
C.3.1 Scenario Definition . . . . .	372
C.3.2 Results . . . . .	372
C.3.3 MATI Groups . . . . .	375
C.3.4 Color Sort Implementation . . . . .	376
C.3.5 CNP Implementation . . . . .	376
C.4 Evaluation of Simulation . . . . .	378
C.4.1 Structure of the HDF5 file . . . . .	378
C.4.2 Setup . . . . .	381
C.4.3 Data Import . . . . .	382
C.4.4 Statistic Analysis Distance . . . . .	382
C.4.5 Statistic Analysis Group Formation . . . . .	383
C.4.6 Statistic Analysis Parameter . . . . .	384
<b>D AIMSUN Groups</b>	<b>391</b>
<b>E ATSim Groups</b>	<b>397</b>
<b>Bibliography</b>	<b>401</b>
<b>Curriculum Vitae</b>	<b>433</b>