




Jana Görmer-Redding (Autor)  
**Autonomous Vehicle Groups in Urban Traffic**



<https://cuvillier.de/de/shop/publications/7849>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany  
Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>



# Contents

|   |            |
|---|------------|
| <b>Summary</b>  | <b>ii</b>  |
| <b>Zusammenfassung</b>  | <b>iv</b>  |
| <b>Acknowledgements</b>   | <b>vii</b> |
| <b>1 Introduction</b>   | <b>1</b>   |
| 1.1 The Argument . . . . .  | 2          |
| 1.2 The Example . . . . .   | 4          |
| 1.3 The Approach . . . . .  | 6          |
| 1.4 The Contribution . . . . .  | 9          |
| 1.5 The Structure . . . . .   | 10         |
| <b>2 Background</b>   | <b>13</b>  |
| 2.1 Organizational Psychology . . . . .   | 13         |
| 2.1.1 Groups and Cooperation . . . . .  | 14         |
| 2.1.2 Group Models . . . . .  | 18         |
| 2.2 Microscopic Traffic Simulation . . . . .  | 21         |
| 2.2.1 Traffic Control . . . . .   | 22         |
| 2.2.2 Traffic Flow . . . . .  | 24         |
| 2.2.3 Traffic Demand . . . . .  | 25         |
| 2.2.4 Microscopic Models . . . . .  | 26         |
| 2.2.5 Traffic Simulation Systems . . . . .  | 34         |
| 2.3 Multi-Agent Systems . . . . .   | 36         |
| 2.3.1 Agents . . . . .  | 40         |
| 2.3.2 Environment . . . . .   | 45         |
| 2.3.3 Interaction . . . . .   | 47         |
| 2.3.4 Organization . . . . .  | 49         |
| 2.3.5 Multi-agent-based Simulation . . . . .  | 50         |
| 2.3.6 Related Work (on Multi-Agent Traffic Interface (MATI)<br>Framework) . . . . . | 52         |
| 2.4 Requirements for Vehicle Groups in Traffic . . . . .                            | 54         |
| 2.4.1 Scenarios . . . . .   | 54         |
| 2.4.2 Requirements . . . . .  | 55         |



|          |  |            |
|----------|--|------------|
| <b>3</b> | <b>State of the Art</b>  | <b>57</b>  |
| 3.1      | Environments: Traffic Control . . . . .  | 57         |
| 3.1.1    | Established Traffic Control . . . . .  | 59         |
| 3.1.2    | Dynamic Traffic Control . . . . .  | 62         |
| 3.2      | Agent Modeling and Simulation in Traffic . . . . .   | 65         |
| 3.2.1    | The Macroscopic View . . . . .   | 66         |
| 3.2.2    | The Mesoscopic View . . . . .  | 67         |
| 3.2.3    | The Microscopic View . . . . .   | 68         |
| 3.3      | Interaction: Traffic Communication . . . . .   | 71         |
| 3.3.1    | Intersection Modeling . . . . .  | 72         |
| 3.3.2    | Vehicle Modeling . . . . .   | 74         |
| 3.4      | Organization: Traffic Architecture . . . . .   | 74         |
| 3.4.1    | Central Architecture . . . . .   | 75         |
| 3.4.2    | Decentralized Architecture . . . . .   | 80         |
| 3.5      | Group Models . . . . .   | 82         |
| 3.5.1    | Group Norms . . . . .  | 83         |
| 3.5.2    | Goal-based Models . . . . .  | 84         |
| 3.5.3    | Comparison of Goal-based Theories . . . . .  | 95         |
| 3.5.4    | Role-based Models . . . . .  | 98         |
| 3.5.5    | Comparison of vertical dimensions . . . . .  | 101        |
| 3.6      | Assumptions . . . . .  | 101        |
| 3.6.1    | Settings of Urban Traffic . . . . .  | 102        |
| 3.6.2    | Settings of Simulation . . . . .   | 102        |
| 3.6.3    | Settings of Agents . . . . .   | 103        |
| 3.7      | Research Gap . . . . .   | 104        |
| 3.8      | Summary . . . . .  | 108        |
| <b>4</b> | <b>Agent-based Traffic Management Systems</b>  | <b>109</b> |
| 4.1      | Requirements . . . . .   | 110        |
| 4.2      | Comparison: Agent-oriented Simulation for Cooperative Traffic  | 111        |
| 4.3      | Own Approaches . . . . .   | 112        |
| 4.3.1    | Streetworld: Agent-based Traffic Simulation . . . . .  | 112        |
| 4.3.2    | Simulation package of Transport Simulation Systems integrating three types of transport perspectives (AIMSUN) Extended . . . . . | 120        |
| 4.3.3    | Simulation Scenario . . . . .  | 123        |
| 4.3.4    | ATSim: Agent-based Traffic Simulation System . . . . .   | 131        |
| 4.3.5    | Multi-Agent Traffic Interface (MATI) . . . . .   | 138        |
| 4.4      | Summary . . . . .  | 149        |
| <b>5</b> | <b>A Model for Vehicle Group Formation</b>   | <b>151</b> |
| 5.1      | The Conceptual Model . . . . .   | 151        |
| 5.1.1    | A-E-I-O-S Categories . . . . .   | 153        |
| 5.1.2    | Functional Characterization . . . . .  | 156        |
| 5.2      | Individual Control . . . . .   | 158        |
| 5.2.1    | Vehicle Agents . . . . .   | 161        |



|          |   |            |
|----------|---|------------|
| 5.2.2    | Execution Layer . . . . .   | 162        |
| 5.2.3    | Patterns of Behavior . . . . .  | 164        |
| 5.3      | Group Planning . . . . .  | 167        |
| 5.3.1    | Physical Environment . . . . .  | 168        |
| 5.3.2    | Traffic Cooperation . . . . .   | 177        |
| 5.3.3    | Information System . . . . .  | 178        |
| 5.3.4    | Rewards and Recognition . . . . .   | 179        |
| 5.4      | Group Methods and Structure . . . . .   | 179        |
| 5.4.1    | Goals . . . . .   | 181        |
| 5.4.2    | Motivating Task . . . . .   | 182        |
| 5.4.3    | Group Mission . . . . .   | 183        |
| 5.4.4    | Group Membership . . . . .  | 184        |
| 5.5      | Group Formation Process . . . . .   | 185        |
| 5.5.1    | Conflict Management . . . . .   | 196        |
| 5.5.2    | Communication . . . . .   | 198        |
| 5.5.3    | Boundary Management . . . . .   | 199        |
| 5.6      | Implementation: Grouping Algorithm . . . . .  | 202        |
| 5.7      | Summary . . . . .   | 210        |
| <b>6</b> | <b>Urban Traffic Groups: A Case Study</b>   | <b>211</b> |
| 6.1      | Simulation Scenarios . . . . .  | 212        |
| 6.1.1    | Settings . . . . .  | 212        |
| 6.1.2    | Artificial Three Lane Scenario . . . . .  | 214        |
| 6.1.3    | The Intersection Scenario . . . . .   | 214        |
| 6.1.4    | Realistic Hildesheimer Street Data as a Green Wave Scenario . . . . .                                     | 217        |
| 6.1.5    | Realistic Southern Part of Hanover Scenario . . . . .   | 219        |
| 6.1.6    | Artificial Manhattan Grid Scenario . . . . .  | 220        |
| 6.2      | Environment: Traffic Simulation . . . . .   | 222        |
| 6.2.1    | Creating Environment . . . . .  | 222        |
| 6.2.2    | Initializing of Vehicle Groups . . . . .  | 223        |
| 6.3      | Agents: The Design of Autonomous Vehicles . . . . .   | 224        |
| 6.3.1    | Homogeneous Vehicles . . . . .  | 225        |
| 6.3.2    | Heterogeneous Vehicles . . . . .  | 226        |
| 6.3.3    | Agent Implementations . . . . .   | 229        |
| 6.4      | Interaction: Communication between Traffic Participants . . . . .   | 231        |
| 6.4.1    | interpreter for an extended version of AgentSpeak and for programming autonomous agents (Jason) . . . . . | 234        |
| 6.4.2    | MATI . . . . .  | 234        |
| 6.5      | Organization: Vehicle Groups in Cities . . . . .  | 234        |
| 6.5.1    | Centralized Vehicle Groups . . . . .  | 237        |
| 6.5.2    | Decentralized Hierarchical Groups . . . . .   | 241        |
| 6.5.3    | Mixed Dynamic Groups . . . . .  | 248        |
| 6.5.4    | Individual versus Group . . . . .   | 251        |
| 6.5.5    | Cooperative Groups . . . . .  | 252        |
| 6.6      | Summary . . . . .   | 252        |



|          |   |            |
|----------|---|------------|
| <b>7</b> | <b>Evaluation and Presentation of Results</b>             | <b>255</b> |
| 7.1      | Research Questions and Hypotheses . . . . .               | 256        |
| 7.1.1    | Group Effectiveness . . . . .                             | 256        |
| 7.1.2    | Group Similarities . . . . .                              | 258        |
| 7.1.3    | Group Formation . . . . .                                 | 259        |
| 7.1.4    | Group Parameter . . . . .                                 | 261        |
| 7.2      | Evaluation Methodology . . . . .                          | 263        |
| 7.2.1    | Experimental Design . . . . .                             | 264        |
| 7.2.2    | Evaluation Criteria . . . . .                             | 264        |
| 7.2.3    | Tools and Measuring Equipment . . . . .                   | 266        |
| 7.2.4    | Dimensions . . . . .                                      | 266        |
| 7.3      | Evaluation Scenarios and Settings . . . . .               | 267        |
| 7.3.1    | Experiment Description . . . . .                          | 268        |
| 7.3.2    | Experiment Execution . . . . .                            | 275        |
| 7.3.3    | Data Analysis . . . . .                                   | 279        |
| 7.4      | Simulation Results . . . . .                              | 279        |
| 7.4.1    | Analysis of Group Efficiency . . . . .                    | 280        |
| 7.4.2    | Statistic Analysis of Distance . . . . .                  | 284        |
| 7.4.3    | Statistical Analysis of Group Formation . . . . .         | 287        |
| 7.4.4    | Statistical Analysis Parameter . . . . .                  | 288        |
| 7.5      | Discussion of Outcomes . . . . .                          | 294        |
| 7.5.1    | Discussion of Research Questions and Hypotheses . . . . . | 296        |
| 7.5.2    | General Outcome and Further Results . . . . .             | 308        |
| 7.6      | Summary . . . . .   | 309        |
| <b>8</b> | <b>Conclusions and Future Perspectives</b>                | <b>311</b> |
| 8.1      | Main Contributions . . . . .                              | 311        |
| 8.1.1    | Vehicle Groups in Urban Traffic . . . . .                 | 312        |
| 8.1.2    | Microscopic Agent-Based Simulation Tool . . . . .         | 312        |
| 8.1.3    | Evaluation of Vehicle Groups . . . . .                    | 313        |
| 8.2      | Limitations and Future Work . . . . .                     | 314        |
|          | <b>Appendices</b>   | <b>317</b> |
| <b>A</b> | <b>Car Following Models</b>                               | <b>319</b> |
| A.1      | Nagel-Schreckenberg Model (1992) . . . . .                | 319        |
| A.2      | Kinematic Distance Model . . . . .                        | 321        |
| A.3      | Model by Pipes (1953) . . . . .                           | 323        |
| A.4      | GHR Model (1961) . . . . .                                | 323        |
| A.5      | Model by Wiedemann (1974) . . . . .                       | 324        |
| A.6      | Optimal Velocity Model (1995) . . . . .                   | 325        |
| A.7      | Intelligent Driver Model (2000) . . . . .                 | 327        |



|   |            |
|---|------------|
| <b>B Existing Agent-Oriented Simulation Platforms</b>           | <b>329</b> |
| B.1 Efficiency of Agent Simulation . . . . .                    | 331        |
| B.2 AnyLogic . . . . .  | 332        |
| B.2.1 Installation . . . . .                                    | 332        |
| B.2.2 Advantages . . . . .                                      | 333        |
| B.2.3 Disadvantages . . . . .                                   | 333        |
| B.2.4 Conclusion . . . . .                                      | 333        |
| B.3 Java Agent DEvelopment Framework (JADE) . . . . .           | 333        |
| B.3.1 Installation . . . . .                                    | 333        |
| B.3.2 Advantages . . . . .                                      | 335        |
| B.3.3 Disadvantages . . . . .                                   | 335        |
| B.3.4 Conclusion . . . . .                                      | 335        |
| B.4 Jason . . . . .   | 335        |
| B.4.1 Installation . . . . .                                    | 335        |
| B.4.2 Advantages . . . . .                                      | 335        |
| B.4.3 Disadvantages . . . . .                                   | 337        |
| B.4.4 Conclusion . . . . .                                      | 337        |
| B.5 MASON: Multi-Agent Simulator Of Neighborhoods/Networks      | 337        |
| B.5.1 Installation . . . . .                                    | 337        |
| B.5.2 Advantages . . . . .                                      | 337        |
| B.5.3 Disadvantages . . . . .                                   | 337        |
| B.5.4 Conclusion . . . . .                                      | 339        |
| B.6 MATSim: Multi-Agent Transport Simulation Toolkit . . . . .  | 339        |
| B.6.1 Installation . . . . .                                    | 340        |
| B.6.2 Advantages . . . . .                                      | 340        |
| B.6.3 Disadvantages . . . . .                                   | 340        |
| B.6.4 Conclusion . . . . .                                      | 340        |
| B.7 NetLogo . . . . .   | 341        |
| B.7.1 Installation . . . . .                                    | 341        |
| B.7.2 Advantages . . . . .                                      | 341        |
| B.7.3 Disadvantages . . . . .                                   | 341        |
| B.7.4 Conclusion . . . . .                                      | 341        |
| B.8 Repast S . . . . .  | 341        |
| B.8.1 Installation . . . . .                                    | 341        |
| B.8.2 Advantages . . . . .                                      | 344        |
| B.8.3 Disadvantages . . . . .                                   | 344        |
| B.8.4 Conclusion . . . . .                                      | 344        |
| B.9 SeSAm: Shell for Simulated Agent Systems . . . . .          | 344        |
| B.9.1 Installation . . . . .                                    | 344        |
| B.9.2 Advantages . . . . .                                      | 344        |
| B.9.3 Disadvantages . . . . .                                   | 344        |
| B.9.4 Conclusion . . . . .                                      | 346        |
| B.10 Summary Agent Simulation for Cooperative Traffic . . . . . | 346        |



|          |  |            |
|----------|--|------------|
| <b>C</b> | <b>Technical Aspects of MATI</b>             | <b>347</b> |
| C.1      | Installation of MATI . . . . .               | 350        |
| C.1.1    | SUMO . . . . .                               | 350        |
| C.1.2    | Maven . . . . .                              | 351        |
| C.1.3    | Dependencies . . . . .                       | 352        |
| C.1.4    | Example . . . . .                            | 353        |
| C.1.5    | Instructions . . . . .                       | 353        |
| C.1.6    | HDF5 . . . . .                               | 353        |
| C.2      | Directory and file structure . . . . .       | 354        |
| C.2.1    | Scenario configuration . . . . .             | 354        |
| C.2.2    | Analyzing Tools . . . . .                    | 366        |
| C.3      | MATI Test . . . . .                          | 372        |
| C.3.1    | Scenario Definition . . . . .                | 372        |
| C.3.2    | Results . . . . .                            | 372        |
| C.3.3    | MATI Groups . . . . .                        | 375        |
| C.3.4    | Color Sort Implementation . . . . .          | 376        |
| C.3.5    | CNP Implementation . . . . .                 | 376        |
| C.4      | Evaluation of Simulation . . . . .           | 378        |
| C.4.1    | Structure of the HDF5 file . . . . .         | 378        |
| C.4.2    | Setup . . . . .                              | 381        |
| C.4.3    | Data Import . . . . .                        | 382        |
| C.4.4    | Statistic Analysis Distance . . . . .        | 382        |
| C.4.5    | Statistic Analysis Group Formation . . . . . | 383        |
| C.4.6    | Statistic Analysis Parameter . . . . .       | 384        |
| <b>D</b> | <b>AIMSUN Groups</b>                         | <b>391</b> |
| <b>E</b> | <b>ATSim Groups</b>                          | <b>397</b> |
|          | <b>Bibliography</b>                          | <b>401</b> |
|          | <b>Curriculum Vitae</b>                      | <b>433</b> |