




Matthias Christoph Heitz (Autor)
Self-Organizing Wireless Sensor Networks in Aviation



<https://cuvillier.de/de/shop/publications/7862>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

1	Introduction	1
1.1	Wireless Communication	2
1.2	Contributions	4
2	Wireless Sensor Networks	5
2.1	WSN Definition	5
2.2	WSN Examples	7
2.3	WSN Properties and Requirements	8
2.4	WSN for an Aircraft	10
3	Self-Organizing Networks	13
3.1	SON Definition	15
3.2	SON Examples	15
3.2.1	Self-Organizing Traffic Information System	15
3.2.2	Self-Organization Structure in LTE	18
3.3	SON Properties and Requirements	19
3.4	SON for an Aircraft	21
4	Applications and Requirements	23
4.1	Applications for Wireless Sensor Networks	23
4.1.1	Temperature Control	23
4.1.2	Lighting Control	24
4.1.3	Fire and Smoke Detectors	24
4.1.4	Cargo Monitoring	24
4.2	Requirements	25
4.2.1	System Specific Requirements	25
4.2.2	Application Specific Requirements	26

5	Wireless Radio Channel	29
5.1	Large Scale Propagation Effects	29
5.1.1	Free Space Model	29
5.1.2	Main Propagation Effects	30
5.2	Small Scale Propagation Effects	31
5.3	Log Distance Shadowing Model	32
6	Spectrum Sharing	35
6.1	Radio Altimeter	35
6.1.1	General Function Description of an RA used in Aviation	36
6.1.2	General Requirements for the RA	38
6.1.3	Statistical Results of a Measurement Campaign	38
6.2	Interference Scenarios due to Spectrum Sharing	39
6.2.1	Interference with the RA System	40
6.2.2	Interference with the WSN System	41
6.3	Interference Detection and Sensing	44
6.3.1	Energy Sensing and Detection	46
6.3.2	Interference Detection Evaluation	46
6.4	Proposal for an Interference Avoidance Scheme	49
6.5	Summary	50
7	Channel Access	51
7.1	Requirements	52
7.2	Channel Access Resources	54
7.3	Time-Based MAC Protocols	55
7.3.1	Aloha	56
7.3.2	Carrier Sense Multiple Access	57
7.3.3	IEEE 802.15.4 CSMA	59
7.3.4	Slotted MAC Protocols	61
7.4	Self-Organizing Reservation TDMA	64

7.4.1	The ‘Init’ Phase	65
7.4.2	Interference Handling	72
7.4.3	Evaluation of the Length of the ‘Init’ Phase	74
7.4.4	SORT Summary	81
7.5	‘Hello’ Phase	82
7.6	Summary	83
8	Time Synchronization	85
8.1	Clock Implementation of the Nodes	85
8.2	Requirements	86
8.3	Common Time Synchronization Protocols	88
8.3.1	Time-sync Protocol for Sensor Networks	88
8.3.2	Reference Broadcast Synchronization	88
8.3.3	Firefly Synchronization	89
8.3.4	Evaluation of the WSN Synchronization Protocols	91
8.4	BroadFire Synchronization Scheme	91
8.5	System Evaluation	93
8.5.1	Required Resynchronization Interval	99
8.5.2	Loss of Synchronization	102
8.6	Summary	103
9	Simulation	105
9.1	Simulation Environment	105
9.2	Simulation System Parameters	106
9.3	Simulation Evaluation	107
9.3.1	Verification of ‘Init’ Time	107
9.3.2	Energy Consumption	108
9.3.3	Flexibility and Reliability	114
9.3.4	Hidden and Exposed Nodes	115
9.3.5	Delay	116
9.4	Summary	117

10 Conclusion	119
Abbreviations	121
Symbols	125
Bibliography	129