



Contents

Preface	v
Abstract	vii
Contents	ix
List of Figures	xii
List of Tables	xvi
Symbols	xvii
1 Introduction	1
1.1 Wetting fundamentals	1
1.1.1 Droplet spreading	1
1.1.2 Liquid imbibition into single pore	5
1.1.3 Penetration into pore network	8
1.2 Capillary wetting into food powders	12
1.2.1 Reconstitution of food powder	12
1.2.2 Wetting step as rate limitation	14
1.2.3 Heterogeneity due to geometry	15
1.2.4 Heterogeneity due to surface composition	16
1.2.5 Dissolution and swelling during wetting	18
1.3 Modelling of the reconstitution process	20
1.3.1 Modelling the wetting step	21
1.3.2 Modelling of dissolution	24
1.3.3 Modelling of dissolution during capillary wetting	26
1.4 Objectives based on state of the art	27
2 Experimental methods	29
2.1 Analysis of powder properties	29
2.2 Surface modification techniques and analysis methods	30
2.2.1 Cleaning of glass material	30
2.2.2 Silanization of glass material	30
2.2.3 Fluidized bed coating	30
2.2.4 Spin coating	31
2.2.5 Tablet pressing	32

2.2.6	Manufacturing of thin layers	32
2.2.7	Particle shape and surface roughness	33
2.3	Contact angle determination	33
2.4	Single gap setup	34
2.5	Washburn experiment	34
3	Results of material characterization	36
3.1	Composition of powders	36
3.2	Shape and surface of particles	37
3.3	Characterization of powder properties	42
3.3.1	Powder properties of inert systems	42
3.3.2	Powder properties of food systems	44
3.3.2.1	Homogeneous food powders	44
3.3.2.2	Heterogeneous food powders	48
3.3.3	Powder properties of mixed systems	49
3.3.3.1	Mixture of sucrose and hydrophobic glass	50
3.3.3.2	Mixture of sodium chloride and shellac coated glass	51
3.4	Characterization of liquid properties	52
3.5	Solid-liquid interactions	52
3.5.1	Interactions in inert systems	52
3.5.2	Interactions in food systems	54
3.5.2.1	Homogeneous food powders	55
3.5.2.2	Heterogeneous food powders	57
3.5.3	Interactions in mixed systems	58
3.5.3.1	Sucrose and hydrophobic glass mixtures	58
3.5.3.2	Sodium chloride and shellac coated glass mixtures	59
4	Model description	60
4.1	Model for inert, heterogeneous system	60
4.2	Model for soluble, heterogeneous food system	61
5	Capillary wetting into inert systems	66
5.1	Liquid penetration into single gaps	66
5.2	Liquid penetration into powder systems	68
5.2.1	Influence of heterogeneous, coarse powder on penetration rate	68
5.2.2	Influence of heterogeneous, fine powder on penetration rate	70
5.2.3	Modelling of heterogeneous penetration	72
6	Capillary wetting into food systems	76
6.1	Penetration into homogeneous systems	76
6.1.1	Influence of viscosity development on penetration rate	76
6.1.2	Influence of particle size on penetration rate	83
6.2	Penetration into heterogeneous systems	89
6.2.1	Effect of viscosity and heterogeneity on liquid penetration	89
6.2.2	Effect of dissolution and heterogeneity on liquid penetration	94
6.2.3	Comparison of food with inert systems	98
6.3	Combined factors in real food system	101
6.4	Model for prediction of capillary wetting	104

6.4.1	Numerical study of the sensitivity of wetting factors	104
6.4.1.1	Influence of contact angle	105
6.4.1.2	Influence of dissolution area	106
6.4.1.3	Influence of pore network properties	107
6.4.2	Approaches for improvement of the model	109
6.4.3	Application of model from an industry perspective	112
7	Conclusion	114
7.1	Inert systems	114
7.2	Soluble systems	115
A	Sodium chloride	117
B	Sucrose and hydrophobic glass	119
C	Sodium chloride and shellac coated glass	120
D	Determination of change of pore network	122
	Bibliography	123