

1. Introduction

In order to accomplish the climate change goals set by the Paris Agreement and maintain the global temperature increase below 2°C, every aspect of society needs to contribute. One area addressed in the German Sustainability Development Strategy [1], is the goal of affordable and clean energy. The Energy Sources Act (EEG) sets national targets for the power sector and stipulates that at least 80% of electricity production should come from renewable resources in the year 2050 [2]. Although renewable energy concepts are a key element of energy policy today, sole reliance on increasing the share of renewable energies is not sufficient to build a sustainable energy system [3]. Consideration of sustainability criteria, which targets more than the amount of renewable energies, is thus important in evaluating an energy system.

This final report presents the findings of the research project NEDS – Sustainable Energy Supply Lower Saxony. The main research question of the project is *how can a path towards a sustainable energy system for Lower Saxony be found, modeled, and evaluated?* To answer this question, the project was conducted from 2015 to 2019 under the collaboration of eight research institutes. At the outset of this project in 2015, Lower Saxony had an important role model function within Germany as a state with approximately 38% of its electricity coming from renewable energy sources, especially from biogas and onshore wind. Further progress is, however, necessary to reach the goals described in the state's mission statement [4] and to achieve a renewable energy supply by the year 2050, which satisfies sustainability criteria.

There have been other studies to model possible energy system configurations that can achieve the state's targets (especially in [5]), multiple system configurations and paths toward them are possible. This project used methodology developed to analyze and evaluate the configurations. For an overview of the overall project design, see Figure 1. The project team started out by qualitatively describing the energy system for the year 2015 with respect to technical, economic, social, and environmental aspects. The method of scenario planning was applied to develop future energy scenarios for the year 2050. One scenario was selected and quantified resulting in three alternative system configurations. Four reference years were selected to model and simulate the development of the energy system (2020, 2030, 2040, and 2050). In the last step, all of these system configurations in their different pathways were evaluated using multi-criteria analysis.

1. Introduction




Figure 1: Project overview

In this report, we first present a brief overview of the state of literature (Section 2) before describing the project targets and deriving system boundaries for such a methodology (Section 3). A simple overview of the methodology is given (Section 4), which also encompasses how data exchange was handled in the different phases of the methodology. After that, the methodology is described in more detail. The transition of a formerly centralized electrical energy system with well controllable energy supply toward an energy system based on renewable energies has a significant impact on several areas, e.g., social or economic. The definition of evaluation criteria to assess the sustainability of the defined energy system configurations and transitions paths toward them is presented in Section 0. After that, scenarios are developed in a structured process that also allows the definition of transitions paths (Sections 6 and 8). Selected attributes of these scenarios are empirically embedded, using insights from the diffusion studies, developed for a selection of relevant innovations (Section 7).

With our interdisciplinary project consortium, we aim to analyze technical, social, environmental, and economic parameters as well as their interactions with the help of corresponding models and we focused on coupling these models. Different energy system configurations are modeled using multiple simulations and optimization models described in Sections 9. Results of the individual models are shown in Section 10. Finally, to aggregate the performance scores of the 18 criteria obtained from the simulation and optimization models, a Multi-Criteria Decision Analysis (MCDA) method is used (Section 11).



1. Introduction

To illustrate the application of the method and support the decision process, conceivable transition paths toward a power supply based on renewable energies in Lower Saxony by 2050 were developed and examined for their sustainability and feasibility in several time steps (2020, 2030, 2040, and 2050). With the conclusion of the project, a possible transition path to a sustainable, renewable-energy-based electric power supply system for Lower Saxony was identified for a chosen scenario.

2. State of the Art Regarding Energy Scenarios for Lower Saxony

T. Witt

While many energy scenario studies examine possible future energy systems of Germany [6, 7], there actually are only few relevant energy scenario studies analyzing the transition of Lower Saxony's energy supply system toward higher shares of energy from renewable sources. To decide, which approaches and assumptions can be reused in our project, the existing studies as well as the own approach are categorized using a morphological box.

The method *morphological box* was developed by [8] in the 1960s and can be used to systematically identify all possible configurations of a certain object of interest. In the leftmost column, relevant *parameters* describing a system are collected. For example, in Figure 2, Orientation, Purpose, Type of information, etc. On the right side, the possible variations for these parameters, so-called *characteristics*, are collected. The morphological box is usually used for classification. It can also be regarded as a creativity technique, since new configurations of a system can be found by trying out different combinations of characteristics.

The morphological box for the categorization of energy scenarios has been developed at the beginning of the project [7]. Figures 2 and 3 show the categorization of four related energy scenarios concerning the energy supply system in Lower Saxony as well as the approach in this project (NEDS, marked with *). For example, regarding the scenario orientation, in [9] and [10], *predictive* scenarios are developed, while in this project (*) and [10], *explorative* scenarios are developed, and in [5] and [11], *normative* scenarios are developed. In the following, the other four studies are briefly introduced, before the new features of the approach in NEDS are highlighted.

The study *Szenarien zur Energieversorgung in Niedersachsen im Jahr 2050* (scenarios for the energy supply in Lower Saxony in the year 2050; [5]) was commissioned by the Lower Saxony Ministry for Environment, Energy and Climate Protection, which is a ministry of the federal state of Lower Saxony. Its overall goal was to provide information to develop a guideline for the sustainable development of the energy system, including power, heat, and transport, in Lower Saxony. One important premise of this study is that the whole energy demand of Lower Saxony can be provided with power and heat plants on the actual territory of Lower Saxony, so that land use competition, e.g., between photovoltaics and biogas plants, is considered. This study contains two normative scenarios: The first scenario describes an energy system with 100% renewable energy. The second scenario describes an energy system with a GHG reduction of 80%. Numerical assumptions are presented for 2012 and 2050 only, and most results are only presented for 2050. However,

2. State of the Art Regarding Energy Scenarios for Lower Saxony

linear extrapolation is used to describe the development of selected key figures in the years 2020, 2030, and 2040.

(1) Scenario properties						
Orientation	Predictive [9, 10]		Explorative (*, [10])		Normative [5, 11]	
Purpose	External conditions affecting the consequences of policy actions (*)		Exploration of future conditions or environments [5, 9, 10]		Advocacy of particular courses of action [11]	
Type of information	Mainly quantitative [5, 11, 10]		Mainly qualitative [9]		Combined (Story-and-Simulation) (*)	
The domain of results/impacts	Technical (*, [5, 9, 11, 10])		Economic (*, [5, 9, 10])		Social (*, [9])	
Temporal scope of the scenario	Short term		Long term (*, [5, 9, 11, 10])		Environmental (only GHG) [5, 10]	
Geographical scope of scenario	Local		Regional (*, [5, 9, 11, 10])		National [10]	
Economic sector	Overall economy (*)		Electricity (*, [5, 9, 11, 10])		Heat [5, 9, 11, 10]	
(2) Model properties						
Analytical approach / System perspective	Top-down (*)		Bottom-up (*, [10])		n.a. [5, 9, 11]	
The geographical scope of the model	Local (*, [10])		Regional (*, [5, 11, 10])		National [10]	
The temporal resolution of the model	Minutes (*)		Hours (*)		Days [5, 10]	
Number of models	One [5, 11, 10]		Multiple (*)		Years (*, [11, 10])	
Coupling of models	Soft link (*)		Hard link (*)		No link [5, 11, 10]	
					n.a. [9]	

Figure 2: Morphological box applied to selected energy scenarios

2. State of the Art Regarding Energy Scenarios for Lower Saxony

The study *BUND-Szenario – Energieversorgung in Niedersachsen im Jahr 2050* (BUND scenario – energy supply in Lower Saxony in the year 2050; [11] was commissioned by the Lower Saxony branch of the Bund für Umwelt- und Naturschutz Deutschland (BUND; association for environmental protection and nature conservation Germany). It is based on the scenarios and the energy system model described in [5], but sets different assumptions, for example regarding economic growth, land use of residential areas, resource consumption, and traffic volume. It is also based on the premise that the whole energy demand of Lower Saxony can be provided with power and heat plants on the actual territory of Lower Saxony. This study contains one normative scenario, which describes an energy system with 100% renewable energy. Numerical assumptions and results are described for 2050.

(3) Scientific practice					
Transparency of decision support	Explicit evaluation of scenarios, e.g., with methods from (multi-criteria) decision analysis (*)		Implicit data-driven analysis [5, 9, 11, 10]		
The rationale for assumptions and constraints	Provided, based on literature (*, [5, 10])	Provided, based on own assumptions (*, [11])	Not provided [9]		
Consistency of assumptions and constraints	Demonstrated (*, [10])		Not demonstrated [5, 9, 11]		
Communication of uncertainties	Critical assumptions are marked explicitly (*, [5, 9, 10])		Assumptions are not distinguished [11]		
Ease of model validation	Glass box [5]	Grey box (*, [5, 10])	Black box (*, [9, 11])		
(4) Institutional setting					
Commissioner	Public institution (*, [5, 10])	Private institution [9]	Non-governmental organization [11]	No commissioner	
Affiliation of Commissioner	Technical	Economic [9]	Social (*, [10])	Environmental [5, 11]	No commissioner
Involvement of stakeholders	Stakeholders are involved (*, [5])		Stakeholders are either not involved or not mentioned [9, 11, 10]		
*: Approach in NEDS					

Figure 3: Morphological box applied to selected energy scenarios, continued

2. State of the Art Regarding Energy Scenarios for Lower Saxony

The study *Energieland Niedersachsen – Struktur, Entwicklung und Innovation in der niedersächsischen Energiewirtschaft* (Energy land Lower Saxony – structure, development, and innovation in the energy sector in Lower Saxony; [9]) was commissioned by the “Institut der Norddeutschen Wirtschaft e.V.” (Institute of the North German economy). Notably, this study is not based on any particular energy system model. Therefore, most results are only presented in a qualitative way. Its goal is to provide information on the status quo of the energy sector in Lower Saxony as well as to identify future opportunities for the energy sector in Lower Saxony. This study contains one predictive (reference) scenario, which describes future potentials for the development of Lower Saxony’s energy sector, e.g., in terms of the installed capacities of different renewable energy technologies or the development of the number of jobs in the energy sector. Future developments are described for different years up to 2038.

The study *Energie und Klima als Optimierungsproblem am Beispiel Niedersachsen* (Energy and climate as optimization problem applied to Lower Saxony; [10]) was commissioned by the Federal Ministry for Education, Science, Research, and Technology. Notably, this study was published in 1996 and is therefore not only the oldest of the analyzed studies but was also written well before the energy transition became a prominent topic on the political agenda in Germany. It is nonetheless included in the analysis because it is one of the few model-based studies concerning Lower Saxony’s energy supply system. The goal of this study is to analyze options, which allow avoiding the use of nuclear energy and reducing CO₂-emissions in Lower Saxony, with an optimization model. This study contains three scenarios and additional sensitivity analyses, which differ in the assumed prices for energy carriers, sociodemographic and economic parameters, and assumptions concerning the use of nuclear energy. Quantitative assumptions are described for 1992, while quantitative results are presented for 2005 and 2020.

In this project, we extend upon existing studies. In particular, the integration of methods from Multi-Criteria Decision Analysis (MCDA) to evaluate transition paths and the integration of energy system models with different foci requires a new methodology for energy scenario development and evaluation. This methodology will be outlined broadly in Section 4. The multi-criteria evaluation of transition paths is described in more detail in Section 11. Another feature of this new methodology is that the consistency of assumptions and constraints is addressed with an information model, which can be used to support the data exchange in the different phases of the developed methodology. For example, when different energy system models with different temporal resolutions and system perspectives need to exchange data, the information model can be used to model the dependencies and construct a shared database for these energy system models (see Section 4.2). Furthermore, the internal consistency of the explorative scenarios is addressed in the



2. State of the Art Regarding Energy Scenarios for Lower Saxony

scenario planning method (see Section 6). Finally, not only greenhouse gas emissions are considered as environmental impacts, but also other factors such as agricultural land use, by means of a Life-Cycle assessment (see Sections 9.9 and 10.5).

3. Project Framework

C. Reinhold, T. Witt

Because energy systems are very complex systems (as stated in [12]), the major question, how such a system can be transformed so that it is more sustainable in the future, can be broken down into many small research questions that need to be tackled by different disciplines [13]. Increasingly, interdisciplinary approaches, where models and methods from different disciplines complement each other, are used.

In this project, models and methods from energy technology, psychology, business administration, economics, and computer science are brought together to evaluate how sustainable energy supply can be achieved for Lower Saxony up to the year 2050. The project team comprises partners from universities located in Lower Saxony.

In Section 3.1, the project targets are described in more detail. From these project targets, the system boundaries are derived in Section 3.2.

3.1 Project Targets

C. Reinhold

The transformation of the energy supply system in Germany and especially in Lower Saxony toward a more sustainable system requires the investigation of relevant subsystems and properties that describe this system. In this field, essential instruments for decision support and scientific policy advice are the qualitative analysis of future scenarios via scenario planning, quantitative analysis of these scenarios' consequences via energy system analysis, and a subsequent multi-criteria evaluation, which helps to integrate objective model results and stakeholders' values for a holistic system evaluation. In this project, we develop a new general methodology for the development and evaluation of energy scenarios that aim to integrate scenario planning, energy system analysis, and multi-criteria analysis.

The objective of developing this methodology is, therefore, to provide an instrument for scientific policy advice, which helps to shed light on today's decision problems by providing quantitative data and allowing for sensitivity analyses, which can inform corresponding debates in the democratic system and make them more objective and transparent. The methodology does however not claim to generate binding recommendations. The energy transition affects many stakeholders because the energy system has many dependencies to economy, environment, policy, technology, and citizens. Therefore, the methodology has an additional goal to

3. Project Framework

integrate this interdisciplinarity. In the first step, we develop future energy scenarios for the year 2050 as well as transition pathways marking the years 2020, 2030 and 2040. In the second step, we aim to evaluate the final system state in 2050 as well as the transition states based on a sustainability concept using a multi-criteria decision analysis approach.

In addition to the overall goal, subject-specific key questions are formulated at micro- and macro-level. For the micro-level, influencing factors on the diffusion of innovations as well as the possible necessity of behavioral adaptation for the implementation of a sustainable power supply system are examined. This requires a detailed empirical description of the behavior patterns in German households. The integration of innovations and new technologies in the residential and commercial sectors requires the investigation of the electrical behavior of buildings for each grid node in a coordinated grid system. Based on this, technical requirements are defined, which are necessary for the efficient use of smart grid technologies.

The macro-level, on the other hand, analyzes the energy system transformation and its quantitative effects on the sub-sectors of grid technology, energy economy, and national economy. To this end, the topology of the supply system and the characteristics of the generation and consumption structure are addressed. Cost-optimized expansion strategies and economic planning of the plants are essential for the transformation of the power supply system. The focus at the macroeconomic level is the evaluation of the influence of climate policy, trade policy and their interconnections on the energy sector and the economy of Lower Saxony.

Both levels are linked with each other. Statements and results from the micro-level are transferred to models of the macro-level with the use of scaling. For example, the load assumptions of a low-voltage grid are scaled and transferred to the grid extension planning for Lower Saxony's entire power grid.

Answering the key questions for future scenarios requires subject-specific simulation models to simulate the individual parts of the energy supply system. The basis for efficient simulation studies is the performance optimization of the respective simulation models. The subsequent process step is the aggregation and connecting of the simulation results with the sustainability criteria.

3.2 System Boundary

T. Witt

Because the project targets are not only to develop a methodology for development and evaluation of energy scenarios but also to apply this methodology to planning the transition of Lower Saxony's power generation system toward higher shares of energy from renewable sources, *two* system boundaries need to be distinguished: