



Maik Becker (Autor)

Validation of a two-dimensional model for vanadium redox-flow batteries

Schriftenreihe des Energie-Forschungszentrums Niedersachsen


efzn
Energie-Forschungszentrum
Niedersachsen



Validation of a two-dimensional model for vanadium redox-flow batteries

Maik Becker
Promotion an der Technischen Universität Clausthal

Band 65

 Cuvillier Verlag Göttingen

<https://cuvillier.de/de/shop/publications/8234>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Contents

Abstract	v
Kurzfassung	vii
Acknowledgements	ix
1 Introduction	1
1.1 Redox-flow batteries for stationary energy storage	3
1.2 Vanadium redox-flow battery – basic properties	7
1.3 Overview of mathematical modelling and model validation	11
2 Overview of publications	15
3 Polarization curve measurements combined with potential probe sensing for determining current density distribution in vanadium redox-flow batteries	17
4 Kinetic studies at carbon felt electrodes for vanadium redox-flow batteries under controlled transfer current density conditions	27
5 Combination of impedance spectroscopy and potential probe sensing to characterize vanadium redox-flow batteries	43
6 Mass transport parameter estimation and model validation for vanadium redox-flow batteries	59
6.1 Introduction	61
6.2 Setup of the mathematical model	67
6.3 Experimental setup for cell & electrolyte characterization	73
6.4 Evaluation of electrolyte properties, open circuit cell voltage, kinetic data, membrane and bipolar plate resistance	74
6.5 Evaluating reasonable diffusion coefficients from literature data	79
6.6 Mass transport parameter estimation & model validation	80



6.7 Conclusion.....	88
6.8 Symbols and Subscripts applied in the model	89
7 Concluding discussion & outlook	93
References.....	99
Appendix.....	113
A.1 Detailed overview for measured and modeled potential probe signals	113
A.2 gPROMS code	126