

Contents

| | |
|--|-----|
| Abstract | i |
| Kurzzusammenfassung | iii |
| Zusammenfassung | v |
| 1 Introduction | 1 |
| I Spectroscopy of Dimethyl Ether | 7 |
| 2 Introduction | 9 |
| 2.1 Astronomical Relevance | 9 |
| 2.2 Previous Laboratory Work | 10 |
| 3 Theory | 13 |
| 3.1 General | 13 |
| 3.2 Molecular Symmetry Group | 14 |
| 3.3 Correlation Table | 15 |
| 3.4 Selection Rules | 16 |
| 3.5 Spin Statistic | 17 |
| 3.6 Effective Rotational Hamiltonian | 18 |
| 3.6.1 Separation of the Hamiltonian | 19 |
| 3.6.2 Solutions of $H_I(K_1, K_2)$ | 22 |
| 3.6.3 Basis Transformation | 25 |

| | | |
|-----------|---|-----------|
| 3.6.4 | Calculation of the Matrix Elements | 26 |
| 3.6.5 | Effective Hamiltonian for Dimethyl Ether | 28 |
| 3.6.6 | Discussion of the Hamiltonian | 29 |
| 3.6.7 | Determination of the Potential Function $V(\tau_1, \tau_2)$. . | 35 |
| 3.7 | Perturbations in Excited Torsional States | 37 |
| 3.8 | Level Crossings | 37 |
| 3.9 | Fitting Spectra and Calculating Transition Frequencies . . | 39 |
| 3.10 | The RIAS Approach | 40 |
| 4 | Observed Spectrum and Analysis | 43 |
| 4.1 | Experimental Details | 43 |
| 4.2 | Ground State Spectrum | 44 |
| 4.3 | Excited Torsional States | 49 |
| 4.4 | Astronomical Identifications | 55 |
| 4.5 | Torsional Potential Function | 56 |
| 5 | Conclusion | 63 |
| II | High Resolution THz Spectrometers: Techniques and Perspectives | 67 |
| 6 | Introduction | 69 |
| 7 | Cologne Spectrometers | 73 |
| 7.1 | Synthesizer and Multiplier Chains | 73 |
| 7.2 | BWO-THz-Spectrometer | 74 |
| 8 | Superlattice Spectrometer | 77 |
| 8.1 | The Superlattice Device | 77 |
| 8.2 | Spectrometer Setup | 78 |
| 8.3 | Spectra | 79 |
| 8.3.1 | Output Intensities at Higher Harmonics | 80 |
| 8.3.2 | Accuracy in Frequency | 81 |
| 8.3.3 | Broadband Scan of Methanol | 82 |
| 8.3.4 | Spectra above 1.5 THz | 83 |
| 8.4 | Conclusion | 84 |

| | |
|---|------------|
| 9 Heterodyne Detection Techniques | 87 |
| 9.1 Principles of Heterodyne Detection | 89 |
| 9.2 Detection with Superconducting Mixers | 91 |
| 9.2.1 Receiver Noise Temperature | 91 |
| 9.2.2 Experimental Setup | 92 |
| 9.2.3 System Noise Temperature | 93 |
| 9.2.4 Emission Spectra | 96 |
| 9.2.5 Sideband Identification | 100 |
| 9.2.6 Detection of Monochromatic Signals | 100 |
| 9.2.7 Absorption Spectra | 105 |
| 9.3 Detection with Superlattice Mixers | 106 |
| 9.3.1 Experimental Setups | 107 |
| 9.3.2 Continuum Detector | 108 |
| 9.3.3 Double Heterodyne Detection | 108 |
| 9.3.4 Bolometer | 110 |
| 9.4 Conclusion | 111 |
| | |
| Conclusion and Outlook | 115 |
| | |
| III Appendix | 117 |
| | |
| A Useful Tables | 119 |
| | |
| Bibliography | 123 |
| | |
| Acknowledgement | 133 |