



Jacqueline Yvonne Paula Butter (Autor)  
**Single-molecule nano-optics low temperature**

---

**Single-molecule nano-optics  
at  
low temperature**

---

**J.Y.P. Butter**

 Cuvillier Verlag Göttingen

<https://cuvillier.de/de/shop/publications/1999>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,  
Germany  
Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

# Contents

Acknowledgements . . . . .	v
Abstract . . . . .	vii
<b>1 Introduction</b>	<b>1</b>
<b>2 Fundamentals of single-molecule spectroscopy</b>	<b>7</b>
2.1 Single molecules at cryogenic temperature . . . . .	9
2.1.1 Physical principles . . . . .	9
2.1.2 Getting down to the single-molecule level . . . . .	11
2.1.3 Requirements for the molecule-matrix system . . . . .	13
2.1.4 Saturation . . . . .	17
2.2 Optical imaging and spectroscopy . . . . .	18
2.2.1 Resolution . . . . .	18
2.2.2 Confocal microscopy . . . . .	19
2.2.3 Aperture scanning near-field optical microscopy . . . . .	20
<b>3 Experimental</b>	<b>23</b>
3.1 The optical set up . . . . .	25
3.1.1 Overview . . . . .	25
3.1.2 The laser system . . . . .	27
3.1.3 The cryostat . . . . .	27
3.2 The confocal experimental stage . . . . .	28

3.3	The SNOM head . . . . .	30
3.3.1	Preparation of aperture tips . . . . .	32
3.3.2	Tip-sample distance control . . . . .	33
3.3.3	Topographical imaging . . . . .	34
3.4	Samples . . . . .	36
3.5	Sample preparation . . . . .	36
3.5.1	Terrylene in <i>p</i> -terphenyl . . . . .	36
3.5.2	Terrylene in linear low-density polyethylene . . . . .	37
<b>4</b>	<b>Single-molecule imaging</b>	<b>39</b>
4.1	Imaging of single molecules . . . . .	41
4.2	Experiment . . . . .	41
4.3	Results . . . . .	42
4.4	Monte Carlo simulations . . . . .	46
4.4.1	Spot-size as a function of detuning . . . . .	46
4.4.2	Spot-size as a function of intensity . . . . .	49
4.5	Discussion . . . . .	51
4.6	Conclusion . . . . .	52
<b>5</b>	<b>Single-molecule detection by absorption</b>	<b>53</b>
5.1	Introduction . . . . .	55
5.2	Requirements for single-molecule detection by absorption . . . . .	56
5.3	Terrylene in a stretched film of linear low-density polyethylene . . . . .	57
5.3.1	Absorbance spectrum . . . . .	58
5.3.2	Fluorescence excitation polarisation microscopy . . . . .	58
5.3.3	Spectral stability . . . . .	61
5.3.4	Saturation behaviour . . . . .	62
5.3.5	Conclusion on the sample structure . . . . .	64

5.4	Interferometric approach to single-molecule detection by absorption . . . . .	65
5.5	Results . . . . .	66
5.5.1	Spectroscopy . . . . .	66
5.5.2	Time trace . . . . .	70
5.6	Conclusion . . . . .	71
<b>6</b>	<b>Aperture scanning near-field optical microscopy and spectroscopy of single molecules</b>	<b>73</b>
6.1	Aperture scanning near-field optical microscopy . . . . .	75
6.2	Tip and tip alignment . . . . .	76
6.3	Results . . . . .	77
6.3.1	Aperture scanning near-field optical microscopy of single mole- cules . . . . .	77
6.3.2	Aperture scanning near-field optical spectroscopy of single molecules . . . . .	78
6.4	Conclusion . . . . .	81
<b>7</b>	<b>Outlook</b>	<b>83</b>
	<b>Bibliography</b>	<b>89</b>
	<b>Curriculum Vitae</b>	<b>101</b>

