

Table of Contents

Chapter 1

Introduction and Objectives of the Thesis

| | | |
|-----|--|----|
| 1 | INTRODUCTION | 2 |
| 1.1 | Adsorption of Therapeutic Proteins on Solid Surfaces | 2 |
| 1.2 | Recombinant Proteins and their Formulation | 3 |
| 1.3 | Immunogenicity of Proteins..... | 4 |
| 1.4 | Glass – a Primary Packaging Material for Parenteral Dosage Forms | 4 |
| 1.5 | Surface Modifications of Glass Containers for Parenteral Pharmaceuticals..... | 5 |
| 1.6 | Protein Adsorption at the Solid Liquid Interface..... | 6 |
| 1.7 | Factors Influencing the Adsorption of Therapeutic Proteins on Solid Surfaces | 9 |
| 1.8 | Characterization of Protein Adsorption on Solid Surfaces..... | 11 |
| 2 | OBJECTIVES OF THE THESIS | 13 |
| 3 | REFERENCES..... | 14 |

Chapter 2

Development of Sensitive Methods for the Quantification of Protein Adsorption to Pharmaceutical Containers

| | | |
|-------|--------------------------------------|----|
| 1 | INTRODUCTION | 22 |
| 2 | MATERIALS AND METHODS..... | 25 |
| 2.1 | Materials | 25 |
| 2.1.1 | Protein Formulation | 25 |
| 2.1.2 | Glass Vials and Closure Systems..... | 25 |
| 2.1.3 | Chemicals / Excipients..... | 25 |
| 2.1.4 | Test Tubes | 26 |
| 2.2 | Methods | 26 |
| 2.2.1 | SE-HPLC | 26 |
| 2.2.2 | UV Spectroscopy | 26 |

| | | |
|-------|--|----|
| 2.2.3 | Fluorescence Spectroscopy | 26 |
| 2.2.4 | Micro BCA™ Protein Assay Kit | 27 |
| 2.2.5 | Calbiochem Non Interfering Protein Assay | 27 |
| 2.2.6 | Analysis of Total Organic Carbon | 27 |
| 2.2.7 | Surface Tension Measurements | 28 |
| 3 | RESULTS AND DISCUSSION | 28 |
| 3.1 | Development and Optimization of a Standardized Quantification Method | 28 |
| 3.1.1 | Determination of Fluorescence Properties of IgG1 and h-IgG | 28 |
| 3.1.2 | Validation of a New SE-HPLC Method for Sensitive IgG Quantification | 30 |
| 3.1.3 | Validation of a New Total Organic Carbon Analysis Method for Sensitive IgG Quantification | 33 |
| 3.1.4 | Sensitivity of the New Methods in Comparison with Commercial Standard Assays | 36 |
| 3.2 | Development of a Standardized IgG Adsorption Quantification Assay for Glass Containers | 38 |
| 3.2.1 | Desorption Buffer and Timeframe of Desorption Process | 38 |
| 3.2.2 | Rinsing Buffer and Number of Rinsing Steps | 39 |
| 3.2.3 | Timeframe of Adsorption Process..... | 41 |
| 3.3 | IgG1 Adsorption on Glass Vials – Comparison of SE-HPLC and TOC Method | 43 |
| 4 | CONCLUSIONS | 44 |
| 5 | REFERENCES..... | 45 |

Chapter 3

Influence of Vial Surface Properties on IgG1 Adsorption

| | | |
|-------|---|----|
| 1 | INTRODUCTION | 50 |
| 2 | MATERIALS AND METHODS..... | 55 |
| 2.1 | Materials | 55 |
| 2.1.1 | Protein Formulation | 55 |
| 2.1.2 | Glass Vials and Closure Systems..... | 55 |
| 2.1.3 | Chemicals / Excipients | 56 |
| 2.2 | Methods | 56 |
| 2.2.1 | Argon Corona Discharge Plasma Treatment of Glass Surfaces | 56 |
| 2.2.2 | Contact Angle Measurements | 57 |
| 2.2.3 | UV Spectroscopy | 57 |
| 2.2.4 | Adsorption Method..... | 58 |
| 2.2.5 | Size Exclusion High Performance Liquid Chromatography | 58 |

| | | |
|-------|---|----|
| 2.2.6 | Time of Flight Secondary Ion Mass Spectrometry..... | 58 |
| 3 | RESULTS AND DISCUSSION | 59 |
| 3.1 | Influence of Surface Free Energy on IgG1 Adsorption | 59 |
| 3.2 | Persistence of Plasma-Mediated Surface Hydrophilicity and Related IgG1 Adsorption Properties after Vial Storage..... | 68 |
| 3.3 | Tensiometric Investigation of Protein-Covered Glass Surface..... | 69 |
| 3.4 | Influence of pH on Glass Properties Affecting IgG1 Adsorption | 71 |
| 3.4.1 | Influence of pH on the Elemental Glass Composition..... | 73 |
| 3.4.2 | Influence of pH on the Glass Surface Free Energy..... | 76 |
| 4 | CONCLUSIONS | 79 |
| 5 | REFERENCES..... | 80 |

Chapter 4

Influence of the Protein Formulation on IgG Adsorption to Vials

| | | |
|-------|--|----|
| 1 | INTRODUCTION | 84 |
| 2 | MATERIALS AND METHODS..... | 87 |
| 2.1 | Materials..... | 87 |
| 2.1.1 | Protein Formulation | 87 |
| 2.1.2 | Glass Vials and Closure Systems..... | 88 |
| 2.1.3 | Glass Powder..... | 88 |
| 2.1.4 | Chemicals / Excipients..... | 88 |
| 2.2 | Methods..... | 89 |
| 2.2.1 | Calculation of Ionic Strength..... | 89 |
| 2.2.2 | Isoelectric Focusing..... | 90 |
| 2.2.3 | Electrophoretic Mobility Measurements by Dynamic Laser Light Scattering..... | 90 |
| 2.2.4 | Determination of the Hydrodynamic Diameter by Dynamic Laser Light Scattering..... | 90 |
| 2.2.5 | UV Spectroscopy | 91 |
| 2.2.6 | Adsorption Process | 91 |
| 2.2.7 | Size Exclusion High Performance Liquid Chromatography | 91 |
| 3 | RESULTS AND DISCUSSION | 92 |
| 3.1 | Influence of Charge on IgG Adsorption – Formulation Parameters pH and Ionic Strength..... | 92 |
| 3.1.1 | Charge Characterization of IgG and Glass Surface | 92 |
| 3.1.2 | Impact of the Formulation pH on IgG Adsorption..... | 95 |

| | | |
|---------|---|-----|
| 3.1.2.1 | The Adsorbed Quantity as a Function of pH..... | 95 |
| 3.1.2.2 | Electrostatic Interactions within the Adsorption Interface..... | 99 |
| 3.1.3 | Impact of the Formulation Ionic Strength on IgG Adsorption..... | 102 |
| 3.1.4 | IgG1 Monomer Size as a Function of pH and Ionic Strength | 106 |
| 3.1.5 | Discussion of Other Driving Forces and Influencing Factors | 107 |
| 3.2 | Influence of Formulation Excipients Including “Hofmeister Considerations” | 109 |
| 3.2.1 | Influence of the Ionic Strength-Determining Salt Type..... | 109 |
| 3.2.2 | Influence of Sugars and Polyols | 112 |
| 3.2.3 | Influence of Surfactants | 114 |
| 4 | CONCLUSIONS | 118 |
| 5 | REFERENCES..... | 120 |

Chapter 5

Modeling of IgG1 Adsorption to Vials – Isotherm Considerations and Affinity Aspects

| | | |
|-------|--|-----|
| 1 | INTRODUCTION | 128 |
| 2 | MATERIALS AND METHODS..... | 131 |
| 2.1 | Materials | 131 |
| 2.1.1 | Protein Formulation | 131 |
| 2.1.2 | Glass Vials and Closure Systems..... | 131 |
| 2.1.3 | Chemicals / Excipients..... | 131 |
| 2.2 | Methods | 132 |
| 2.2.1 | UV Spectroscopy | 132 |
| 2.2.2 | Adsorption Process for Isotherm Determination..... | 132 |
| 2.2.3 | Size Exclusion High Performance Liquid Chromatography | 132 |
| 2.2.4 | (Non-) Linear Curve Fitting..... | 133 |
| 2.2.5 | Quartz Crystal Microbalance Measurements..... | 133 |
| 3 | RESULTS AND DISCUSSION | 134 |
| 3.1 | Fitting of IgG1 Adsorption Isotherms Determined on Borosilicate Glass..... | 134 |
| 3.2 | QCM Kinetic Measurements of IgG1 Adsorption..... | 138 |
| 3.3 | Isotherms of IgG1 Adsorption on Different Container Surfaces | 139 |
| 4 | CONCLUSIONS | 143 |
| 5 | REFERENCES..... | 144 |

Chapter 6

Advanced Investigations on Adsorbed IgG1 Molecules with XPS and ToF-SIMS

| | | |
|-------|--|-----|
| 1 | INTRODUCTION | 148 |
| 2 | MATERIALS AND METHODS..... | 151 |
| 2.1 | Materials | 151 |
| 2.1.1 | Protein Formulation | 151 |
| 2.1.2 | Chemicals / Excipients..... | 151 |
| 2.1.3 | Glass Preparation | 151 |
| 2.2 | Methods..... | 152 |
| 2.2.1 | X-Ray Photoelectron Spectroscopy | 152 |
| 2.2.2 | Time of Flight Secondary Ion Mass Spectrometry..... | 152 |
| 2.2.3 | Adsorption Process and Sample Preparation..... | 152 |
| 2.2.4 | Principal Component Analysis | 153 |
| 3 | RESULTS AND DISCUSSION | 153 |
| 3.1 | XPS Investigations of IgG1, Blank Glass Vials and IgG1 Adsorbates..... | 153 |
| 3.2 | ToF-SIMS Investigations of IgG1, Blank Glass, and IgG1 Adsorbates..... | 161 |
| 4 | CONCLUSIONS | 172 |
| 5 | REFERENCES..... | 173 |

Chapter 7

Structural Stability Investigations and Atomic Force Microscopy Imaging of IgG1 Adsorbed on Borosilicate Glass

| | | |
|-------|--|-----|
| 1 | INTRODUCTION | 178 |
| 2 | MATERIALS AND METHODS..... | 180 |
| 2.1 | Materials | 180 |
| 2.1.1 | Protein Formulation and Including Excipients | 180 |
| 2.1.2 | Glass Powder..... | 180 |
| 2.1.3 | Glass Vials / Glass Vial Bottoms..... | 181 |
| 2.2 | Methods..... | 181 |
| 2.2.1 | Static Laser Light Scattering..... | 181 |
| 2.2.2 | Scanning Electron Microscopy (SEM) | 181 |

| | | |
|---------|--|-----|
| 2.2.3 | Specific Surface Area Analysis | 182 |
| 2.2.4 | Adsorption Process | 182 |
| 2.2.5 | UV Spectroscopy | 183 |
| 2.2.6 | Size Exclusion High Performance Liquid Chromatography (SE-HPLC)..... | 183 |
| 2.2.7 | Fluorescence Spectroscopy..... | 184 |
| 2.2.8 | Fourier Transform Infrared Spectroscopy (FT-IR)..... | 185 |
| 2.2.9 | Enzyme-Linked Immunosorbent Assay (ELISA) | 185 |
| 2.2.10 | Sodium Dodecyl Sulfate Polyacrylamide Gelelectrophoresis (SDS-PAGE) | 186 |
| 2.2.11 | Atomic Force Microscopy (AFM) | 186 |
| 3 | RESULTS AND DISCUSSION | 187 |
| 3.1 | Physical Characterization of Glass Particles..... | 187 |
| 3.2 | Adsorption Studies of IgG1 on Glass Particles – Differences between Vial and Particle Surface | 190 |
| 3.3 | IgG Stability and Structural Studies | 192 |
| 3.3.1 | Stability Studies on IgG1 | 192 |
| 3.3.1.1 | SDS-PAGE | 193 |
| 3.3.1.2 | SE-HPLC..... | 193 |
| 3.3.1.3 | Intrinsic and Extrinsic Steady State Fluorescence | 195 |
| 3.3.1.4 | FT-IR..... | 198 |
| 3.3.2 | Structural Investigations of IgG1 Directly on the Surface of Glass Particles..... | 201 |
| 3.3.2.1 | Secondary Structure (FT-IR) | 201 |
| 3.3.2.2 | Tertiary Structure (Intrinsic and Extrinsic Steady State Fluorescence) | 203 |
| 3.3.3 | Structural Studies on Desorbed IgG1..... | 204 |
| 3.3.3.1 | SDS-PAGE of Surfactant-Desorbed IgG1 | 205 |
| 3.3.3.2 | Aggregation / Fragmentation (SE-HPLC) of pH-Desorbed IgG1 | 206 |
| 3.3.3.3 | Secondary Structure (FT-IR) of pH-Desorbed IgG1..... | 207 |
| 3.3.3.4 | Tertiary Structure (Intrinsic and Extrinsic Steady State Fluorescence) of pH-Desorbed IgG1 | 208 |
| 3.3.3.5 | Biological Activity and Structural Integrity of pH-Desorbed h-IgG..... | 210 |
| 3.4 | Atomic Force Microscopy Investigations on Glass Vial Bottoms..... | 212 |
| 4 | CONCLUSIONS | 221 |
| 5 | REFERENCES..... | 222 |

Chapter 8

| | |
|----------------------------|-----|
| Summary of the Thesis..... | 229 |
|----------------------------|-----|

APPENDIX

| | |
|-----------------------------|-----|
| List of Abbreviations | 233 |
| Curriculum Vitae..... | 237 |