



Olivia Naa Ayorkor Tetteh (Autor)

# Impact of Terroir on the Glucosinolates Profile of *Moringa oleifera* Grown in Three Agro-Ecological Zones in Ghana and their Potential Role in Food Security

Berliner ökophysiologische  
und phytomedizinische Schriften



Olivia Naa Ayorkor Tetteh

Impact of Terroir on the  
Glucosinolates Profile of  
*Moringa oleifera* Grown in  
Three Agro-Ecological Zones in  
Ghana and their Potential Role in  
Food Security

Band 57



Cuvillier Verlag Göttingen  
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/9019>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

## Table of Contents

|   |           |
|---|-----------|
| <b>List of Figures</b> .....  | <b>iv</b> |
| <b>List of Tables</b> .....   | <b>v</b>  |
| <b>List of Abbreviations</b> .....  | <b>vi</b> |
| <b>1. Introduction</b> .....  | <b>1</b>  |
| <b>2. Scientific Background</b> .....   | <b>5</b>  |
| 2.1 Utilization of <i>Moringa oleifera</i> .....  | 5         |
| 2.1.1 Food.....   | 5         |
| 2.1.2 Medicinal and health potential of <i>Moringa</i> spp. with particular emphasis on glucosinolates .....  | 9         |
| 2.2 Effects of environmental factors on glucosinolates profile.....   | 14        |
| 2.2.1 Elevation .....   | 15        |
| 2.2.2 Temperature .....   | 16        |
| 2.2.3 Precipitation and relative humidity .....   | 18        |
| 2.2.4 Solar radiation with particular emphasis on visible light .....   | 21        |
| 2.2.5 Soil minerals.....  | 24        |
| 2.3 Research advances on <i>Moringa</i> spp. for improved genotypes.....  | 26        |
| 2.4 Harvest and post-harvest strategies to influence glucosinolates in <i>Moringa oleifera</i> 27   |           |
| 2.4.1 Effects of plant compartment, plant developmental stage, and harvest time.....  | 27        |
| 2.4.2 Impact of post-harvest losses on food security and nutrition.....   | 30        |
| 2.4.3 Post-harvest technologies affecting glucosinolates .....  | 34        |
| <b>3. Effects of harvest techniques and drying methods on the stability of glucosinolates in <i>Moringa oleifera</i> leaves during post-harvest</b> ..... | <b>46</b> |
| 3.1 Introduction .....  | 47        |
| 3.2 Materials and methods .....   | 49        |
| 3.2.1 Plant material and post-harvest treatments .....  | 49        |
| 3.2.2 GS extraction and analysis .....  | 51        |
| 3.2.3 Statistical analysis .....  | 52        |
| 3.3 Results.....  | 53        |
| 3.3.1 Influence of drying methods and residual moisture content on glucosinolate profile .....  | 53        |

|   |           |
|---|-----------|
| 3.3.2 Influence of harvest techniques in combination with drying methods on glucosinolates .....  | 55        |
| 3.3.3 Stability of glucosinolates .....   | 56        |
| 3.4 Discussion .....  | 59        |
| 3.4.1 Drying methods affected glucosinolate content in <i>Moringa oleifera</i> leaves .....   | 59        |
| 3.4.2 Glucosinolate profile in <i>Moringa oleifera</i> leaves differed depending on harvesting technique in combination with drying method..... | 61        |
| 3.4.3 Preparation methods, transportation, and storage for optimized glucosinolate contents in <i>Moringa oleifera</i> leaves .....             | 62        |
| 3.5 Conclusion.....   | 64        |
| 3.6 References .....  | 64        |
| <b>4. Effect of terroir on the glucosinolate content of <i>Moringa oleifera</i> grown in three agro-ecological zones of Ghana.....</b>          | <b>68</b> |
| 4.1 Introduction .....  | 69        |
| 4.2 Materials and methods .....   | 71        |
| 4.2.1 Description of the agro-ecological zones.....   | 71        |
| 4.2.2 Collection of wild-grown <i>Moringa oleifera</i> leaves.....  | 71        |
| 4.2.3 <i>Moringa oleifera</i> cultivation under semi-controlled conditions .....  | 72        |
| 4.2.4 Harvest and post-harvest preparation .....  | 74        |
| 4.2.5 Climate data .....  | 75        |
| 4.2.6 Soil collection.....  | 76        |
| 4.2.7 Extraction and analysis of intact glucosinolates .....  | 80        |
| 4.2.8 Statistical Analysis .....  | 81        |
| 4.3 Results.....  | 81        |
| 4.3.1 Wild-grown <i>Moringa oleifera</i> .....  | 81        |
| 4.3.2 Cultivation under semi-controlled conditions.....   | 85        |
| 4.4 Discussion .....  | 92        |
| 4.4.1 Impact of temperature on glucosinolate profile of <i>Moringa oleifera</i> .....   | 92        |
| 4.4.2 Impact of rainfall and relative humidity on glucosinolate profile of <i>Moringa oleifera</i> .....  | 93        |
| 4.4.3 Impact of elevation on glucosinolate profile of <i>Moringa oleifera</i> .....   | 94        |
| 4.4.4 Impact of different accessions on glucosinolate profile of <i>Moringa oleifera</i> .....  | 95        |

|   |            |
|---|------------|
| 4.4.5 Impact of fertilization and cultivation practices on glucosinolate profile of <i>Moringa oleifera</i> .....       | 96         |
| 4.5 Conclusion.....   | 98         |
| 4.6 References .....  | 98         |
| <b>5. <i>Moringa oleifera</i> Lam., a solution to micronutrient deficiency in Ghana: a review</b>                       | <b>102</b> |
| 5.1 Introduction .....  | 102        |
| 5.2 Micronutrients of public health importance.....   | 103        |
| 5.3 The problem of micronutrient deficiency among children and women of reproductive age in Ghana.....                  | 105        |
| 5.3.1 Children .....  | 105        |
| 5.3.2 Women of reproductive age including pregnant women.....   | 106        |
| 5.4 <i>Moringa oleifera</i> , a viable competitive micronutrient source.....  | 107        |
| 5.5 Production, consumption, and utilization of <i>Moringa</i> in Ghana.....  | 111        |
| 5.6 <i>Moringa</i> , a solution to micronutrient deficiency in Ghana .....  | 113        |
| 5.7 Conclusion.....   | 114        |
| 5.8 References .....  | 114        |
| <b>6. General Discussion .....</b>  | <b>120</b> |
| 6.1 Contribution of genetic diversity, conservation, and utilization of <i>Moringa oleifera</i> to food security .....  | 120        |
| 6.2 Sustainable cultivation of <i>Moringa oleifera</i> under changing climate.....                                      | 125        |
| 6.3 Methodologies to improve retention of intact glucosinolates in <i>Moringa oleifera</i> leaf and seed materials..... | 129        |
| 6.4 <i>Moringa oleifera</i> nutrients and glucosinolates for improved human nutrition and health.....                   | 134        |
| <b>7. Conclusion and Outlook.....</b>   | <b>137</b> |
| <b>8. Summary.....</b>  | <b>138</b> |
| <b>9. Zusammenfassung .....</b>   | <b>140</b> |
| <b>References.....</b>  | <b>142</b> |
| <b>Appendices.....</b>  | <b>172</b> |