

Contents

| | |
|---|------------|
| Acknowledgment | I |
| Abstract | III |
| Nomenclature | IX |
| 1 Introduction | 1 |
| 1.1 Aim of this Work | 3 |
| 1.2 Structure of this Work | 3 |
| 2 Theoretical Background | 5 |
| 2.1 Principle of Fluidization | 5 |
| 2.1.1 Fluidization of Particle Collectives - Fluidized Beds | 6 |
| 2.1.2 Pressure Drop | 7 |
| 2.1.3 Determination of the Minimum Fluidization Velocity | 9 |
| 2.1.4 Fluidization Behavior of Different Materials | 10 |
| 2.2 Applications of the Fluidization Principle | 12 |
| 2.2.1 Fluidized Beds | 12 |
| 2.2.2 Spouted Beds | 13 |
| 2.2.3 Rotary Granulators | 15 |
| 2.3 Description of Dense Gas-Solid Flows | 17 |
| 2.3.1 Gas Phase Properties and Characterization | 17 |
| 2.3.2 Influence of Particle Properties | 18 |
| 2.3.3 Description of Particle Behavior and Mixing Characteristics | 20 |
| 2.3.4 Convection-Dispersion Model | 21 |
| 2.4 Measurement Methods for the Characterization of Gas-Solid Flows | 23 |
| 2.4.1 Optical and Non-Imaging Measurement Methods | 23 |
| 2.4.2 Tomographic Methods | 24 |
| 2.4.3 Single-Particle Detection Methods | 25 |
| 2.5 Basics of CFD-DEM Simulations | 26 |
| 2.5.1 Computational Fluid Dynamics | 27 |
| 2.5.2 Discrete Element Method | 28 |

| | | |
|----------|---|-----------|
| 3 | Experimental Setup | 33 |
| 3.1 | Rotary Granulator Setup | 33 |
| 3.2 | Peripheral Equipment and Process Overview | 36 |
| 4 | Magnetic Particle Tracking System and Methodology | 39 |
| 4.1 | Magnetic Particle Tracking Principle | 39 |
| 4.2 | Magnetic Particle Tracking System | 41 |
| 4.3 | Data Handling and Raw Data Transformation | 42 |
| 4.4 | Selection and Production of Magnetic Tracers | 45 |
| 4.4.1 | Determination of Magnetic Material | 45 |
| 4.4.2 | Production of Coated Tracer and Bulk Particles | 46 |
| 4.5 | Validation of Measurement Accuracy | 49 |
| 4.5.1 | Static Position Detection | 49 |
| 4.5.2 | Comparison with Particle Image Velocimetry | 50 |
| 5 | Experimental Methods | 57 |
| 5.1 | Determination of Bulk and Tracer Particle Properties | 57 |
| 5.1.1 | Particle Size Distribution | 57 |
| 5.1.2 | Density | 59 |
| 5.1.3 | Young's Modulus | 59 |
| 5.1.4 | Moment of Inertia | 59 |
| 5.1.5 | Coefficient of Restitution | 60 |
| 5.2 | Influence of Tracer Particle Input Position | 60 |
| 5.3 | Parameters of CFD-DEM Simulations | 62 |
| 5.4 | Experimental Methods of the Magnetic Particle Tracking Measurements | 64 |
| 5.5 | Investigation of Transient Operation Regimes | 64 |
| 6 | Results and Discussion | 65 |
| 6.1 | Material Characterization | 65 |
| 6.1.1 | Particle Size Distribution, Sauter Mean Diameter and Sphericity | 65 |
| 6.1.2 | Coefficient of Restitution | 68 |
| 6.1.3 | Overview of Properties and Summary | 69 |
| 6.2 | Influence of Tracer Particle Input Position | 73 |
| 6.3 | Influence of Liquid on the Particle Dynamics | 77 |
| 6.3.1 | Comparison of CFD-DEM Simulations and Experimental Data | 77 |
| 6.3.2 | Influence of Liquid Volume Ratio | 84 |
| 6.3.3 | Influence of Liquid Viscosity | 88 |
| 6.3.4 | Summary | 88 |

| | | |
|----------|--|------------|
| 6.4 | Characterization of the Particle Dynamics | 91 |
| 6.4.1 | Application of the Convection-Dispersion Model | 91 |
| 6.4.2 | Self-Developed Model Consisting of Characteristic Numbers | 95 |
| 6.4.3 | Model Results and Comparison - Liquid Volume Ratio | 98 |
| 6.4.4 | Model Results and Comparison - Liquid Viscosity | 104 |
| 6.4.5 | Summary | 106 |
| 6.5 | First-Time Investigation of Transient Processes by Magnetic Particle Tracking | 106 |
| 7 | Conclusion | 113 |
| | Bibliography | 117 |
| | Appendices | 131 |
| A | Hertzian Contact Theory | 131 |
| B | Photograph of Rotary Granulator Setup | 132 |
| C | Additional Data: Influence of Volume Ratio | 133 |
| D | Water-Glycerine Mixture Properties | 134 |
| E | Additional Data: Influence of Viscosity | 135 |
| F | Additional Data: Model Comparison | 136 |