




Lareen Gräser (Autor)

Using nanobodies to dissect the role of membrane proteins in nuclear assembly



<https://cuvillier.de/de/shop/publications/8993>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

Epigraph	iii
Contents	v
List of Figures	ix
List of Tables	xi
Summary	xiii
1 Introduction	1
1.1 The architecture of the endoplasmic reticulum	1
1.2 The nuclear envelope	2
1.3 Nuclear Pore Complex	3
1.3.1 Outer rings and Y complex	4
1.3.2 Inner ring	5
1.3.3 Central channel and FG-NUPs	5
1.3.4 Cytoplasmic filaments	5
1.3.5 Nuclear basket	6
1.3.6 Transmembrane NUPs	6
1.4 NE and NPC breakdown and reassembly	7
1.4.1 NEBD and NPC disassembly upon mitosis entry	8
1.4.2 Postmitotic NE formation and NPC reassembly	9
1.4.3 Interphasic NPC <i>de novo</i> assembly into the NE	10
1.5 Atlastin	12
1.6 Lamin B Receptor	14

1.7	Transmembrane Protein 209	15
1.8	Single domain antibodies (Nanobodies)	15
1.8.1	Antibodies and derived fragments	15
1.8.2	Structural characteristics and features	16
1.8.3	Nb library generation	18
1.8.4	Selection of Nbs	19
1.8.5	Research applications	20
1.9	Aim of this study	23
2	Results	25
2.1	Nanobodies to study Atlastin	25
2.1.1	Generation of nanobodies binding different isoforms, cross-species and multiple nucleotide states	25
2.1.2	Affinity assessment of anti-ATL nanobodies	27
2.1.3	Anti-ATL nanobody LH02H01 produces an ER-specific fluorescent signal	30
2.1.4	Anti-ATL nanobody impairs assembly of import competent nuclei <i>in vitro</i>	30
2.2	Nanobodies to study the Lamin B Receptor	31
2.2.1	Generation of nanobodies to target the LBR tudor domain	31
2.2.2	Affinity assessment of anti-LBR nanobodies	32
2.2.3	Anti-LBR nanobodies produce a NE-specific fluorescent signal	35
2.2.4	Anti-LBR nanobodies allow tracking the localization of human LBR during mitosis	36
2.3	Characterization of Transmembrane Protein 209	38
2.3.1	Generation of nanobodies to target the C-terminal domain of TMEM209	38
2.3.2	Affinity assessment of anti-TMEM209 nanobodies	39
2.3.3	High-affinity anti-TMEM209 nanobodies specifically label NPCs	41
2.3.4	TMEM209 can be followed during NE assembly in human cells and in reconstituted nuclei <i>in vitro</i>	53
2.3.5	TMEM209 incorporates into newly-assembled NPCs in interphase	57
2.3.6	The C-terminal domain of TMEM209 localizes within NPC rings	59

2.3.7	Using anti-TMEM209 Nbs as crystallization chaperones	64
3	Discussion	66
3.1	Anti-ATL nanobody as a valuable tool to study ATL-mediated membrane fusion	66
3.2	Anti-LBR tudor domain nanobodies for the visualization of the NE and LBR	68
3.3	TMEM209 is associated with the NPC	69
4	Materials and Methods	76
4.1	Molecular cloning	76
4.1.1	Cloning strategies and validation	76
4.1.2	Restriction enzyme digestion	76
4.1.3	Polymerase chain reaction (PCR)	77
4.1.4	Agarose gel electrophoresis	78
4.1.5	Gibson assembly	79
4.1.6	Ligation using T4 ligase	79
4.1.7	Transformation of bacterial cells	80
4.1.8	Plasmid preparation	82
4.2	Protein expression and purification	82
4.2.1	Expression of recombinant proteins in <i>E.coli</i>	82
4.2.2	Immobilized metal ion chromatography	83
4.2.3	Analysis by SDS-PAGE	86
4.2.4	Purification by size exclusion chromatography	87
4.3	Genome editing in human cell lines	87
4.3.1	Cell culture	88
4.3.2	Gene disruption by CRISPR/Cas9 technology	88
4.3.3	Tagging of gene alleles with the open reading frame (ORF) for sfGFP	89
4.4	Nanobody library construction and selection	89
4.4.1	Alpaca immunisation	90
4.4.2	Total RNA preparation and amplification of nanobody sequences . . .	90
4.4.3	Library transformation and phage purification	91
4.4.4	Nanobody selection by phage display	92
4.4.5	Cloning and sequence analysis of enriched nanobody libraries	95
4.5	Nanobody preparation and characterization	95

4.5.1	Nanobody expression and purification	95
4.5.2	Nanobody labeling using maleimide chemistry	96
4.5.3	Kinetic measurements by BioLayer Interferometry (BLI)	97
4.5.4	Assessment of nanobody performance using immunofluorescence microscopy (IFM)	98
4.5.5	Analysis of nuclear membrane fluorescence and perimeter	98
4.6	<i>Xenopus</i> egg extract preparation	99
4.6.1	Preparation of interphase high speed egg extract (HSS)	99
4.6.2	Purification of membranes by flotation	100
4.7	Reconstituting postmitotic NE/NPC assembly	101
4.7.1	Nuclei reconstitution from <i>Xenopus</i> egg extract	101
4.7.2	Protein composition assessment in fixed reconstituted nuclei	102
4.8	Reconstituting interphasic NPC assembly	103
4.8.1	Assembly of frog NPCs onto permeabilized human cell lines	103
4.9	Characterization of proteins by immunofluorescence microscopy (IFM)	104
4.9.1	Cell cycle synchronization of cultured cells	104
4.9.2	Assessing protein localization during mitosis	105
4.9.3	Preparation of cryostat sections	106
4.9.4	Determine protein localization by super-resolution microscopy	106
4.9.5	Analyses of STED images	107
4.9.6	Assessment of protein topology	108
4.10	Protein crystallography	109
4.10.1	Complex preparation	109
4.10.2	Crystallization	109
	References	111
	Abbreviations	133
	Acknowledgements	136
	Curriculum vitae	137