

Contents

Abstract	i
Kurzzusammenfassung	iii
Danksagung	v
Symbols	xi
1. Introduction	1
1.1 Properties of food emulsion	2
1.2 Powder production by spray drying	3
1.3 Properties of food powders	3
1.3.1 Supramolecular structure	4
1.3.2 Hygroscopicity and hygrosensitivity	4
1.4 Fluidized bed agglomeration	5
1.5 Reconstitution	7
1.6 Objectives and strategy	10
2. Experimental methods	11
2.1 Materials	11
2.2 Production process of plant-based milk powder	14
2.2.1 High-pressure homogenization	14
2.2.2 Spray drying	15
2.2.3 Fluidized bed agglomeration	18
2.3 Analysis of emulsion properties	20
2.3.1 Droplet size distribution	20
2.3.2 Light microscopy	20
2.3.3 Zeta potential	21
2.3.4 pH value	22
2.3.5 Rheological investigation	22
2.3.6 Surface and interfacial tension measurement	22
2.4 Analysis of particle properties	23
2.4.1 Particle size and shape analysis	23
2.4.2 Particle morphology	24
2.4.3 Particle density	25
2.4.4 Porosity	25
2.4.5 Surface lipid analysis	26
2.4.6 Moisture content	26
2.4.7 Water activity	27

2.4.8	Sorption behavior and moisture content adjustment	27
2.4.9	Glass transition temperature	28
2.4.10	Young's modulus	28
2.5	Analysis of the reconstitution process	29
2.5.1	Tablet pressing	29
2.5.2	Surface roughness	29
2.5.3	Contact angle measurement	30
2.5.4	Washburn experiment	31
2.5.5	Conductivity measurement	31
2.5.6	Determination of undissolved material fraction	32
2.6	Statistical evaluation	32
3.	Emulsion characterization	34
3.1	Plant protein and fiber characteristics	34
3.2	Influence of homogenization on emulsion properties	36
3.3	Influence of raw material type and proportion on emulsion properties	41
3.4	Stability of plant-based emulsions	47
3.5	Summary	51
4.	Powder characterization	52
4.1	Spray-dried powder properties in lab scale	52
4.1.1	Particle analysis	52
4.1.2	Porosity analysis	55
4.1.3	Sorption behavior	56
4.1.4	Glass transition temperature measurement	58
4.1.5	Conductivity calibration curve	60
4.1.6	Reconstitution performance	61
4.2	Spray-dried powder properties in pilot plant scale	64
4.2.1	Particle analysis	64
4.2.2	Porosity analysis	67
4.2.3	Sorption behavior	68
4.2.4	Glass transition temperature measurement	70
4.2.5	Conductivity calibration curve	72
4.2.6	Reconstitution performance	73
4.3	Summary	75
5.	Numerical simulation using DEM	76
5.1	Introduction	76

5.2	Micromechanical models	77
5.2.1	Hertz model.....	78
5.2.2	Cohesion model	80
5.2.3	Elastic-plastic spring dashpot model.....	80
5.3	Particle properties.....	82
5.4	Micro-scaled agglomeration behavior	83
5.4.1	Influence of particle velocity on agglomeration	83
5.4.2	Influence of particle characteristics on agglomeration	84
5.5	Summary	88
6.	Fluidized bed agglomeration process	89
6.1	Nozzle investigation.....	89
6.2	Design of Experiments	92
6.2.1	Response Surface Methodology	93
6.2.2	Selection of parameters	94
6.3	Parameter influence	96
6.3.1	Particle size.....	96
6.3.2	Moisture content	99
6.3.3	Density and porosity	101
6.3.4	Wettability	103
6.3.5	Lump formation	105
6.4	Summary	108
7.	Targeted particle design.....	109
7.1	Alternative production process	109
7.2	Generation of different particle structures.....	114
7.2.1	Process parameter selection.....	115
7.2.2	Effects on the fluidized bed process	116
7.2.3	Effects on product properties after processing.....	121
7.3	Summary	125
8.	Reconstitution	126
8.1	Influence of powder dissolution on solvent properties	126
8.2	Influence of powder dissolution on particle size	128
8.3	Lipid influence on reconstitution	132
8.4	Influence of particle size and structure on reconstitution	134
8.5	Modeling of the reconstitution process	140
8.6	Summary	144

9. Conclusions	145
Appendix	148
A1: Calculations in the homogenizing valve gap	148
A2: Input parameters of the DEM simulation	152
A3: Design of Experiment correlations	153
A4: Process parameter selection based on DoE results	154
A5: Particle characteristics of the sieve fractions	155
A6: Structural analysis of the agglomerates	156
A7: Alteration of solvent properties during reconstitution	158
A8: Alteration of the particle size distribution during reconstitution	159
A9: Physical correlations of reconstitution modeling	160
A10: Influence of liquid properties on the reconstitution modeling	162
References	163