

Contents

Conventions and assumptions	XI
Symbols	XIII
Abbreviations	XVII
1 Introduction	1
1.1 Motivation	1
1.2 Objectives	2
1.3 Scope	2
1.4 Methodology	3
1.5 Outline and Overview	3
2 State of the art	5
2.1 General	5
2.2 Geometrically nonlinear behaviour	8
2.3 Materially nonlinear behaviour	36
2.4 Failure behaviour and load-bearing resistance	46
2.5 Long-term behaviour	53
2.6 Design verification	58
2.7 Models considering scattering material parameters	75
2.8 Summary and discussion	87
3 Measuring data	89
3.1 General	89
3.2 Imperfection measurements	90
3.3 Flexural buckling tests on beech LVL columns	113
3.4 Lateral torsional buckling tests on softwood GL beams	125
3.5 Summary	143
4 Analytical derivations and equations	145
4.1 General	145
4.2 $N_{x,c}$ - $M_{y/z,1}$ -interaction for flexural buckling	146
4.3 $N_{x,c}$ - $M_{y,1}$ -interaction for lateral torsional buckling	148
4.4 $N_{x,c}$ - $M_{y/z,2}$ -interaction	150
4.5 Reduction factor k_m accounting for lateral torsional buckling	153
4.6 Summary	159
5 Numerical modelling and analysis	161
5.1 General	161
5.2 Finite element based design	162

5.3	Modelling	165
5.4	Verification	180
5.5	Validation	186
5.6	Numerical analysis and parameter studies	194
5.7	Summary	201
6	Results and discussion	203
6.1	General	203
6.2	Basic aspects	204
6.3	Equivalent geometrical imperfections	210
6.4	$N_{x,c}$ - $M_{y,1}$ -interaction	226
6.5	Summary	244
7	Design proposals	247
7.1	General	247
7.2	Design proposals	248
7.3	Background regarding the design proposals	260
7.4	Discussion	266
7.5	Summary	271
8	Summary and outlook	273
8.1	Summary	273
8.2	Outlook	276
	References	277
A	Data of flexural buckling tests on beech LVL columns	291
A.1	Flexural buckling tests	291
A.2	Preceding compression tests	300
B	Data of lateral torsional buckling tests on glulam beams	303
B.1	Lateral torsional buckling tests	303
B.2	Preceding bending and torsion tests	310
B.3	Preceding compression tests	311
C	Reduction factor k_c accounting for flexural buckling	315
D	UMAT subroutine for modelling of elastoplastic behaviour of timber	319
D.1	General	319
D.2	Tension in grain direction	319
D.3	Compression in grain direction	319
D.4	Shear	321
E	Results of FEA on equivalent geometrical imperfections	323
E.1	Softwood GL beams	323
E.2	Softwood GL columns	329

F	Results of FEA on $N_{x,c}$-$M_{y,1}$-interaction	335
F.1	General	335
F.2	$k_{c/m}$ in dependence of $\lambda_{c/m,rel}$	335
F.3	$N_{x,c}$ - $M_{y,1}$ -interaction	343
F.4	Comparison of design proposals with FEA	351