

Contents

Abstract	i
Zusammenfassung	v
List of Figures	xvii
List of Tables	xxi
Acronyms	xxiii
1. Introduction	1
1.1. Background	3
1.2. Motivation and research questions	4
1.3. Research contributions and dissemination	6
1.3.1. Device energy optimization for an edge cloud offloading	6
1.3.2. Edge cloud controlled AGV system over a wireless channel	6
1.3.3. Control aware communication strategies	6
1.4. Structure of work	7
2. Formal Problem Statements and Evaluation Methodology	9
2.1. Challenges of edge cloud offloading	9
2.1.1. Energy consumption trade-off	10
2.1.2. Latency constraints	11
2.1.3. Computational complexity	11
2.1.4. Data dependency	12
2.1.5. Problem formulation: optimal offloading decision	12
2.1.6. Evaluation methodology	13
2.2. Partial offloading of closed loop feedback control	15
2.2.1. Data dependency and latency constraints	15
2.2.2. Wireless fading channel: delay and outages	16
2.2.3. Problem formulation: edge cloud based AGV control system	17
2.2.4. Evaluation methodology	18

2.3.	Short packet communication in partially offloaded AGV control	19
2.3.1.	Finite block-length coding over correlated channel	20
2.3.2.	Problem formulation: control aware coding strategy	21
2.3.3.	Evaluation methodology: inter-dependencies of coding rate and stability	21
2.4.	Resource allocation for industrial control	22
2.4.1.	Conventional RA schemes	23
2.4.2.	Control aware RA schemes	23
2.4.3.	Evaluation methodology	23
3.	Edge Cloud Offloading with Energy and Delay Constraints	25
3.1.	Overview	25
3.2.	Related work	26
3.3.	Outline of the chapter	27
3.4.	Device-centric energy optimization	28
3.4.1.	Data processing model	28
3.4.2.	Processing at factory device	29
3.4.3.	Processing at edge cloud	30
3.4.4.	Energy consumption	31
3.4.5.	Energy minimization objective function	32
3.4.6.	Optimal offloading decision	34
3.5.	Results	35
3.5.1.	Performance metrics	35
3.5.2.	Optimal offloading strategy	35
3.5.3.	Minimized energy consumption	38
3.6.	Energy optimization with latency constraints	40
3.6.1.	Uplink-downlink data model	41
3.6.2.	Delay model	41
3.6.3.	Energy consumption	43
3.6.4.	Energy minimization problem with latency constraint	43
3.6.5.	Time dependent optimal offloading decision	45
3.6.6.	Algorithm for optimal offloading	46
3.7.	Results	47
3.7.1.	Performance metrics	47
3.7.2.	Optimal offloading over latency constraints	47
3.7.3.	Energy consumption over latency constraints	49
3.7.4.	Bandwidth-delay-user devices trade-off	49
3.7.5.	Optimal offloading with increasing users	51

3.8. Summary	52
4. Partial Computation Offloading of Industrial Control over Fading Channel	53
4.1. Related work	53
4.2. Outline of the chapter	55
4.3. AGV closed loop feedback control system	55
4.4. Edge cloud based AGV system	59
4.4.1. Channel outages	60
4.4.2. Delay	61
4.4.3. Downlink-Uplink transmission with delay	61
4.5. AGV stability criterion	63
4.5.1. Stability	63
4.5.2. Error dynamics	64
4.5.3. Stability with delay	66
4.6. Use-case and simulation setup	69
4.7. Delay upper bound for a stable AGV	69
4.7.1. AGV performance over delay	71
4.7.2. Delay tolerance	72
4.8. Channel outages upper bound for a stable AGV	73
4.8.1. Outage tolerance and sampling time	75
4.8.2. Achievable spectral efficiency	77
4.9. Control and communication inter-dependencies	78
4.9.1. Control parameters	78
4.9.2. Communication parameters	79
4.9.3. Inter-dependencies of control and communication parameters	81
4.10. Control communication co-design KPI	82
4.10.1. Probability of instability with downlink delay	82
4.10.2. Probability of instability: downlink and uplink	84
4.11. Optimal control update transmission frequency	85
4.12. Summary	88
5. Short Packet Communication in an Edge Cloud based AGV Control	89
5.1. Overview	89
5.2. Related work	90
5.3. Outline of the chapter	91
5.4. Finite blocklength coding	91
5.4.1. Channel coding	91
5.4.2. Bounds on error probability	92

5.4.3.	Performance comparison of real-codes and bounds	94
5.5.	AGV control system with finite block length coding	95
5.5.1.	Control system	95
5.5.2.	Wireless system	96
5.6.	Short block codes over time-correlated channel	97
5.6.1.	Block error probability	98
5.6.2.	Probability of consecutive block error with coding rate	98
5.7.	Simulation setup and results	101
5.8.	Impact of short block-length coding on AGV control	102
5.8.1.	Probability of instability in finite block-length regime	102
5.8.2.	Probability of instability dependence on velocity and sampling time	103
5.8.3.	Probability of instability and coding rate	104
5.9.	Control aware strategies	104
5.9.1.	Control aware permissible coding rate	105
5.9.2.	Control aware AGV admission control	106
5.10.	Summary	107
6.	Resource Allocation with Stability Constraints	109
6.1.	Overview	109
6.2.	Related work	110
6.3.	Outline of the chapter	110
6.4.	System Model	110
6.4.1.	AGV control system	110
6.4.2.	Communication system	111
6.4.3.	Resource allocation and MCS selection	112
6.5.	Metrics for resource allocation	113
6.5.1.	Maximum control error	114
6.5.2.	Maximum SNR	114
6.5.3.	Probability of instability	114
6.6.	Proposed resource allocation	116
6.6.1.	Error probability threshold and instability	116
6.6.2.	Algorithm	117
6.7.	Results	118
6.7.1.	Simulation setup and performance metrics	118
6.7.2.	Resource utilization	119
6.7.3.	Unstable AGVs	120
6.7.4.	Successful AGVs	122
6.7.5.	Successful AGVs with varying error threshold	123

6.7.6. Successful AGVs with varying outage tolerance	124
6.8. Summary	124
7. Conclusions	127
7.1. Key achievements	127
7.1.1. Increase energy efficiency by channel aware computation offloading	127
7.1.2. Enabling partial offloading of real-time closed loop feedback system	128
7.1.3. Evaluated control communication dependencies	128
7.1.4. Increase in resource efficiency with control aware communication strategies	129
7.2. Future scope	130
7.2.1. Mobility based edge cloud offloading	130
7.2.2. Control communication co-design	130
A. Edge Cloud Offloading	133
A.1. Optimal offloading decision	133
A.1.1. Proof of Theorem 3.4.1	133
A.1.2. Proof of Theorem 3.4.2	135
A.2. Delay constraint offloading	136
B. Stability of an AGV with Delay	139
B.1. Derivatives for Jacobian	140
B.1.1. Error Derivatives	140
B.1.2. Control input derivatives with delay	142
B.1.3. Derivative of state variables with downlink delay	143
B.1.4. Stability of an AGV with Uplink delay	145
B.1.5. Stability of an AGV with uplink and downlink delay	148
Bibliography	xxix
Curriculum Vitae	xxxv