




Aykut Argönül (Autor)

**Measurement and Calculation of Multicomponent-Diffusion and Reaction in Catalyst Particles, Effect of the Catalyst Pore Structure**



<https://cuvillier.de/de/shop/publications/886>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

# Contents

<b>List of Figures</b>	<b>ix</b>
<b>List of Tables</b>	<b>xiii</b>
<b>I Background Information</b>	<b>1</b>
<b>1 Introduction</b>	<b>3</b>
1.1 Utilization of Catalysts and Their Importance . . . . .	3
1.2 Motivation . . . . .	4
1.3 Outline . . . . .	4
<b>II Basics</b>	<b>7</b>
<b>2 Theoretical Aspects</b>	<b>9</b>
2.1 Catalyst Pellets . . . . .	10
2.2 Characterization of Porous Media . . . . .	10
2.3 Transport Processes in Porous Media . . . . .	11
2.4 Ethylene Hydrogenation . . . . .	17
2.5 Experimental Reactors . . . . .	18
2.5.1 Kinetic Measurement Reactors . . . . .	19
2.5.2 Single-Pellet Reactor . . . . .	21

<b>III</b>	<b>Core of Work</b>	<b>23</b>
<b>3</b>	<b>Work Done</b>	<b>25</b>
3.1	Experimental Work . . . . .	26
3.1.1	Re-design and Improvement of Single-Pellet Reactor . .	26
3.1.2	Re-design of Turbo-Reactor . . . . .	28
3.1.3	Building-Up Experimental Set-up . . . . .	31
3.1.4	Pore Structure Analysis . . . . .	33
3.1.5	Experimental Results from Reactors . . . . .	35
3.2	Modeling . . . . .	48
3.2.1	Modeling of Many Pores . . . . .	50
3.2.2	Comparison of Two Geometrical Models . . . . .	52
3.2.3	Notes on Surface Diffusion . . . . .	56
3.2.4	Review of Knudsen Diffusion . . . . .	62
3.2.5	Surface Diffusion as a Function of Surface Coverage . .	104
3.2.6	Results for Other Pore Lengths and Pressures . . . . .	108
3.2.7	More General Case: Multi-Component Diffusion and Reaction in a Pore . . . . .	114
<b>IV</b>	<b>Epilogue</b>	<b>123</b>
<b>4</b>	<b>Summary</b>	<b>125</b>
<b>5</b>	<b>Future Aspects</b>	<b>131</b>
<b>V</b>	<b>Supplementary Part</b>	<b>135</b>
<b>A</b>	<b>Appendix</b>	<b>137</b>
A.1	Calculation procedure for $\check{F}$ . . . . .	137
A.2	Calculation procedure for $\check{G}$ . . . . .	140

---

A.3	Pores with closed-end and symmetric pressures modeled with projection approach . . . . .	143
A.3.1	Pores with closed-end . . . . .	143
A.3.2	Pores with symmetric pressures . . . . .	144
A.4	Experimental Procedure . . . . .	146
A.4.1	Single-pellet reactor . . . . .	146
A.4.2	Turbo-reactor . . . . .	148
A.4.3	Gas chromatography sample analysis . . . . .	150
A.5	List of Suppliers . . . . .	151
A.6	Mercury-Porosimetry plots for relevant catalyst pellets . . . . .	152
A.7	Kinetic experiments data . . . . .	155
	<b>Nomenclature</b>	<b>161</b>
	<b>Index</b>	<b>165</b>
	<b>Bibliography</b>	<b>167</b>

