Table of Contents

1 Introduction and Scope 1

2 Mobile Radio Channel 4

2.1 Path Loss and Shadowing 5

2.2 Multipath Propagation 8

2.2.1 Time-invariant Multipath Channel Model 9

2.2.2 Time-variant Multipath Channel Model 10

2.2.3 Stochastic Multipath Channel Model 12

2.2.4 Simulation of Multipath Channels 15

3 OFDM Transmission Technique 17

3.1 Motivation 17

3.2 OFDM Principles 19

3.3 OFDM System Design 23

4 Multiple Access in OFDM Systems 25

4.1 Motivation and Overview 25

4.2 OFDM-FDMA System Model 27

5 Channel and System Parameters 29

6 OFDM-FDMA Multiple Access Schemes 34

6.1 Non-Adaptive Subcarrier Allocation 35

6.1.1 Adjusting Allocation Parameters 36

6.1.2 Subcarrier Allocation Task 37

6.1.3 Simulation Results 38

6.2 Adaptive Subcarrier Allocation 40

6.2.1 Optimal Subcarrier Allocation 43

6.2.2 Simulation Results 44

7 Adaptive Resource Allocation in different Single-Cell Scenarios 49
7.1 System Model 49
7.2 Subcarrier Allocation Task 50
7.3 Link Performance Model 50
7.4 Performance of Adaptive Subcarrier Allocation 54
7.4.1 Simulation Results for Validation of the Link Performance Model 54
7.4.2 Simulation Results for the Uniform Scenario 56
7.5 Conclusion 57

8 Adaptive Resource Allocation under Fairness Considerations 59
8.1 Subcarrier Allocation Task 60
8.1.1 BIP Approach 62
8.1.2 HE Approach 63
8.2 Comparison of BIP and HE Approach 64
8.2.1 Subcarrier Allocation Process 65
8.2.2 Computational Complexity 67
8.3 Simulation Results 67
8.3.1 Average System Throughput based on BIP and HE 68
8.3.2 Fairness Level based on BIP and HE 70
8.3.3 Simulation Results for Discrete PHY Modes 73

9 Fairness Enhancements considering the HE Approach 77
9.1 Adding Constraints to the Subcarrier Allocation Task 77
9.2 Subcarrier Allocation Process 78
9.3 Simulation Results 80
9.3.1 Fairness Level based on K_{max} constrained HE 80
9.3.2 System Throughput based on K_{max} constrained HE 82
9.3.3 Suitable Choice of K_{max} Value 85
9.4 Increasing Fairness Level by Modification of HE Approach 88
9.5 Simulation Results 89
9.5.1 Fairness Level based on HE2 Approach 89
9.5.2 Throughput of HE2 Approach 90

9.5.3 Comparison of HE2 and K_{max} constrained HE 92
9.6 Increasing Fairness Level by Use of Utility Function 95
9.6.1 Introduction to the Concept of Utility 96
9.6.2 Suitable Choice of Utility Parameters 98
9.6.3 Subcarrier Allocation Process considering Utility 100
9.7 Simulation Results 101
9.7.1 Fairness Level based on HE3 Approach 102
9.7.2 Throughput of HE3 Approach 104
9.7.3 Comparison of Discussed HE Approaches 106

10 Summary 111

11 Abbreviations and Symbols 114
11.1 Abbreviations 114
11.2 Symbols 115

12 References 120

Appendix A Computational Complexity 125
A.1. NP-Completeness 125
A.2. Complexity of Integer Programming 126
A.3. Complexity of Heuristic Subcarrier Allocation 127

Appendix B K_{max} constrained BIP approach 128
B.1. Subcarrier Allocation Process 128
B.2. Simulation Results 129