




Martin Stemick (Autor)
**Contributions to Resource Allocation Schemes in
Multiuser OFDM-FDMA-Systems**

Martin Stemick

**Contributions to
Resource Allocation Schemes
in Multiuser OFDM-FDMA-Systems**



 Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/887>

Copyright:
Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Table of Contents

1	Introduction and Scope.....	1
2	Mobile Radio Channel	4
2.1	Path Loss and Shadowing	5
2.2	Multipath Propagation.....	8
2.2.1	Time-invariant Multipath Channel Model	9
2.2.2	Time-variant Multipath Channel Model.....	10
2.2.3	Stochastic Multipath Channel Model.....	12
2.2.4	Simulation of Multipath Channels	15
3	OFDM Transmission Technique.....	17
3.1	Motivation	17
3.2	OFDM Principles	19
3.3	OFDM System Design	23
4	Multiple Access in OFDM Systems.....	25
4.1	Motivation and Overview.....	25
4.2	OFDM-FDMA System Model	27
5	Channel and System Parameters	29
6	OFDM-FDMA Multiple Access Schemes.....	34
6.1	Non-Adaptive Subcarrier Allocation	35
6.1.1	Adjusting Allocation Parameters	36
6.1.2	Subcarrier Allocation Task.....	37
6.1.3	Simulation Results.....	38
6.2	Adaptive Subcarrier Allocation.....	40
6.2.1	Optimal Subcarrier Allocation	43
6.2.2	Simulation Results.....	44

7	Adaptive Resource Allocation in different Single-Cell Scenarios.....	49
7.1	System Model.....	49
7.2	Subcarrier Allocation Task.....	50
7.3	Link Performance Model	50
7.4	Performance of Adaptive Subcarrier Allocation.....	54
7.4.1	Simulation Results for Validation of the Link Performance Model	54
7.4.2	Simulation Results for the Uniform Scenario	56
7.5	Conclusion.....	57
8	Adaptive Resource Allocation under Fairness Considerations.....	59
8.1	Subcarrier Allocation Task.....	60
8.1.1	BIP Approach.....	62
8.1.2	HE Approach.....	63
8.2	Comparison of BIP and HE Approach.....	64
8.2.1	Subcarrier Allocation Process	65
8.2.2	Computational Complexity	67
8.3	Simulation Results.....	67
8.3.1	Average System Throughput based on BIP and HE	68
8.3.2	Fairness Level based on BIP and HE	70
8.3.3	Simulation Results for Discrete PHY Modes.....	73
9	Fairness Enhancements considering the HE Approach	77
9.1	Adding Constraints to the Subcarrier Allocation Task	77
9.2	Subcarrier Allocation Process	78
9.3	Simulation Results.....	80
9.3.1	Fairness Level based on K_{max} constrained HE	80
9.3.2	System Throughput based on K_{max} constrained HE	82
9.3.3	Suitable Choice of K_{max} Value	85
9.4	Increasing Fairness Level by Modification of HE Approach	88
9.5	Simulation Results.....	89
9.5.1	Fairness Level based on HE2 Approach	89
9.5.2	Throughput of HE2 Approach.....	90

9.5.3	Comparison of HE2 and K_{max} constrained HE	92
9.6	Increasing Fairness Level by Use of Utility Function.....	95
9.6.1	Introduction to the Concept of Utility	96
9.6.2	Suitable Choice of Utility Parameters	98
9.6.3	Subcarrier Allocation Process considering Utility	100
9.7	Simulation Results.....	101
9.7.1	Fairness Level based on HE3 Approach	102
9.7.2	Throughput of HE3 Approach.....	104
9.7.3	Comparison of Discussed HE Approaches	106
10	Summary	111
11	Abbreviations and Symbols.....	114
11.1	Abbreviations	114
11.2	Symbols.....	115
12	References	120
Appendix A	Computational Complexity	125
A.1.	NP-Completeness	125
A.2.	Complexity of Integer Programming	126
A.3.	Complexity of Heuristic Subcarrier Allocation	127
Appendix B	K_{max} constrained BIP approach.....	128
B.1.	Subcarrier Allocation Process	128
B.2.	Simulation Results.....	129