

## INDEX

### Abbreviations

<b>I. Introduction.....</b>	<b>1</b>
1. Abiotic stress .....	1
1.1. Cold stress in plants .....	1
2. Raffinose family oligosaccharides (RFOs).....	6
2.1. RFO biosynthesis in <i>Ajuga reptans</i> .....	7
2.2. <i>Ajuga reptans</i> is an RFO specialist.....	8
2.3. RFOs are compatible solutes .....	9
2.4. RFOs are phloem sugars.....	10
2.5. Carbohydrate metabolism in roots.....	12
2.6. Carbohydrate storage .....	14
3. Starch is the most prominent insoluble storage carbohydrate .....	15
3.1. Transitory starch biosynthesis in <i>Arabidopsis</i> .....	16
3.2. Transitory starch degradation in <i>Arabidopsis</i> .....	17
4. Maltose .....	20
4.1. Apart from amylolytic origin of Malt, <i>de novo</i> Malt synthesis has been observed in leaves.....	20
4.2. Malt increases transiently in cold and heat treated <i>Arabidopsis</i> leaves .....	21
4.3. <i>Arabidopsis thaliana</i> is a model organism in plant research .....	22
5. The Chloroplast .....	23
5.1. The chloroplast needs to be protected against abiotic stresses .....	23
5.2. Transport across the chloroplast envelope membranes .....	23
5.3. Identification of novel chloroplastic carbohydrate transporter (CarbT) genes in <i>Arabidopsis</i> by Schneider (2006) .....	26
6. Aims of the thesis.....	27
<b>II. Materials and Methods .....</b>	<b>29</b>
1. Materials .....	29
1.1. Chemicals.....	29
1.2. Yeast strains and plasmids.....	29
1.3. Oligonucleotides .....	29
2. Plant material and plant growing conditions.....	30
2.1. <i>Ajuga reptans</i> .....	30
2.2. <i>Arabidopsis thaliana</i> .....	30
3. Extraction and analysis of soluble carbohydrates .....	31
3.1. Extraction of soluble carbohydrates using the cryo sap method .....	31
3.2. Desalting of carbohydrate samples by French column centrifugation.....	31
3.3. HPLC-PAD analysis.....	32
3.4. Identification and quantification of carbohydrates .....	32
4. Enzymatic activity measurements.....	33
4.1. Crude enzyme extraction.....	33
4.2. Desalting of enzyme extracts.....	33
4.3. Enzyme Assays .....	33
5. Semi-quantitative PCR.....	36
5.1. Total RNA extraction of hairy root culture samples and hydroponic roots.....	36
5.2. Quantification of RNA .....	36

---

5.3. First strand cDNA-synthesis .....	36
5.4. Second strand synthesis.....	36
6. Biochemical characterization of MaltS .....	37
6.1. pH-Dependence.....	37
6.2. Time dependence .....	37
6.3. Concentration dependence.....	37
6.4. Temperature dependence .....	37
6.5. Substrate specificity.....	37
6.6. Effects of addition of putative inhibitors .....	38
6.7. Compartmentation .....	38
7. Purification of MaltS .....	41
7.1. Protein quantification .....	41
7.2. PEG precipitation.....	41
7.3. Anion-exchange chromatography using High Q column.....	41
7.4. Ultrafiltration with Vivaspin spin columns .....	42
7.5. native PAGE .....	42
7.6. SDS-PAGE .....	42
7.7. Coomassie brilliant blue staining .....	43
7.8. Tryptic <i>in gel</i> digestion of proteins .....	43
7.9. ZipTip C18 sample clean up .....	43
7.10. LC-MS/MS analysis .....	44
7.11. DNA extraction of candidate T-DNA insertion lines .....	45
7.12. PCR to test zygosity .....	45
8. Transformation of <i>Saccharomyces cerevisiae</i> .....	46
8.1. Preparation of competent cells .....	46
8.2. Transformation of <i>S. cerevisiae</i> cells .....	46
8.3. Plasmid rescue .....	46
8.4. Isolation of microsomes from transformed <i>S. cerevisiae</i> cells .....	47
8.5. Uptake assays with transformed <i>S. cerevisiae</i> microsomes .....	47
9. Software.....	48
<b>III. Results.....</b>	<b>49</b>
1. RFO biosynthesis and accumulation is not only cold upregulated in leaves but also in hydroponic roots and hairy root cultures of <i>A. reptans</i> .....	49
1.1. Hydroponic roots of <i>A. reptans</i> .....	51
1.2. Hairy root cultures.....	54
1.3. GolS-1 and GGT expression correlated positively with enzyme activity in hydroponic roots but not in hairy roots .....	57
1.4. Growth is reduced in cold treated roots .....	59
1.5. Cold treatment provokes an increase in both RFO concentrations and GGT activity in hydroponic leaves .....	59
2. <i>De novo</i> maltose synthesis in Arabidopsis.....	61
2.1. Maltose is <i>de novo</i> synthesized from glucose-1-phosphate as sole substrate .....	61
2.2. Maltose <i>de novo</i> synthesis is widely distributed in the plant kingdom.....	61
2.3. Biochemical characterization of MaltS in Arabidopsis Col-0 .....	62
2.4. MaltS is most probably a cytosolic enzyme .....	67
2.5. Malt increases transiently in leaves of cold treated Arabidopsis .....	68
2.6. MaltS activity is only slightly changed in leaves of cold treated Arabidopsis .....	69
2.7. Mutants in starch metabolism showed both Malt accumulation and MaltS activity, with the exception of the mutant <i>pgm</i> .....	70

---

2.8. <i>pgm</i> plants show the same changes in soluble carbohydrate concentrations upon cold treatment as Col-0 plants, except for Malt.....	71
2.9. MaltS activity shows no diurnal pattern.....	72
2.10. MaltS activity might be regulated by phosphorylation/dephosphorylation .....	73
2.11. Purification of MaltS for LC-MS/MS analysis .....	74
3. Characterization of the chloroplastic transporter CarbT6 in yeast cells .....	81
3.1. Positively transformed yeast colonies were identified.....	81
3.2. No CarbT6 specific Glc-uptake could be measured in transformed yeast cells.....	82
3.3. No CarbT6 specific Glc-uptake could be measured in vesicles of transformed yeast cells .....	83
<b>IV. Discussion.....</b>	<b>85</b>
1. <i>A. reptans</i> roots .....	85
1.1. RFO concentrations increase in leaves and roots of cold-treated <i>A. reptans</i> plants .....	85
1.2. RFO concentrations increase in <i>A. reptans</i> hairy roots during cold treatment .....	88
1.3. Conclusion .....	90
2. Malt <i>de novo</i> synthesis in Arabidopsis .....	91
2.1. MaltS activity seems to be widespread in the plant kingdom.....	91
2.2. Biochemical characterization of Arabidopsis Col-0 MaltS showed high similarities to spinach MaltS.....	91
2.3. The transient Malt increase in leaves of cold-treated Arabidopsis plants confirm earlier results .....	94
2.4. Malt <i>de novo</i> synthesis is also found in Arabidopsis Col-0 leaves but showed different patterns if cold treatment was conducted during the light or dark phase .....	95
2.5. Mutants in starch metabolism show the same Malt-related reactions except for <i>pgm</i> , showing no Malt accumulation in the cold .....	96
2.6. MaltS activity may be diurnally regulated by phosphorylation and dephosphorylation .....	97
2.7. Purification of MaltS .....	97
2.8. Possible roles of MaltS .....	99
3. No CarbT6-specific Glc-uptake could be measured in transformed yeast cells.....	100
4. Outlook .....	101
<b>V. Summary .....</b>	<b>103</b>
<b>VI. Zusammenfassung .....</b>	<b>105</b>
<b>VII. References .....</b>	<b>107</b>
<b>VIII. Appendix .....</b>	<b>119</b>

## Danksagung

## Curriculum vitae

