

Contents

1	Introduction	1
1.1	Research Problem Statement	4
1.2	Previous Work	5
1.3	Research Objective	9
1.4	Thesis Overview	9
1.5	Contributions	10
2	Thruster and System Model	11
2.1	System Model	11
2.2	Thruster Model	12
2.2.1	The Thruster Principle	12
2.2.2	Generic Thruster Model	14
2.3	Summary	20
3	Thruster Parameter Estimation Methods	21
3.1	Thruster Parameter Estimation Problem	21
3.1.1	Linear estimation without noise	21
3.1.2	Linear estimation with noise	22
3.2	Time Domain Estimation Methods	24
3.2.1	Least squares estimation	24
3.2.2	The batch estimator	26
3.2.3	The iterative estimator	28
3.2.4	Biased parameter estimation	32
3.2.5	Deconvolution in time (correlation method)	38
3.3	Frequency Domain Estimation Methods	42
3.3.1	Deconvolution in frequency	43
3.3.2	Orthogonal filters	47
3.4	Parameter and State Estimation	49
3.4.1	The Kalman Filter	49
3.4.2	KF formulation	53
3.5	Summary	55
4	Calibration Force Generation	57
4.1	Force Generation	57
4.1.1	Known thrust-force	57
4.1.2	Known external force	60
4.2	Calibration Force	62
4.3	Summary	62
5	Mission Definition	65
5.1	Satellite's Model	65
5.1.1	Equations of Motion	65
5.1.2	Physical Configuration	66
5.2	Thruster System	69

5.3	Thruster Controller Algorithm	72
5.4	Attitude Control	73
5.5	Orbit Control	75
5.6	Environment Model	76
5.6.1	Orbit Model	76
5.6.2	Disturbance Model	77
5.6.3	Solar Pressure	78
5.6.4	Atmospheric Drag	80
5.6.5	Earth Gravitation	82
5.6.6	Earth's Magnetic Field	83
5.7	Navigation and Attitude Determination	85
5.7.1	Sensors	85
5.7.2	Attitude Determination	89
5.8	The Full Simulator	90
5.9	Summary	92
6	Mission Thruster Parameter Estimation	95
6.1	The Simulations	95
6.1.1	Attitude and orbit commands	99
6.1.2	Thrust commands	102
6.1.3	Open-loop commands	105
6.1.4	Comparison of results using the three control methods	107
6.1.5	Remarks and conclusions of the three control methods	108
6.2	Reaching better Accuracy	114
6.2.1	Convergence	114
6.2.2	Windup	115
6.2.3	Excitation signals	116
6.2.4	Application of test-signals	117
6.2.5	The thruster excitation problem	124
6.2.6	System's order and the excitation signals	127
6.2.7	Comparison of results using test-signals	127
6.3	Parameter Estimation with Direct Excitation of Thrusters	132
6.4	Parameter Estimation of a Single Thruster	133
6.4.1	Directional tracking	135
6.4.2	Simulations of a single thruster calibration	136
6.4.3	Results analysis of a single calibration	137
6.5	Summary	140
7	Calibration with External Forces	143
7.1	External Force Generation	143
7.2	Estimation using External Forces	144
7.3	Summary	147

8 GP-B Mission Calibration	149
8.1 The Gravity Probe B Mission	149
8.2 The GP-B Simulator	149
8.3 Parameter Estimation in the presence of time-delay	152
8.4 Calibration of the GP-B	153
8.5 GP-B Single Thruster Calibration	160
8.6 GP-B Thruster Dynamic Parameters	161
8.7 GP-B Thruster Calibration Schemes	168
8.8 Summary	169
9 Conclusions and Future Work	173
9.1 Conclusions	173
9.2 Generic Thruster Calibration Procedure	174
9.3 Future Work	175
A Other Estimation Methods	185
A.1 Markov and Linear Unbiased Estimators	185
A.2 Iterative Methods	186
A.2.1 Correction Proportional to the Gradient	186
A.2.2 Least Squares Approach to Strings of Observations	186
A.2.3 Stochastic Approximation	187
A.2.4 Contraction Mapping	188
B Derivations of some Kalman Filter Variables	189
B.1 Kalman Gain	189
B.2 A priori Error Covariance Matrix	190
B.3 A posteriori Error Covariance Matrix	191
C Derivation of the Equations of the Satellite's Model	193
C.1 Satellite's moments of inertia	193
D Definitions	197
D.1 Consistency	197
D.2 Information Matrix	197
D.3 Persistent Excitation	198
D.4 Crest Factor	199
E TDE Methods	201
E.1 The cross-correlation method (CC)	201
E.2 The phase transform method (PHAT)	201
E.3 The maximum likelihood method (ML)	201
E.4 The average square difference method (ASDF)	202
E.5 The least mean square filter method (LMS)	202

