




Maike Windbergs (Autor)

**Towards a better understanding of lipid-based matrices –
Innovations in the production and analysis of physically stable
solid lipid extrudates with tailor-made dissolution profiles**

Maike Windbergs

**Towards a better understanding
of lipid-based matrices
Innovations in the production and analysis of
physically stable solid lipid extrudates with tailor-
made dissolution profiles**



Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/1028>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Table of contents

| | |
|---|-------------|
| Table of contents | I |
| Figures..... | VII |
| Abbreviations and symbols | XI |
| List of original publications | XIII |
| 1. Introduction and theoretical background..... | 1 |
| 1.1. Lipids as excipients for the formulation of oral pharmaceutical dosage forms..... | 1 |
| 1.2. Solid-state behaviour of lipids and problems during manufacturing..... | 4 |
| 1.3. Dissolution testing of oral lipid-based dosage forms and its correlation to solid-state analysis | 6 |
| 2. Aims of the study | 9 |
| 3. Experimental | 11 |
| 3.1. Introduction | 11 |
| 3.2. Materials | 11 |
| 3.2.1. Lipids..... | 11 |
| 3.2.2. Polyethylene glycols | 11 |
| 3.2.3. Model drugs..... | 11 |
| 3.3. Methods | 12 |
| 3.3.1. Manufacturing | 12 |
| 3.3.1.1. Mixing | 12 |

| | |
|---|----|
| 3.3.1.2. Extrusion..... | 12 |
| 3.3.1.3. Tableting..... | 12 |
| 3.3.1.4. Resolidification of lipid melts in thin layers | 13 |
| 3.3.2. Analytics..... | 13 |
| 3.3.2.1. Differential scanning calorimetry (DSC) | 13 |
| 3.3.2.2. X-ray powder diffraction (XRPD) | 13 |
| 3.3.2.3. Attenuated total reflectance infrared (ATR-IR) spectroscopy | 14 |
| 3.3.2.4. Near infrared (NIR) spectroscopy | 14 |
| 3.3.2.5. Raman spectroscopy | 15 |
| 3.3.2.6. Raman mapping..... | 15 |
| 3.3.2.7. Coherent anti-Stokes Raman microscopy (CARS)..... | 15 |
| 3.3.2.8. Dissolution testing..... | 16 |
| 3.3.2.9. Intrinsic dissolution testing in combination with <i>in situ</i> Raman spectroscopy..... | 16 |
| 3.3.2.10. Intrinsic dissolution testing in combination with CARS microscopy..... | 17 |
| 3.3.2.11. Scanning electron microscopy (SEM)..... | 17 |
| 3.3.2.12. Hot-stage microscopy..... | 17 |
| 3.3.2.13. Contact angle measurements | 18 |
| 3.3.2.14. Storage..... | 18 |
| 3.3.2.15. Karl Fischer titrimetry | 18 |
| 3.3.2.16. Moisture sorption analysis..... | 18 |
| 3.3.2.17. Laser diffraction | 19 |

| | |
|--|-----------|
| 4. Results and discussion..... | 21 |
| 4.1. Solid lipid extrudates – solid-state characterization of lipids after processing and storage in correlation to dissolution characteristics | 21 |
| 4.1.1. Introduction | 21 |
| 4.1.2. Understanding the solid-state behaviour of triglyceride solid lipid extrudates and its influence on dissolution | 21 |
| 4.1.3. Influence of the composition of glycerides on the solid-state behaviour and the dissolution profiles of solid lipid extrudates | 25 |
| 4.2. Investigating and understanding the principles of lipid solid- state behaviour during processing and storage..... | 29 |
| 4.2.1. Introduction | 29 |
| 4.2.2. Investigating the principles of recrystallization from glyceride melts | 30 |
| 4.3. Combining lipid and hydrophilic polymer in one matrix..... | 34 |
| 4.3.1. Introduction | 34 |
| 4.3.2. Tailor-made dissolution profiles by extruded matrices based on lipid polyethylene glycol mixtures..... | 35 |
| 4.3.3. Influence of structural variations on drug release from lipid/polyethylene glycol matrices | 38 |
| 4.4. Development and establishing of novel dissolution methods with focus on <i>in situ</i> monitoring of drug release and solid- state behaviour..... | 42 |
| 4.4.1. Introduction | 42 |
| 4.4.2. Investigating the relationship between drug distribution in solid lipid extrudates and dissolution behaviour using Raman spectroscopy and mapping | 43 |

| | | |
|-----------|--|-----------|
| 4.4.3. | Chemical imaging of oral solid dosage forms and changes upon dissolution using coherent anti-Stokes Raman scattering microscopy <i>and</i> | 48 |
| | Coherent anti-Stokes Raman scattering microscopy to monitor drug dissolution in different oral pharmaceutical tablets | 48 |
| 5. | Summary and conclusions | 53 |
| 6. | Zusammenfassung der Arbeit | 55 |
| 7. | References | 57 |
| 8. | Acknowledgements | 67 |
| 9. | Original publications | 69 |
| 9.1. | Article 1: Understanding the solid-state behaviour of triglyceride solid lipid extrudates and its influence on dissolution | 69 |
| 9.2. | Article 2: Influence of the composition of glycerides on the solid-state behaviour and the dissolution profiles of solid lipid extrudates | 78 |
| 9.3. | Article 3: Investigating the principles of recrystallization from glyceride melts | 87 |
| 9.4. | Article 4: Tailor-made dissolution profiles by extruded matrices based on lipid polyethylene glycol mixtures | 109 |
| 9.5. | Article 5: Influence of structural variations on drug release from lipid/polyethylene glycol matrices | 116 |
| 9.6. | Article 6: Investigating the relationship between drug distribution in solid lipid matrices and dissolution behaviour using Raman spectroscopy and mapping | 125 |

| | |
|---|-----|
| 9.7. Article 7: Chemical Imaging of Oral Solid Dosage Forms and Changes upon Dissolution Using Coherent Anti-Stokes Raman Scattering Microscopy | 146 |
| 9.8. Article 8: Coherent anti-Stokes Raman scattering microscopy to monitor drug dissolution in different oral pharmaceutical tablets..... | 154 |

