




Roberto La Marca (Autor)

Vagal functionality as indicator for biopsychological stress responsiveness and beneficial effects of auricular electrical stimulation on vagal activity

Roberto La Marca

Vagal functionality as indicator for
biopsychological stress responsiveness
and beneficial effects of auricular electrical
stimulation on vagal activity



 Cuvillier Verlag Göttingen
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/1030>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

CONTENTS

Acknowledgements	I
Abstract	III
Tables	V
Figures	VI
Abbreviations	VIII
1. INTRODUCTION	1
2. THEORETICAL BACKGROUND	5
2.1 The vagus nerve: structural and functional properties	5
2.1.1 The autonomic nervous system	5
2.1.1.1 The central autonomic nervous system	6
2.1.1.2. The peripher autonomic nervous system	8
2.1.2 The vagus nerve	9
2.1.2.1 Vagal innervation of the heart	9
2.1.2.2 Vagal innervation of the ear	11
2.1.2.3 Indicators of vagal activity: markers not referring to the heart	12
2.1.2.4 Indicators of vagal activity: electrocardiographic markers	13
2.1.2.5 Determination of vagal functionality	20
2.1.2.6 The polyvagal theory	21
2.1.2.7 The neurovisceral integration model	25
2.2 Factors negatively associated with vagal activity	28
2.2.1 Risk factors	28
2.2.1.1 Age	29
2.2.1.2 Body mass index	30
2.2.1.3 Gender	30
2.2.1.4 Alcohol consumption	31

2.2.1.5 Smoking	31
2.2.1.6 Air pollution	32
2.2.1.7 Little or no exercise	33
2.2.1.8 Low socio-economic status	33
2.2.1.9 Circadian rhythm	34
2.2.1.10 Psychological factors	35
2.2.1.11 Stress	36
2.2.1.11.1 Definition	37
2.2.1.11.2 Stress response	39
2.2.1.11.2.1 Cortisol	39
2.2.1.11.2.2 Alpha-amylase	41
2.2.1.11.2.3 Heart rate	43
2.2.1.11.2.3 Heart rate variability	44
2.2.2 Morbidity and mortality	46
2.2.2.1 Depression	48
2.2.2.2 Anxiety disorders	48
2.2.2.3 Eating disorders	49
2.2.2.4 Schizophrenia	50
2.2.2.5 Cardiovascular events, disorders and mortality	51
2.3 Interventions increasing vagal activity	54
2.3.1 Pharmacological interventions	54
2.3.2 Invasive vagus nerve stimulation	55
2.3.2.1 General introduction	55
2.3.2.2 Neuroanatomical basis of VNS action	56
2.3.2.3 Treated disorders	57
2.3.2.4 Cardiac effects	58
2.3.2.5 Adverse effects	59
2.3.3 Transcutaneous electrical nerve stimulation	60
2.3.4 Acupuncture	61
2.3.5 Physical training	62
2.3.6 Nutrition	63
2.4 Conclusio	64

3. EMPIRICAL STUDIES	65
3.1 Vagal functionality as physiologic resource reducing stress-induced biopsychological responses	65
3.1.1 Introduction	65
3.1.2 Materials and Methods	68
3.1.2.1 Participants	68
3.1.2.2 Procedure	68
3.1.2.3 Interventions	69
3.1.2.4 Measures	71
3.1.2.5 Data Analysis	72
3.1.3 Results	73
3.1.4 Discussion	81
3.2 Effects of auricular manual and electrical stimulation on vagal activity	87
3.2.1 Introduction	87
3.2.2 Materials and Methods	91
3.2.2.1 Participants	91
3.2.2.2 Procedure	91
3.2.2.3 Interventions	92
3.2.2.4 Measures	94
3.2.2.5 Data Analysis	96
3.2.3 Results	96
3.2.4 Discussion	100
4. GENERAL DISCUSSION	106
4.1 Summary of the results	106
4.1.1 The vagus nerve functionality as indicator for biopsychological stress responsiveness	107
4.1.2 Effect of auricular electrostimulation on vagal activity	107
4.2 Discussion and embedding in the theoretical background	108
4.3 Limitations and strengths	118
4.4 Implications and directions for future studies	123
5. REFERENCES	126

