




Stefan Emil Vogel (Autor)

## **Simulation of Lifted Diesel Sprays Using a Combined Level-Set Flamelet Model**

Stefan Emil Vogel

### **Simulation of Lifted Diesel Sprays Using a Combined Level-Set Flamelet Model**



**Cuvillier Verlag Göttingen**  
Internationaler wissenschaftlicher Fachverlag

<https://cuvillier.de/de/shop/publications/1096>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,  
Germany

Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Description of the flow field</b>	<b>3</b>
2.1	Flow-field equations . . . . .	3
2.2	Description of the turbulent flow and mixing field . . . . .	6
2.2.1	Scales of turbulent flows . . . . .	6
2.2.2	Averaging of turbulent flows . . . . .	7
2.2.3	Favre ensemble averaged flow equations . . . . .	9
<b>3</b>	<b>Liquid Phase</b>	<b>13</b>
3.1	Physical description of the liquid phase . . . . .	13
3.1.1	Classification of breakup . . . . .	14
3.2	Used breakup models . . . . .	17
3.2.1	Linear normal-mode analysis, wave model (Kelvin-Helmholtz) .	17
3.2.2	The Rayleigh-Taylor breakup model . . . . .	17
<b>4</b>	<b>Detailed chemistry used in this thesis</b>	<b>19</b>
4.1	Chemical mechanism . . . . .	19
4.2	Laminar flame speeds . . . . .	19
4.3	Nitrogen-oxide model . . . . .	23
4.4	Soot model . . . . .	25
4.4.1	Formation of the first polycyclic hydrocarbons . . . . .	25
4.4.2	Formation and growth of PAHs . . . . .	25
4.4.3	Soot formation . . . . .	25
<b>5</b>	<b>Coupling of chemistry and turbulent flow</b>	<b>29</b>
5.1	Premixed combustion . . . . .	29
5.1.1	Physics of laminar flame propagation . . . . .	29
5.1.2	Physics of turbulent flame propagation . . . . .	32
5.1.3	Progress-variable approaches . . . . .	36
5.2	The level-set approach . . . . .	37
5.2.1	The level-set approach for laminar flames . . . . .	37
5.2.2	The level-set approach for turbulent flames . . . . .	39
5.3	Physics of non-premixed combustion . . . . .	41
5.3.1	The Characteristic Time-Scale Model . . . . .	41

## Contents

---

5.3.2	Laminar Chemistry . . . . .	42
5.3.3	Probability Density Function (PDF) Models . . . . .	42
5.4	The flamelet model for non-premixed conditions . . . . .	44
5.4.1	Definition of the mixture fraction . . . . .	44
5.4.2	Flamelet equations . . . . .	45
5.4.3	General interaction between turbulent flow and chemistry . . . . .	48
5.4.4	Multiple flamelets using cell mass as tracer . . . . .	52
5.4.5	Multiple-injected Representative Interactive Flamelet (MRIF), using fuel as tracer . . . . .	54
5.5	G-equation coupled with MRIF (G-MRIF) . . . . .	57
<b>6</b>	<b>Simulations of sprays in the Aachen vessels</b>	<b>63</b>
6.1	Experimental setup . . . . .	63
6.2	Spray characterization performed at the Lehrstuhl für Wärme- und Stoffübertragung (WSA) . . . . .	64
6.3	OH and soot measurements performed at the LTfd . . . . .	65
6.4	Simulations using the newly developed G-MRIF model . . . . .	66
6.5	Simulations of Aachen data using G-MRIF . . . . .	72
6.5.1	Lift-off length comparison . . . . .	72
6.5.2	3D soot comparison . . . . .	77
6.5.3	Comparison of soot and original fuel mass in integrated values .	81
6.5.4	OH comparison . . . . .	91
6.6	Injection-rate investigation . . . . .	95
6.7	Conclusion of the Aachen investigation . . . . .	106
<b>7</b>	<b>Simulation of sprays in the Sandia National Laboratories (SNL) vessel</b>	<b>107</b>
7.1	Experimental setup . . . . .	107
7.2	Simulations . . . . .	107
7.3	SNL simulation results . . . . .	109
7.3.1	Comparison of soot and original fuel mass in integrated values for the temperature variation . . . . .	115
7.3.2	Comparison of soot and original fuel mass in integrated values for the density variation . . . . .	117
7.3.3	Comparison of soot and original fuel mass in integrated values for the O <sub>2</sub> variation . . . . .	119
7.3.4	Comparison of soot and original fuel mass in integrated values for the nozzle-diameter variation . . . . .	121
7.3.5	Comparison of soot and original fuel mass in integrated values for the temperature variation of the 180 µm nozzle . . . . .	123
7.4	Conclusion of the SNL investigation . . . . .	125
<b>8</b>	<b>Summary and conclusion</b>	<b>127</b>

<b>A Acronyms</b>	<b>139</b>
<b>B Simulation of the spray development in the Aachen vessel</b>	<b>141</b>
<b>C Simulation of the spray development in the SNL vessel</b>	<b>147</b>