

Table of contents

1	INTRODUCTION	7
1.1	TABLET: DEFINITION AND TYPES	7
1.1.1	Diffusion controlled: reservoirs (membranes)	10
1.1.2	Diffusion controlled: matrices (monoliths)	10
1.1.3	Chemically controlled: erosion	11
1.1.4	Chemically controlled: pendant chain	11
1.1.5	Solvent activated: osmotic pressure	11
1.1.6	Solvent activated: swelling	11
1.2	EXCIPIENTS USED TO BUILD A MATRIX	13
1.2.1	Hydrophilic (Cellulose ethers and esters)	13
1.2.2	Inert poly(meth)acrylates polymers	14
1.2.3	Lipidic	15
1.2.4	Biodegradable	15
1.2.5	Resin matrices	16
1.3	COMBINATION OF POLYMERS FOR SUSTAINED RELEASE MATRIX FORMULATIONS	16
1.3.1	Combination with cellulose-based polymers	16
1.3.2	Combination of poly(meth)acrylates	18
1.4	MANUFACTURE PROCESSES FOR MATRIX TABLETS	20
1.4.1	Direct compression	20
1.4.2	Dry granulation	21
1.4.3	Melt extrusion	22
1.4.4	Wet granulation	22
1.5	SUMMARY	24
2	AIM OF THE STUDY	25
3	RESULTS AND DISCUSSION	26
3.1	CHARACTERIZATION OF METHACRYLIC COPOLYMER COMBINATIONS	26
3.1.1	Sediment	26
3.1.1.1	Preparation of the polymer solutions	26
3.1.1.2	Mixture in the Schmizo reactor	27
3.1.1.3	Gravimetric results and statistical interpretation	28
3.1.1.4	Titration	38
3.1.1.5	Nitrogen content analysis (Kjedahl method)	40
3.1.1.6	Fourier transform spectroscopy (FT-IR)	41
3.1.1.7	Proton nuclear magnetic resonance analysis (¹ H-NMR)	43
3.1.1.8	Differential scanning calorimetry (DSC)	44
3.1.1.9	Thermal gravimetric analysis (TGA)	47
3.1.1.10	Mass spectroscopy	48
3.1.1.11	Solid state nuclear magnetic resonance analysis (¹³ C-NMR)	49
3.1.2	Supernatant	50
3.1.3	Summary	52
3.2	WET GRANULATION WITH HIGH SHEAR MIXER	54
3.2.1	Process description	54
3.2.2	Preliminary trial	55
3.2.3	Trial plan: results and statistical interpretation	58
3.2.3.1	Analysis of the granules	60
3.2.3.2	Compression	62
3.2.3.2.1	Equipment	62
3.2.3.2.2	Tablet breaking resistance, weight and height	62
3.2.3.2.3	Tablet density	65

3.2.3.3	Dissolution test	67
3.3	GRANULATION WITH DIFFERENT AMOUNT OF POLYMER.....	70
3.3.1	Preliminary trials	70
3.3.2	Granulation with different polymer percentage.....	71
3.3.2.1	Analysis of the granules.....	72
3.3.2.2	Compression	75
3.3.2.2.1	Equipment.....	75
3.3.2.2.2	Tablet breaking resistance, weight and height.....	76
3.3.2.2.3	Tablet density	76
3.3.2.3	Dissolution test	77
3.3.2.4	Scanning electron microscopy (SEM)	79
3.4	GRANULATION OF ANIONIC AND CATIONIC DRUGS.....	80
3.4.1.1	Analysis of the granules.....	81
3.4.2	Compression	82
3.4.2.1	Equipment.....	82
3.4.2.2	Tablet breaking resistance, weight and height.....	82
3.4.2.3	Tablet density.....	83
3.4.3	Dissolution test	84
3.4.3.1	Release in 0.1 N HCl and phosphate buffer pH=6.8.....	84
3.4.3.2	Release only in phosphate buffer pH=6.8.....	86
3.4.4	Summary.....	88
3.5	MELT EXTRUSION	89
3.5.1	Trial description.....	89
3.5.2	Formulations with and without stearic acid.....	91
3.5.3	Analysis of extrudates	94
3.5.3.1	Viscosity measurements.....	94
3.5.3.2	Differential scanning calorimetry (DSC).....	96
3.5.3.3	Fourier-transform spectroscopy (FT-IR)	99
3.5.3.4	Appearance and swelling behavior in acidic and alkali media	100
3.5.3.5	Dissolution test	103
3.5.4	Summary.....	104
4	CONCLUSION	106
5	ZUSAMMENFASSUNG DER ARBEIT	108
6	EXPERIMENTAL SECTION.....	110
6.1	MATERIALS.....	110
6.1.1	Methacrylate copolymers	110
6.1.2	Drugs	112
6.1.3	Other excipients.....	112
6.2	METHODS	113
6.2.1	Combination of methacrylate copolymers in organic solution.....	113
6.2.1.1	Gravimetric analysis	113
6.2.1.1.1	Mixing	113
6.2.1.1.2	Centrifugation.....	117
6.2.1.1.3	Drying.....	117
6.2.1.2	Statistical interpretation	117
6.2.2	Wet granulation with high shear mixer (DIOSNA).....	118
6.2.2.1	Equipment description	118
6.2.2.2	Preparation of the polymer suspension.....	118
6.2.2.3	Mixing.....	119
6.2.2.3.1	Wet granulation with EMCOMPRESS®	119
6.2.2.3.2	Wet granulation without EMCOMPRESS®	120

6.2.2.4	Sieving	122
6.2.2.5	Drying	122
6.2.2.6	Compression	122
6.2.2.7	Statistical interpretation	122
6.2.3	Hot melt extrusion	123
6.2.3.1	Process description.....	123
6.2.3.2	Mixture preparation	124
6.3	ANALYTICAL METHODS.....	126
6.3.1	Common methods.....	126
6.3.1.1	Differential scanning calorimetry (DSC).....	126
6.3.1.2	Fourier-transform spectroscopy (FT-IR)	126
6.3.1.3	<i>In Vitro</i> dissolution test.....	126
6.3.1.3.1	Calibration of UV spectroscopy and HPLC	127
6.3.1.4	Scanning electron microscopy (SEM)	130
6.3.2	Methods for the characterization of the methacrylate copolymers combination.....	130
6.3.2.1	Mass spectroscopy	130
6.3.2.2	Nitrogen content analysis (Kjedahl method)	130
6.3.2.3	Particle size determination from complex in supernatant.....	131
6.3.2.4	Solid state nuclear magnetic resonance analysis (¹³ C-NMR)	131
6.3.2.5	Proton nuclear magnetic resonance analysis (¹ H-NMR)	131
6.3.2.6	Thermal gravimetric analysis (TGA).....	132
6.3.2.7	Titration	132
6.3.3	Analysis of matrix tablets from wet granulation	133
6.3.3.1	Loss on drying (LOD).....	133
6.3.3.2	Particle size distribution.....	133
6.3.3.3	Determination of d'	133
6.3.3.4	Flow properties and compressibility of the granules	133
6.3.3.5	Angle of repose.....	134
6.3.4	Methods for matrix tablets from wet granulation.....	134
6.3.4.1	Tablet density.....	134
6.3.4.2	Tablet breaking resistance.....	135
6.3.5	Analysis of extrudates from hot melt extrusion.....	135
6.3.5.1	Macroscope	135
6.3.5.2	Rheological measurements	135
6.3.5.2.1	High pressure capillary viscosimeter.....	136
6.3.5.2.2	Rotational rheometer	137
7	REFERENCES	138
8	APPENDIX.....	144
	SELBSTTÄTIGKEITSERKLÄRUNG.....	155
	DANKSAGUNG	156