

Table of content

Table of content.....	III
List of abbreviations.....	VIII
1 Introduction	1
1.1 Multiple unit dosage forms	1
1.2 Micropellets.....	1
1.2.1 Definition.....	1
1.2.2 Sprinkle capsule.....	2
1.2.3 Dose sipping technology	2
1.3 Pelletization aids	3
1.3.1 Definition.....	3
1.3.2 Microcrystalline Cellulose.....	3
1.3.3 κ-Carrageenan.....	4
2 Micropellets production techniques	6
2.1 Introduction	6
2.2 Extrusion	6
2.3 Spheronization.....	7
2.4 Drying.....	7
3 Dissolution behavior	8
3.1 Introduction	8
3.2 Matrix dissolution	8
3.2.1 Definition.....	8
3.2.2 Diffusion-controlled dissolution.....	8
3.3 Evaluation by Korsmeyer and Peppas.....	9
4 Aims of this work	11
5 Results and Discussion.....	12
5.1 Optimization of spheronizer conditions	12
5.1.1 Introduction and objective	12
5.1.2 Production.....	12
5.1.3 Evaluation parameters	13
5.1.3.1 Introduction	13
5.1.3.2 Moisture content.....	13
5.1.3.3 Shape	13
5.1.3.4 Size and size distribution.....	13
5.1.3.5 Yield	14
5.1.4 Design of Experiments - Quality of the Model	14
5.1.5 Spheronization of 500µm extrudates – CCC-design	14

5.1.6	Comparison between two spheronizers	19
5.1.7	Adaptation of the additional spheronizer process variables	23
5.1.8	Summary.....	25
5.2	Micropellets containing spironolactone as API	26
5.2.1	Introduction and objective	26
5.2.2	Evaluation parameters	26
5.2.2.1	Introduction	26
5.2.2.2	Drug release.....	26
5.2.2.3	Similarity of the dissolution profiles	26
5.2.2.4	Mechanical stability	27
5.2.3	Choice of filler.....	27
5.2.3.1	Introduction	27
5.2.3.2	Tricalcium phosphate	27
5.2.3.3	Lactose monohydrate	29
5.2.4	Extrusion/ spheronization using tricalcium phosphate as filler.....	29
5.2.4.1	Production and characterization	29
5.2.4.2	Dissolution behavior	31
	Introduction and objective.....	31
	Fast dissolving media	32
	Chloride salts with different cations.....	35
	Combined media.....	47
	FeSSIF medium	47
	Milk medium	50
5.2.4.3	Summary	53
5.2.5	Extrusion/ spheronization using dicalcium phosphate as filler	53
5.2.5.1	Introduction and objective.....	53
5.2.5.2	Production and characterization	54
5.2.5.3	Dissolution behavior	54
5.2.5.4	Summary	56
5.2.6	Extrusion/ spheronization using lactose monohydrate as filler	56
5.2.6.1	Introduction and objective.....	56
5.2.6.2	Production and characterization	57
5.2.6.3	Dissolution behavior	58
5.2.6.4	Summary	61
5.2.7	Extrusion/ spheronization using calcium lactate as filler	61
5.2.7.1	Introduction and objective.....	61
5.2.7.2	Production and characterization	61
5.2.7.3	Dissolution behavior	62
5.2.7.4	Summary	63

5.2.8	Extrusion/ spheronization using MCC as pelletization aid	63
5.2.8.1	Introduction and objective.....	63
5.2.8.2	Production and characterization	63
5.2.8.3	Dissolution behavior	64
5.2.8.4	Summary	67
5.3	Micropellets containing different APIs	68
5.3.1	Choice of model substances as API.....	68
5.3.1.1	Specification.....	68
5.3.1.2	Spironolactone.....	68
5.3.1.3	Griseofulvin.....	68
5.3.1.4	Itraconazole	69
5.3.2	Extrusion/ spheronization of theophylline monohydrate.....	69
5.3.2.1	Introduction and objective.....	69
5.3.2.2	Production and characterization	70
5.3.2.3	Dissolution behavior	71
5.3.2.4	Summary	76
5.3.3	Extrusion/ spheronization of hydrochlorothiazide	76
5.3.3.1	Introduction and objective.....	76
5.3.3.2	Production and characterization	76
5.3.3.3	Dissolution behavior	77
5.3.3.4	Summary	81
5.3.4	Extrusion/ spheronization of griseofulvin	81
5.3.4.1	Introduction and objective.....	81
5.3.4.2	Production and characterization	82
5.3.4.3	Dissolution behavior	82
5.3.4.4	Summary	85
5.3.5	Extrusion/ spheronization of itraconazole	86
5.3.5.1	Introduction and objective.....	86
5.3.5.2	Production and characterization	86
5.3.5.3	Dissolution behavior	86
5.3.5.4	Summary	87
5.3.6	Overview of the standard formulations in 0.1 M calcium chloride solution.....	88
5.3.6.1	Comparison of the standard formulations containing different fillers	88
5.3.6.2	Comparison of the standard formulations containing different APIs.....	89
5.3.6.3	Summary	91
5.4	Different types of κ -carrageenan.....	92
5.4.1	Introduction and objective	92
5.4.2	Evaluation of different types of κ -carrageenan	92
5.4.2.1	Concentration of counter-ions	92

5.4.2.2	Rheological behavior of different κ-carrageenans	93
5.4.2.3	Rheological behavior of κ-carrageenan in different dissolution media	95
5.4.3	Summary.....	96
6	Summary	97
7	Zusammenfassung der Arbeit.....	99
8	Experimental part	101
8.1	Materials.....	101
8.1.1	Carrageenan	101
8.1.2	API.....	101
8.1.3	Filler.....	102
8.1.4	Other Substances	103
8.2	Methods.....	104
8.2.1	Pellet production.....	104
8.2.1.1	Blending of raw materials	104
8.2.1.2	Extrusion	104
8.2.1.3	Spheronization.....	104
8.2.1.4	Drying.....	105
8.2.2	Determination of evaluation parameter	105
8.2.2.1	Moisture content.....	105
8.2.2.2	Yield	105
8.2.2.3	Pellet shape, size and distribution	105
8.2.2.4	Mechanical stability	106
8.2.2.5	Statistical evaluation parameter of the DOE	106
8.2.2.6	Drug release.....	108
8.2.2.7	High performance liquid chromatography	108
8.2.2.8	Preparation of biorelevant media	109
8.2.2.9	Similarity of dissolution profiles	112
8.2.3	Analytical methods	113
8.2.3.1	Scanning electron microscopy.....	113
8.2.3.2	Differential scanning calorimetry.....	113
8.2.3.3	Karl-Fischer titration	114
8.2.3.4	Laser light diffraction.....	114
8.2.3.5	Imaging of wet micropellets.....	114
8.2.3.6	Inductively coupled plasma optical emission spectrometry	115
8.2.3.7	Complexometric titration	115
8.2.3.8	Rheological analysis.....	115
8.2.3.9	Ring shear cell tester	116
8.2.3.10	Helium pycnometry.....	117
8.2.3.11	Bulk density.....	117

8.2.3.12	pH measurements	117
8.2.3.13	X-ray diffraction.....	117
9	References	118
10	Acknowledgement.....	131