



Kranthi Kumar Akurati (Autor)
"Synthesis of TiO₂ based nanoparticles for photocatalytic applications"



<https://cuvillier.de/de/shop/publications/1290>

Copyright:
Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

TABLE OF CONTENTS

Acknowledgements

Abstract

List of publications and patent

Chapter 1

Introduction

1.1 Introduction 1

Chapter 2- Background: Heterogeneous photocatalysis 10

2.1 Catalysis 10

2.2 Mechanism of photocatalysis 15

2.3 Advantages of nanoparticles in photocatalysis 18

2.3.1 Preventing/reducing volume recombination 18

2.3.2 Improved light absorption 19

2.3.3 Increased surface area for redox reactions 20

2.4 Limit(ation)s of nanoparticles in photocatalysis 20

2.5 Factors affecting the photocatalysis 22

2.5.1 Intrinsic parameters 22

2.5.1.1 Particle size 22

2.5.1.1a Influence on electronic properties 22

2.5.1.1b Influence on optical properties 28

2.5.1.2 Surface area 29

2.5.1.3 Crystal structure 29

2.5.1.3a Electronic properties 30

2.5.1.3b Structural properties 31

2.5.2	Extrinsic parameters	31
2.5.2.1	Photocatalyst concentration	31
2.5.2.2	Light intensity	32
2.5.2.3	Temperature	32
2.5.2.4	pH of the solution	33
2.6	Need for the visible light photocatalysts	34
2.7	General	34
2.7.1	Metal ion doping	35
2.7.2	Reduced TiO ₂ (TiO _{2-x})	38
2.7.3	Doping with anionic species	39
Chapter 3-	Background: Synthesis of nanoparticles	40
3.1	Liquid phase processes	40
3.2	Solid phase synthesis	40
3.3	Gas phase processes	41
3.3.1	Flame aerosol process	42
3.3.1.1	Particle formation mechanism	43
3.3.1.1a	Nucleation	43
3.3.1.1b	Growth	44
3.3.1.2	Process control	45
3.3.1.2a	Surface area	46
3.3.1.2b	Crystallinity	47
3.3.2	Flame spray synthesis	48
3.3.3	Hot-wall reactor synthesis	50
Chapter 4-	Materials and characterization methods used in the study	51
4.1	Materials	51
4.1.1	Titanium dioxide (TiO ₂)	51

4.1.2 Tungsten trioxide (WO ₃)	54
4.1.3 Tin dioxide (SnO ₂)	57
4.2 Characterizations methods	60
4.2.1 Nitrogen physisorption measurement	60
4.2.2 Transmission electron microscopy (TEM)	61
4.2.3 X-ray diffraction (XRD)	62
4.2.4 Photocatalytic activity (PCA) measurement	63
4.2.4.1 Methylene blue degradation	63
4.2.4.2 Kinetics of photocatalytic reaction	66
4.2.4.3 Systematic method of odor gradation (SMOG) method	68
4.2.5 Raman spectroscopy	70
4.2.6 Attenuated total reflection infrared (ATR-IR) spectroscopy	70
4.2.7 X-ray photoelectron spectroscopy (XPS)	72
Chapter 5- Flame synthesis of TiO ₂ nanoparticles with improved PCA	74
5.1 Importance of crystallinity	74
5.2 Experimental procedure	75
5.2.1 Apparatus	75
5.2.2 Procedure	75
5.2.3 Characterization	77
5.3 Results and discussion	78
5.4 Photocatalyst characterization	78
5.4.1 Specific surface area (SSA)	78
5.4.2 X-ray diffraction	82
5.4.3 Transmission electron microscopy	85
5.4.4 Relative degree of crystallinity	87
5.5 Photocatalytic activity	89
Chapter 6- One-step flame synthesis of SnO ₂ /TiO ₂ composite nanoparticles for photocatalytic applications.	95

6.1	Experimental procedure	95
6.1.1	Flame aerosol plant	95
6.2	Characterization of photocatalyst	96
6.3	Results and discussion	96
6.3.1	SnO ₂ /TiO ₂ characterization: BET, TEM and XRD	96
6.4	Photocatalytic degradation of methylene blue	103
Chapter 7- Synthesis and characterization of WO _x /TiO ₂ nanoparticles by		
	flame spray synthesis (FSS)	106
7.1	Experimental procedure	106
7.1.1	Apparatus	106
7.2	Characterization	108
7.3	Results and discussion	109
7.3.1	Physical properties of WO ₃ /TiO ₂	109
7.3.2	Specific surface area	109
7.3.3	X-ray diffraction	110
7.3.4	Transmission electron microscopy	112
7.3.5	Raman spectroscopy	115
7.3.6	ATR-IR	119
7.4	Photocatalytic activity	122
Chapter 8- Single-step synthesis of N-doped TiO ₂ nanoparticles in a		
	hot-wall reactor	127
8.1	Experimental procedure	127
8.1.1	Apparatus	127
8.2	Characterization	129
8.3	Results and discussion	129
8.3.1	Decomposition mechanism of NH ₃	129
8.3.2	Mechanism of N-doped TiO ₂ formation	131

8.3.3 Characterization of N-doped TiO ₂	131
8.3.3.1 X-ray diffraction	131
8.3.3.2 Transmission electron microscopy	138
8.3.3.3 Specific surface area	139
8.3.3.4 XPS	142
8.4 Photocatalytic activity (SMOG method)	150
Conclusions	154
References	156
Research recommendations	175