




Matthias Witt (Autor)

**Robust and Low-Communication Geographic Routing for
Wireless Ad Hoc Networks**



<https://cuvillier.de/de/shop/publications/1338>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

1	Introduction	1
2	Ad Hoc Networks	5
2.1	History of Ad Hoc Networks	5
2.2	Characteristics of Wireless Ad Hoc Networks	6
2.3	Routing in Wireless Ad Hoc Networks	8
2.4	Design Challenges for Geographic Routing Algorithms	10
2.4.1	Network Structure	10
2.4.2	Characteristics of the Wireless Medium	10
2.4.3	Capabilities of the Nodes	10
3	Geographic Routing Algorithms	13
3.1	Beacon-based Algorithms	13
3.1.1	Face Routing	13
3.1.2	GPSR	15
3.1.3	Other Algorithms	16
3.1.4	Discussion	17
3.2	Beacon-less Algorithms	17
3.2.1	General Framework	18
3.2.2	BLR: Beacon-Less Routing	21
3.2.3	CBF: Contention-Based Forwarding	21
3.2.4	IGF: Implicit Geographic Forwarding	22
3.2.5	SIF: State-free Implicit Forwarding	23
3.2.6	GeRaF: Geographic Random Forwarding	24
3.2.7	MACRO: Integrated MAC/Routing Protocol	24
3.2.8	BOSS: Beacon-less On Demand Strategy	25
3.2.9	Discussion	26
3.3	Three-dimensional Geographic Routing	27
4	Delivery Semantics	29
4.1	Closeness	30
4.2	Multiplicity	31
4.3	Accept-outside	32
4.4	Discussion	33

5	The Blind Geographic Routing Algorithm	35
5.1	Basic Algorithm	35
5.2	Timer Functions	36
5.3	Recovery	40
5.4	The 3D Version of BGR	42
5.5	Avoidance of Simultaneous Forwarding	44
5.6	Delivery Semantics	44
5.7	Geocasting	46
5.8	Duty Cycles	48
5.9	Example	49
6	Location Errors	51
6.1	Related Work	51
6.2	Estimated Distance between Nodes	52
6.3	Preparing BGR for Location Errors	54
6.4	Preparing GPSR for Location Errors	55
7	Analytical Evaluation	59
7.1	Expected Progress for Fixed Number of Nodes	59
7.2	Expected Progress in Recovery Sector	62
7.3	Expected Progress as Function of Network Density	62
7.4	Probability of Successful Delivery	63
7.4.1	No Recovery	63
7.4.2	Turned Sector	64
7.4.3	Augmented Sector	64
7.4.4	Selected Values	65
7.5	Delivery Probability for Spherical Sector	65
7.6	Discussion	69
8	Simulation Results	71
8.1	Unit Disk Graph Model	72
8.1.1	Forwarding Areas	73
8.1.2	Timer Functions	75
8.1.3	Recovery	76
8.1.4	ASF	79
8.1.5	Geocasting	79
8.1.6	Delivery Semantics	82
8.1.7	Multi-flow Traffic	83
8.1.8	Mobile Nodes	84
8.1.9	Three-dimensional Topologies	88
8.2	Location Errors	89
8.3	Irregular Radio Model	91

8.4	Combining Location Errors and Irregular Radio Model	94
8.5	Discussion	96
9	Conclusion	97
9.1	Summary	97
9.2	Future Perspectives	99
	References	101
	Curriculum Vitae	113