




Jessica Albers (Autor)  
**Hot-melt extrusion with poorly soluble drugs**


Jessica Albers

---

**Hot-melt extrusion with poorly soluble drugs**

---



 Cuvillier Verlag Göttingen

<https://cuvillier.de/de/shop/publications/1364>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany  
Telefon: +49 (0)551 54724-0, E-Mail: [info@cuvillier.de](mailto:info@cuvillier.de), Website: <https://cuvillier.de>

## Table of contents

|            |  |           |
|------------|--|-----------|
| <b>1</b>   | <b>Introduction.....</b>   | <b>1</b>  |
| 1.1        | Bioavailability of poorly water-soluble drugs .....  | 1         |
| 1.2        | Reasons for poor aqueous solubility.....   | 1         |
| 1.3        | Ways of solubility enhancement .....   | 2         |
| <b>2</b>   | <b>Outline and goal of this work.....</b>  | <b>5</b>  |
| <b>3</b>   | <b>General issues.....</b>   | <b>7</b>  |
| 3.1        | Solid dispersions as a method of solubility enhancement.....   | 7         |
| 3.2        | Production of solid dispersions by hot-melt extrusion.....   | 8         |
| 3.3        | Patent situation.....  | 9         |
| <b>4</b>   | <b>Results and discussion.....</b>   | <b>10</b> |
| <b>4.1</b> | <b>Hot-melt extrusion process.....</b>   | <b>10</b> |
| 4.1.1      | Introduction and objective .....   | 10        |
| 4.1.2      | Extrusion parameters and die plate design .....  | 11        |
| 4.1.3      | Influence of the die plate design .....  | 13        |
| 4.1.4      | Summary .....  | 14        |
| <b>4.2</b> | <b>Solubility enhancement of celecoxib by hot-melt extrusion with basic butylated methacrylate copolymer .....</b>       | <b>15</b> |
| 4.2.1      | Introduction and objective .....   | 15        |
| 4.2.2      | Extrusion with basic butylated methacrylate copolymer.....   | 16        |
| 4.2.3      | Influence of the solid state characteristics.....  | 18        |
| 4.2.4      | Testing of drug load .....   | 20        |
| 4.2.5      | Physical and chemical characterization of extrudates .....   | 22        |
| 4.2.6      | Dissolution experiments.....   | 24        |
| 4.2.7      | Dissolution mechanism .....  | 26        |
| 4.2.8      | Wettability.....   | 28        |
| 4.2.9      | Physical stability of extrudates.....  | 29        |
| 4.2.10     | Summary .....  | 31        |
| <b>4.3</b> | <b>Solubility enhancement of celecoxib by hot-melt extrusion with other carriers .....</b>                               | <b>33</b> |
| 4.3.1      | Introduction and objective .....   | 33        |
| 4.3.2      | Extrusion with copovidone .....  | 33        |
| 4.3.3      | Extrusion with polyethylene glycol-polyvinyl alcohol copolymer .....   | 39        |
| 4.3.4      | Summary .....  | 46        |
| <b>4.4</b> | <b>Solubility enhancement of different drugs by hot-melt extrusion with basic butylated methacrylate copolymer .....</b> | <b>47</b> |
| 4.4.1      | Introduction and objective .....   | 47        |
| 4.4.2      | Extrusion with naproxen .....  | 47        |
| 4.4.3      | Extrusion with oxcarbazepine .....   | 52        |
| 4.4.4      | Summary .....  | 60        |
| <b>4.5</b> | <b>Prediction of solid dispersion production .....</b>   | <b>61</b> |
| 4.5.1      | Introduction and objective .....   | 61        |
| 4.5.2      | Chemical structure and properties of drugs and carriers .....  | 62        |
| 4.5.2.1    | Drugs .....  | 62        |
| 4.5.2.2    | Basic butylated methacrylate copolymer .....   | 63        |
| 4.5.2.3    | Copovidone.....  | 64        |
| 4.5.2.4    | Polyethylene glycol – polyvinyl alcohol copolymer.....   | 64        |
| 4.5.2.5    | Isomalt .....  | 65        |
| 4.5.3      | Solubility parameters .....  | 65        |
| 4.5.4      | Production and characterization of extrudates .....  | 67        |
| 4.5.5      | Thermoanalytical investigations .....  | 71        |

|            |   |            |
|------------|---|------------|
| 4.5.6      | Molecular modelling .....   | 81         |
| 4.5.7      | Summary .....   | 88         |
| <b>4.6</b> | <b>Formulation of solid dosage forms .....</b>                              | <b>91</b>  |
| 4.6.1      | Introduction and objective .....  | 91         |
| 4.6.2      | Milling .....   | 91         |
| 4.6.3      | Solution-state recrystallization inhibition .....                           | 93         |
| 4.6.4      | Comparison with originator .....  | 95         |
| 4.6.5      | Tabletting .....  | 97         |
| 4.6.6      | Summary .....   | 103        |
| <b>5</b>   | <b>Summary.....</b>   | <b>104</b> |
| <b>6</b>   | <b>Zusammenfassung.....</b>   | <b>106</b> |
| <b>7</b>   | <b>Experimental part.....</b>   | <b>108</b> |
| <b>7.1</b> | <b>Materials .....</b>  | <b>108</b> |
| 7.1.1      | Drugs.....  | 108        |
| 7.1.2      | Carriers.....   | 110        |
| <b>7.2</b> | <b>Methods.....</b>   | <b>111</b> |
| 7.2.1      | Manufacturing methods .....   | 111        |
| 7.2.1.1    | Preparation of melts .....  | 111        |
| 7.2.1.2    | Preparation of evaporates .....   | 112        |
| 7.2.1.3    | Hot-melt extrusion .....  | 112        |
| 7.2.1.4    | Milling .....   | 114        |
| 7.2.1.5    | Capsule filling.....  | 114        |
| 7.2.1.6    | Tabletting.....   | 115        |
| 7.2.2      | Analytical methods .....  | 115        |
| 7.2.2.1    | Bagley plot.....  | 115        |
| 7.2.2.2    | Calculation of solubility parameters .....                                  | 115        |
| 7.2.2.3    | Calculation of distances in Bagley and DSC plot .....                       | 119        |
| 7.2.2.4    | Calibration UV spectroscopy.....  | 120        |
| 7.2.2.5    | Contact angle .....   | 121        |
| 7.2.2.6    | Crushing strength.....  | 122        |
| 7.2.2.7    | Differential scanning calorimetry .....                                     | 122        |
| 7.2.2.8    | Disintegration time .....   | 122        |
| 7.2.2.9    | Dissolution.....  | 123        |
| 7.2.2.10   | Fourier-transform infrared spectroscopy .....                               | 123        |
| 7.2.2.11   | Friability .....  | 123        |
| 7.2.2.12   | Helium-pycnometry .....   | 123        |
| 7.2.2.13   | Hot stage microscopy .....  | 123        |
| 7.2.2.14   | Intrinsic dissolution .....   | 124        |
| 7.2.2.15   | Karl-Fischer titration .....  | 124        |
| 7.2.2.16   | Laser light diffraction .....   | 124        |
| 7.2.2.17   | Molecular modelling.....  | 124        |
| 7.2.2.18   | Prediction of glass transition temperature.....                             | 125        |
| 7.2.2.19   | Saturation solubility.....  | 125        |
| 7.2.2.20   | Scanning electron microscopy .....  | 125        |
| 7.2.2.21   | Thermogravimetric analysis .....  | 126        |
| 7.2.2.22   | X-ray powder diffraction .....  | 126        |
| 7.2.3      | Storage conditions for stability testing.....                               | 126        |
| <b>8</b>   | <b>Appendix.....</b>  | <b>127</b> |
| <b>8.1</b> | <b>Characterization of model drug.....</b>                                  | <b>127</b> |
| <b>8.2</b> | <b>Selection of suitable carrier for solubility enhancement .....</b>       | <b>128</b> |
| <b>8.3</b> | <b>Selection of suitable technique for solid dispersion formation .....</b> | <b>132</b> |
| <b>8.4</b> | <b>Investigation of powder properties.....</b>                              | <b>133</b> |
| <b>8.5</b> | <b>Stability of solid dispersions.....</b>                                  | <b>134</b> |

|          |                                  |            |
|----------|----------------------------------|------------|
| <b>9</b> | <b><i>Bibliography</i></b> ..... | <b>139</b> |
|          | <b><i>Danksagung</i></b> .....   | <b>145</b> |