




James Fayiah Willie (Autor)

**Simulation and Control of Instationary Reactive
Flows in Matrix Burner for Small Power Gas Turbine
Applications**



<https://cuvillier.de/de/shop/publications/113>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>



Contents

1	INTRODUCTION	1
1.1	Literature review	2
1.2	Historical background of gas turbines use in power generation	4
1.3	Thermoacoustic instabilities	6
1.3.1	Historical background of thermoacoustic instabilities	7
1.3.2	Comparison between thermodynamics and thermoacoustic instabilities	8
1.3.3	Self-excited acoustic oscillations and resonance in mechanical systems	8
1.4	Motivation and overview of the thesis	9
1.5	Summary	11
2	THEORY AND EQUATIONS OF ACOUSTICS	13
2.1	Equations of acoustics	13
2.1.1	Fundamental equations of acoustics	14
2.1.2	Acoustic energy density and flux	17
2.1.3	Acoustics for chemically reacting flows	18
2.1.4	Wave equation in low Mach number reacting flows	19
2.1.5	Acoustic velocity and pressure in reacting flows	20
2.1.6	Acoustic jump condition for thin flames	20
2.2	System identification	21
2.2.1	Analytical determination of the non-reflecting boundary used in the CFD simulations	23
2.2.2	Flame transfer function	25
2.2.3	Acoustic transfer matrix	26
2.3	Turbulent combustion	28
2.3.1	Heat release dynamics in the matrix burner	29
2.3.2	Flame front interaction as source of noise and combustion instabilities	31
2.3.3	Combustion models	34
2.4	Summary	37
3	EXPERIMENTAL SETUP	39
3.1	Honey comb and diffuser	41
3.2	Fuel inlet and flame holder	42
3.2.1	Gaseous fuel inlet	42
3.2.2	Primary liquid fuel inlet	45
3.3	Combustion chamber	47
3.4	Summary	47



4	CFD MODEL SETUP	49
4.1	CFD mesh	49
4.2	Solver and boundary conditions	49
4.2.1	CFD boundary conditions	50
4.2.2	Acoustic boundary conditions	51
4.3	Liquid fuel	53
4.3.1	Spray equation	55
4.3.2	Atomization model	61
4.3.3	Liquid fuel vaporization model	68
4.3.4	Thermophysical properties	70
4.4	Summary	71
5	ACOUSTIC NETWORK AND FLUID-STRUCTURE INTERAC-	
	TION	73
5.1	1D network	73
5.2	FEM model setup	75
5.2.1	FEM mesh and solver	75
5.2.2	Model equations and material properties	77
5.3	Summary	79
6	CONTROL OF COMBUSTION INSTABILITIES	81
6.1	Control using acoustic forcing	82
6.2	Control using fuel modulation	83
6.2.1	Fuel actuators	84
6.2.2	Active control using primary fuel forcing	85
6.3	Summary	88
7	RESULTS AND DISCUSSIONS	89
7.1	Cold flow CFD simulations	90
7.1.1	Cold flow simulation: Gaseous fuel	90
7.1.2	Cold flow simulations of liquid fuel	93
7.2	Hot flow CFD simulations	96
7.2.1	Stability map of the matrix burner	98
7.2.2	Matrix burner RANS flame and validation with measurements	99
7.3	Self-exciting simulations using unsteady CFD	100
7.3.1	Comparison of combustion models	100
7.4	Response of gaseous flame to periodic forcing	104
7.4.1	Steady simulation of liquid fuel	109
7.4.2	Unsteady simulation of liquid fuel	110
7.5	System identification from unsteady CFD	112
7.5.1	Flame transfer function from CFD	113
7.5.2	Acoustic transfer matrix from CFD	114
7.6	Influence of preheated air and variation of equivalence ratio on flame stability	115



7.6.1	Influence of preheated air on flame stability	115
7.6.2	Influence of equivalence ratio variation on flame stability . . .	117
7.7	Open-loop control using acoustic forcing and fuel modulation	118
7.7.1	Open-loop control using acoustic forcing	118
7.7.2	Open-loop control using fuel modulation	119
7.7.3	NOx simulations and measurements in the matrix burner . .	123
7.8	1D acoustic network and 3D finite element analysis of the matrix burner	125
7.8.1	1D acoustic network	125
7.8.2	FEM analysis of the matrix burner	127
7.9	Summary	131
8	SUMMARY, CONCLUSIONS, AND FUTURE WORK	133
8.1	Summary and conclusions	133
8.2	Future work	136
	Bibliography	139
	A DETERMINATION OF DUCT IMPEDANCE	149
	B TRANSFER MATRIX DETERMINATION	153
B.1	Analytical transfer matrix of a 1D duct	153
B.2	Analytical transfer function of an area change	155