Acknowledgements

This thesis is the result of my work as a Ph.D. student in the Department of Plant Design at the Technical University of Hamburg Harburg in Germany. This project is financed by Graduiertenkolleg under the sponsorship of the Deutsche Forschungsgemeinschaft by offering Ph.D. fellowship from 1st of December 2003 till 31th of December 2006. Herewith, I would like to thank Professor Jens Struckmeier for his engagement concerning my scholarship.

First of all, I would like to thank to my supervisor Professor Jobst Hapke for giving me the opportunity to work on this project and for his supervision. I would also like to thank Professor Frerich Keil at the Technical University of Hamburg Harburg and Dr. Klaus Richau at the GKSS Research Centre for being the examiners.

I would like to thank Dr. Klaus Richau for supporting my project, for spending his time on meetings in Hamburg and fruitful discussions on those meetings as well as for the encouragement during the progress of this work whenever I needed. At this point, I would like to thank other colleagues at GKSS Research Centre, especially Dr. Helmut Kamusewitz, Dr. Thomas Weigel, Manuela Keller and Yvonne Pieper for supporting me in many of the analysis with the facilities of Research Centre.

Next, I would like to thank to the colleagues at the department and University for their support. My special thanks go to Dr. Achim Bartsch for his motivation at the critical phases of my writing of this thesis work and for his friendship and encouragement. In addition, I would like to thank Christina Laarman for her kindness and support during the organizational issues. My special thanks go to Alp Ergünsel, Andres Guzman Valenzuela, Yvonne Evers, Aferdita Golbach and Indriana Roosmasari. They contributed to my thesis with their project work, diploma thesis and Master thesis.

I like to give very special thanks to Paul Jonas. His general assistance in this thesis work has been invaluable. Above all, he gave me his love, encouragement and has been the perfect companion in balancing me during the whole time I devoted my efforts to this project.

Son olarak, egitim hayatim boyunca maddi ve manevi desteklerini hic eksik etmeyen ve bana inanan sevgili aileme en icten tesekkürlerimi sunuyorum.

Hamburg, November 2007

Gamze Artuğ

Table of Contents

NOMENCLATURE v

1. INTRODUCTION 1

2. OBJECTIVES OF THE RESEARCH WORK 4

3. STATE OF THE ART 6

3.1. Nanofiltration membranes and spiral wound module . . . 6
3.2. Current applications and new perspectives . . . 10
3.2.1. Water and wastewater treatment . . . 11
3.2.2. Food industry . . . 19
3.3. Membrane characterisation . . . 22
3.3.1. Performance parameters . . . 22
3.3.2. Morphology parameters . . . 23
3.4. Membrane charge and species transport . . . 26
3.4.1. Membrane charge . . . 27
3.4.2. Rejection mechanisms . . . 29
3.4.3. Mass transfer mechanisms inside NF membrane . . . 34
3.5. State of the art nanofiltration modelling . . . 35
3.5.1. Membrane dependent semiempirical model . . . 37
3.5.2. Phenomenological models . . . 39
3.5.3. Physical models . . . 41
3.5.4. Discussion of transport models and recent research studies . . . 46
3.6. Summary . . . 52

4. EXPERIMENTAL PROGRAM 55

4.1. Membranes . . . 55
4.2. Chemicals . . . 57
4.3. Experimental set-up . . . 57
4.4. Experimental procedures . . . 61
4.4.1. Pure water permeability measurements . . . 62
4.4.2. Measurements with organics . . . 63
4.4.3. Measurements with single salts (binary ion systems) . . . 64
4.4.4. Measurements with salt mixtures (ternary / quaternary ion systems) . . . 64
4.4.5. Measurements with artificial seawater . . . 66
4.4.6. Flow rate and pressure effects on membrane performance . . . 66
4.4.7. pH effect on membrane performance . . . 66
4.5. Analysis methods . . . 67
4.5.1. Conductivity measurement . . . 67
4.5.2. pH measurement . . . 68

4.5.3. Osmolality measurement . . . 68
4.5.4. Determination of organic concentration . . . 68
4.5.5. Determination of anion concentration . . . 69
4.5.6. Determination of cation concentration . . . 70
4.6. Microscopy . . . 70
4.7. Contact angle measurements . . . 71
4.8. Streaming potential measurements . . . 72

5. MODELLING OF NANOFILTRATION 74
5.1. Determination of modelling parameters . . . 74
5.1.1. Membrane parameters . . . 74
5.1.2. Solute / solution properties . . . 75
5.1.3. Process parameters . . . 76
5.2. Pore size determination . . . 77
5.3. Membrane charge density determination by linearized model . . . 79
5.4. Modelling of ion transport . . . 83
5.4.1. The software COMSOL Multiphysics . . . 83
5.4.2. General modelling approach . . . 84
5.4.3. Model definition . . . 86
5.4.4. Transport equations . . . 87
5.4.5. Boundary conditions . . . 91
5.4.6. Modelling applications . . . 93

6. EXPERIMENTAL RESULTS AND DISCUSSION 101
6.1. Membrane characterisation . . . 101
6.1.1. Morphology . . . 101
6.1.2. Hydrophilicity / Hydrophobicity . . . 103
6.1.3. Streaming potential measurements with KCl solution . . . 104
6.1.4. Pure water permeability measurements . . . 105
6.1.5. Organic rejection measurements . . . 110
6.1.6. Single salt rejection measurements . . . 112
6.2. Membrane performance . . . 116
6.2.1. Effect of operating conditions . . . 117
6.2.2. Effect of pH . . . 119
6.2.3. Streaming potential measurements with single salts . . . 121
6.2.4. Filtrations with NaCl−Na_2SO_4 ternary ion system . . . 123
6.2.5. Filtrations with NaCl−$CaCl_2$ ternary ion system . . . 126
6.2.6. Filtrations with Na_2SO_4−$MgSO_4$ ternary ion system . . . 127
6.2.7. Filtrations with NaCl−$MgSO_4$ quaternary ion system . . . 128
6.2.8. Filtrations with $CaCl_2$−Na_2SO_4 quaternary ion system . . . 129
6.2.9. Filtrations with $CaCl_2$−$MgSO_4$ quaternary ion system . . . 130