




Antje Maria Teichert (Autor)

Screening of Chiral Diels-Alder Catalysts by Mass Spectrometric Monitoring of the Retro Reaction



<https://cuvillier.de/de/shop/publications/1615>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

List of Abbreviations

Summary

1	Introduction	1
1.1	Electrospray Ionisation Mass Spectrometry	1
1.1.1	Historical Perspective and Development	1
1.1.2	Electrospray Ionisation Process	2
1.1.3	Detection of Organometallic Reaction Intermediates by ESI MS	4
1.1.4	ESI MS as Tool for Detection of Reaction Intermediates in Organocatalysis	5
1.1.5	ESI MS Screening	6
1.2	Mass Labels and Quasienantiomers in Mass Spectrometry	8
1.3	The Diels-Alder Reaction	9
1.3.1	General Aspects	9
1.3.2	Lewis Acid Catalysis in Asymmetric Diels-Alder Reactions	12
1.3.3	Organocatalysed Diels-Alder Reactions	15
1.4	Concept of Retro Reactions in ESI MS Screening	18
1.5	Objectives	19
2	ESI MS Screening of Chiral Copper(II)-Catalysts	23
2.1	Introduction	23
2.2	Synthesis of Quasienantiomeric Diels-Alder Adducts and Chiral Ligands	24
2.2.1	Bis(oxazoline) Ligand Synthesis	27
2.2.2	Bis(imine) Ligand Synthesis	28
2.2.3	Synthesis of Dienophiles	29
2.2.4	Synthesis of Diels-Alder Adducts	31
2.3	Development of Screening Method	34
2.3.1	2-Oxazolidinone-Derived Quasienantiomers	35
2.3.2	2-Thiazolidinethione-Derived Quasienantiomers	36
2.3.3	Evaluation of Retro-Diels-Alder Reaction Conditions	39
2.3.4	Retro-Diels-Alder Reaction under Non-Catalytic Conditions	40
2.3.5	Retro-Diels-Alder Reaction under Catalytic Conditions	44
2.3.6	Direct Analysis of Catalytic Intermediates in the Retro-Diels-Alder Reaction: General Screening Protocol	49
2.3.7	Furan-Based Quasienantiomers	50
2.4	Control Experiments	51
2.4.1	Reversed Ligand Configuration and Inversely Labelled Quasienantiomers	51

2.4.2	Comparison with the Results from the Preparative Forward Diels-Alder Reaction	53
2.5	Ligand Screening	54
2.5.1	ESI MS Screening Using Bis(oxazoline) Ligands	54
2.5.2	Comparison with the Results from the Preparative Forward Diels-Alder Reaction	56
2.5.3	ESI MS Screening Using Phosphinooxazoline Ligands	60
2.5.4	ESI MS Screening Using Bis(imine) Ligands	62
2.6	Studies on the Retro-Diels-Alder Reaction	65
2.6.1	Influence of Temperature and Reaction Time on the Retro-Diels-Alder Reaction	65
2.6.2	Reversibility of the Retro-Diels-Alder Reaction under Standard Reaction Conditions	67
2.7	Conclusion and Outlook	69
3	ESI MS Screening of Organocatalysed Retro-Diels-Alder Reactions	73
3.1	Introduction	73
3.2	Synthesis of Quasienantiomeric Diels-Alder Adducts	74
3.3	Development of Screening Method	75
3.3.1	Preliminary Experiments	75
3.3.2	Evaluation of Appropriate Quasienantiomers	77
3.3.3	Direct Monitoring of Iminium Ion Intermediates in the retro-Diels-Alder Reaction using Imidazolidinone and Proline-Based Catalysts: General Screening Protocol	78
3.4	Control Experiments	79
3.4.1	Reversed Ligand Configuration and Inversely Labelled Quasienantiomers	79
3.4.2	Comparison with Preparative Experiments	80
3.5	ESI MS Screening of Imidazolidinone and Proline-based Organocatalysts	81
3.5.1	ESI MS Screening Results	81
3.5.2	Control Experiments with Inversely Labelled Quasienantiomers	85
3.6	ESI MS Screening of Peptide-Catalysts	86
3.6.1	General Screening Protocol	87
3.6.2	Comparison with the Forward-Diels-Alder Reaction	87
3.6.3	ESI MS Screening Results	88
3.6.4	Control Experiments with Inversely Labelled Quasienantiomers	91
3.7	Conclusion and Outlook	92
4	ESI MS Screening of Organocatalyst Mixtures	97
4.1	Objectives	97

4.2	Development of a Screening Method for Mixtures of Imidazolidinone and Proline-Based Organocatalysts	98
4.2.1	Preliminary Studies	98
4.2.2	Influence of Counter-Ions in Catalyst Mixtures	100
4.2.3	Optimisation of the Reaction Conditions	102
4.2.4	ESI MS Screening Results	106
4.3	Screening of Peptide-Catalyst Mixtures	107
4.3.1	Preliminary Studies	107
4.3.2	ESI MS Screening Results	108
4.4	Conclusion and Outlook	109
5	Experimental	113
5.1	Analytical Methods	113
5.2	Working Techniques	114
5.3	Synthesis of Quasienantiomeric Diels-Alder Adducts and Chiral Ligands for the Copper(II)-Catalysed Retro-Diels-Alder Reaction	115
5.3.1	Bis(oxazoline) Ligand Synthesis	115
5.3.2	Bis(imine) Ligand Synthesis	127
5.3.3	Synthesis of Dienophiles	133
5.3.4	Synthesis of Diels-Alder Adducts	149
5.4	Synthesis of Diels-Alder Adducts for the Organocatalysed Retro-Diels-Alder Reaction	170
5.4.1	Synthesis of Diels-Alder Adducts	170
5.4.2	Synthesis of Organocatalysts	181
5.5	General Working Methods and Conditions for ESI MS Experiments	185
5.5.1	Bis(oxazoline)copper(II)-Catalysed Retro-Diels-Alder Reaction: General Method	185
5.5.2	Phosphinooxazolinecopper(II)-Catalysed Retro-Diels-Alder Reaction	186
5.5.3	Bis(imine)copper(II)-Catalysed Retro-Diels-Alder Reaction	186
5.5.4	Organocatalysed Retro-Diels-Alder Reaction	187
5.5.5	Peptide-Catalysed Retro-Diels-Alder Reaction	188
6	Appendix	191
6.1	X-Ray Crystal Structures	191
7	Bibliography	195