

Antje Maria Teichert (Autor) Screening of Chiral Diels-Alder Catalysts by Mass Spectrometric Monitoring of the Retro Reaction



https://cuvillier.de/de/shop/publications/1615

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: https://cuvillier.de

Contents

List of Abbreviations

Summary

1	Introduction	1
1.1	Electrospray Ionisation Mass Spectrometry	1
1.1.1 1.1.2 1.1.3 1.1.4 1.1.4	 Historical Perspective and Development Electrospray Ionisation Process Detection of Organometallic Reaction Intermediates by ESI MS ESI MS as Tool for Detection of Reaction Intermediates in Organocatalysis ESI MS Screening 	1 2 4 5 6
1.2	Mass Labels and Quasienantiomers in Mass Spectrometry	8
1.3	The Diels-Alder Reaction	9
1.3.1 1.3.2 1.3.3	 General Aspects Lewis Acid Catalysis in Asymmetric Diels-Alder Reactions Organocatalysed Diels-Alder Reactions 	9 12 15
1.4	Concept of Retro Reactions in ESI MS Screening	18
1.5	Objectives	19
2	ESI MS Screening of Chiral Copper(II)-Catalysts	23
2.1	Introduction	23
2.2	Synthesis of Quasienantiomeric Diels-Alder Adducts and Chiral Ligands	24
2.2.1 2.2.2 2.2.2 2.2.4	 Bis(oxazoline) Ligand Synthesis Bis(imine) Ligand Synthesis Synthesis of Dienophiles Synthesis of Diels-Alder Adducts 	27 28 29 31
2.3	Development of Screening Method	34
2.3.1 2.3.2 2.3.4 2.3.4 2.3.4 2.3.4 2.3.6 2.3.6	 2-Oxazolidinone-Derived Quasienantiomers 2-Thiazolidinethione-Derived Quasienantiomers Evaluation of Retro-Diels-Alder Reaction Conditions Retro-Diels-Alder Reaction under Non-Catalytic Conditions Retro-Diels-Alder Reaction under Catalytic Conditions Direct Analysis of Catalytic Intermediates in the Retro-Diels-Alder Reaction: General Screening Protocol Furan-Based Quasienantiomers 	35 36 39 40 44 49 50
2.4	Control Experiments	51
2.4.	Reversed Ligand Configuration and Inversely Labelled Quasienantiomers	51

2.4.2	Comparison with the Results from the Preparative Forward Diels-Alder Reaction	53
2.5	Ligand Screening	54
2.5.1 2.5.2	ESI MS Screening Using Bis(oxazoline) Ligands Comparison with the Results from the Preparative Forward Diels-Alder	54
2.5.3 2.5.4	Reaction ESI MS Screening Using Phosphinooxazoline Ligands ESI MS Screening Using Bis(imine) Ligands	56 60 62
2.6	Studies on the Retro-Diels-Alder Reaction	65
2.6.1 2.6.2	Influence of Temperature and Reaction Time on the Retro-Diels-Alder Reaction Reversibility of the Retro-Diels-Alder Reaction under Standard Reaction Conditions	65 67
2.7	Conclusion and Outlook	69
3	ESI MS Screening of Organocatalysed Retro-Diels-Alder Reactions	73
3.1	Introduction	73
3.2	Synthesis of Quasienantiomeric Diels-Alder Adducts	74
3.3	Development of Screening Method	75
3.3.1 3.3.2 3.3.3	Preliminary Experiments Evaluation of Appropriate Quasienantiomers Direct Monitoring of Iminium Ion Intermediates in the retro-Diels-Alder Reaction using Imidazolidinone and Proline-Based Catalysts: General Screening Protocol	75 77 78
34	Control Experiments	70
3.4.1 3.4.2	Reversed Ligand Configuration and Inversely Labelled Quasienantiomers Comparison with Preparative Experiments	79 80
3.5	ESI MS Screening of Imidazolidinone and Proline-based Organocatalysts	81
3.5.1 3.5.2	ESI MS Screening Results Control Experiments with Inversely Labelled Quasienantiomers	81 85
3.6	ESI MS Screening of Peptide-Catalysts	86
3.6.1 3.6.2 3.6.3 3.6.4	General Screening Protocol Comparison with the Forward-Diels-Alder Reaction ESI MS Screening Results Control Experiments with Inversely Labelled Quasienantiomers	87 87 88 91
3.7	Conclusion and Outlook	92
4	ESI MS Screening of Organocatalyst Mixtures	97
4.1	Objectives	97

4.2	Development of a Screening Method for Mixtures of Imidazolidinone and Proline- Based Organocatalysts	98
4.2.1 4.2.2 4.2.3 4.2.4	Preliminary Studies Influence of Counter-Ions in Catalyst Mixtures Optimisation of the Reaction Conditions ESI MS Screening Results	98 100 102 106
4.3	Screening of Peptide-Catalyst Mixtures	107
4.3.1 4.3.2	Preliminary Studies ESI MS Screening Results	107 108
4.4	Conclusion and Outlook	109
5	Experimental	113
5.1	Analytical Methods	113
5.2	Working Techniques	114
5.3	Synthesis of Quasienantiomeric Diels-Alder Adducts and Chiral Ligands for the Copper(II)-Catalysed Retro-Diels-Alder Reaction	115
5.3.1 5.3.2 5.3.3 5.3.4	Bis(oxazoline) Ligand Synthesis Bis(imine) Ligand Synthesis Synthesis of Dienophiles Synthesis of Diels-Alder Adducts	115 127 133 149
5.4	Synthesis of Diels-Alder Adducts for the Organocatalysed Retro-Diels-Alder Reaction	170
5.4.1 5.4.2	Synthesis of Diels-Alder Adducts Synthesis of Organocatalysts	170 181
5.5	General Working Methods and Conditions for ESI MS Experiments	185
5.5.1 5.5.2 5.5.3 5.5.4 5.5.5	Bis(oxazoline)copper(II)-Catalysed Retro-Diels-Alder Reaction: General Method Phosphinooxazolinecopper(II)-Catalysed Retro-Diels-Alder Reaction Bis(imine)copper(II)-Catalysed Retro-Diels-Alder Reaction Organocatalysed Retro-Diels-Alder Reaction Peptide-Catalysed Retro-Diels-Alder Reaction	185 186 186 187 188
6	Appendix	191
6.1	X-Ray Crystal Structures	191
7	Bibliography	195