

Table of content	Page
1 Introduction	1
2 Literature review, definitions and objectives	2
2.1 Theory of N maintenance	2
2.2 Physiological basis of N maintenance and inevitable losses	2
2.3 Experimental approaches to study and estimate inevitable losses	5
2.4 Physiological and dietary effects on inevitable losses and their implications	10
2.5 Practical importance of N maintenance and inevitable losses	12
2.6 Estimates of inevitable losses, N maintenance and N efficiency	13
2.7 Trends and implications in global ducks farming	18
2.8 Objectives of Study	21
3 Materials and Methods	22
3.1 Methodology	22
3.1.1 Theoretical considerations	22
3.1.2 Mathematical considerations	23
3.1.3 Consideration with respect to protein balance	24
3.1.4 Research locations and periods	25
3.1.5 Animals, housing and diets	25
3.1.6 General procedures for diet formulations	26
3.2 General procedures for balance studies	27
3.3 General procedures for precaecal flow studies	28
3.4 Specific details of individual balance experiments	29
3.4.1 Experiment 1: N balance of starting ducks fed varying levels of crude protein and crude fibre	29
3.4.1.1 Experimental design	29

3.4.1.2 Diets	30
3.4.1.3 Starter ducks bioassay	33
3.4.2 Experiment 2: N balance of adult ducks fed varying levels of crude protein and crude fibre	33
3.4.2.1 Experimental design	33
3.4.2.2 Diets	34
3.4.2.3 Adult ducks bioassay	37
3.4.3 Studies on recovery rate of Titanium dioxide	38
3.4.3.1 Diets	38
3.4.3.2 Measurements of recovery rate of Titanium dioxide	38
3.5 Specific details of precaecal flow studies	39
3.5.1 Precaecal Study I: Protein-Fibre interactions on inevitable precaecal CP and AA losses in adult ducks	39
3.5.1.2 Experimental design	39
3.5.1.3 Diets	39
3.5.1.4 Precaecal flow measurement I	39
3.5.2 Precaecal Study II: Investigations into effects of corn cob meal and supplemental fat on inevitably excreted CP and AA	40
3.5.2.1 Experimental design	40
3.5.2.2 Diets	41
3.5.2.3 Precaecal flow measurement II	43
3.6 Chemical analyses	43
3.7 Data handling and analysis	44
3.7.1 Data Validation	44
3.7.2 Calculations, statistical analysis and curve fitting	45
3.7.2.1 N balance experiments	45

3.7.2.1.1 Efficiency of N utilisation	46
3.7.2.1.2 Determinations of inevitable losses	46
3.7.2.1.3 Determinations of maintenance N requirement	47
3.7.2.1.4 Determinations of TiO ₂ recovery rates	47
3.7.2.2 Precaecal flow studies	48
3.7.2.2.1 Measurements of inevitable precaecal losses	48
3.7.2.2.2 Measurements of precaecal digestibility and the effects of dietary factors	49
4 Results	50
4.1 Results of N Balance experiments	50
4.2 Pattern of N utilisation in ducklings and adult ducks	52
4.2.1 Efficiency of N utilisation	53
4.2.1.1 Measurement of N efficiency in ducks in relation to age and dietary crude fibre intake mainly in the form of synthetic α -cellulose	53
4.3 Inevitable N losses and maintenance requirements	57
4.3.1 Inevitable N losses and maintenance requirements in ducks and the effects of supplementary crude fibre mainly in the form of synthetic α -cellulose	57
4.3.2 Maintenance nitrogen and crude protein requirements in adult ducks and the effects of supplementary crude fibre mainly in the form of synthetic α -cellulose	58
4.4 Measurements of TiO ₂ recovery in ducklings and adult ducks	64
4.4.1 TiO ₂ recovery in ducklings and adult ducks	64
4.4.2 Response relationships and parameter estimates of TiO ₂ excretion	67
4.5 Precaecal flow studies	70
4.5.1 Measurements of inevitable precaecal losses and precaecal digestibility of CP/AA	82

4.5.1.1 Dietary effects on inevitable precaecal losses of CP/AA	82
4.5.1.2 Comparison of estimates of IPL of CP/AA	87
4.5.1.3 Dietary effects on precaecal digestibility of CP/AA	90
4.5.1.4 Comparison of estimates of precaecal digestibility of CP/AA	92
5 Discussion	95
5.1 General discussion	95
5.2 Pattern of N utilisation in ducklings and adult ducks	96
5.2.1 Factors affecting efficiency of N utilisation	97
5.2.1.1 Effects of age on N efficiency	97
5.2.1.2 Effects of crude fibre intake on N efficiency	100
5.3 Inevitable N losses and N maintenance	102
5.3.1 Factors affecting inevitable N losses and N maintenance	102
5.3.1.1 Effects of age and body weight	102
5.3.1.2 Effects of crude fibre intake on inevitable losses	104
5.3.1.3 Effects of dry matter intake	106
5.3.2 Mathematical relationships of maintenance CP requirement to the total CP requirements	107
5.3.3 Literature overview on inevitable N losses and maintenance	108
5.3.4 Partitioning of inevitable N losses into its fractions	110
5.4 Inevitable precaecal crude protein and amino acids losses	111
5.4.1 Dietary factors affecting inevitable precaecal flow of CP/AA	112
5.4.1.1 Effects of level and types of crude fibre supplementation	112
5.4.1.2 Effects of dietary soybean oil supplementation	114
5.4.2 Estimates of precaecal inevitably excreted CP/AA	115
5.5 Precaecal digestibility of CP/AA in adult ducks	120

5.5.1 Impacts of dietary factors on precaecal digestibility by regression (PDR)	121
5.5.1.1 Effects of dietary crude fibre level and type on precaecal digestibility of CP/AA	122
5.5.1.2 Effects of dietary soybean oil level on precaecal digestibility of CP/AA	122
5.5.2 Estimates of precaecal digestibility of CP/AA	125
5.6 Effects of age on marker recovery rate in ducks	128
5.7 Conclusions and implications	130
5.8 Recommendations	132
6 Summary	133
7 Zusammenfassung	136
8 References	139
9 Appendices	154