

Table of contents

1	Introduction	1
1.1	Significance of the study	1
1.1.1	Prey-predator relationship of phyllidiids and sponges	1
1.1.2	Role of cyanide terpenes in host organisms	3
1.1.3	Biological activity of isolated cyanide metabolites	5
1.2	Statement of the objective	6
1.3	Short review of current knowledge of phyllidiid species	7
1.3.1	Taxonomy, biology, and ecology of the family Phyllidiidae	7
1.3.2	Isolated compounds from phyllidiid species	11
1.3.3	Biosynthesis of isocyanide compounds in phyllidiid species	15
1.4	Short review of the Phylum Porifera (sponges)	15
1.4.1	Definition and biology of sponges	15
1.4.2	Sponges containing isocyanide metabolites and related compounds .	17
1.4.2.1	Sponges of the family Axinellidae	18
1.4.2.2	Sponges of the family Dictyonellidae	21
1.4.2.3	Sponges of the family Halichondriidae	23
1.4.2.4	Other sponges not belonging to the order Halichondrida	24
1.4.3	Biosynthesis of the isocyanide group in marine sponges	25
2	Materials and Methods	27
2.1	Research materials and location of collection	27
2.2	Collection of research objects	28
2.3	Feeding observation	28

2.4	Identification of samples	30
2.4.1	Phyllidiid species.....	30
2.4.1.1	<i>Phyllidia elegans</i>	30
2.4.1.2	<i>Phyllidia ocellata</i>	30
2.4.1.3	<i>Phyllidia varicosa</i>	30
2.4.1.4	<i>Phyllidiella lizae</i>	31
2.4.1.5	<i>Phyllidiella pustulosa</i>	31
2.4.1.6	<i>Phyllidiella rudmani</i>	31
2.4.1.7	<i>Phyllidiella zeylanica</i>	31
2.4.1.8	<i>Phyllidiopsis krempfi</i>	32
2.4.1.9	<i>Phyllidiopsis shireenae</i>	32
2.4.1.10	<i>Fryeria menindie</i>	32
2.4.2	Sponge species.....	34
2.4.2.1	<i>Axinyssa aplysinoides</i>	35
2.4.2.2	Group A (<i>Axinyssa</i> 6 n. sp.)	35
2.4.2.3	Group B (<i>Axinyssa</i> 4 n. sp.)	36
2.4.2.4	Group C (<i>Axinyssa</i> 5 n. sp.).....	36
2.4.2.5	Group D (<i>Axinyssa</i> 1 n. sp.).....	37
2.4.2.6	Group E (<i>Axinyssa</i> 2 n. sp.)	38
2.4.2.7	Group F (<i>Axinyssa</i> 3 n. sp.)	38
2.4.2.8	<i>Acanthella cavernosa</i>	39
2.4.2.9	<i>Dragmacidon</i> sp.	39
2.5	Isolation of isocyanide compounds	41
2.5.1	Chromatographic methods.....	41
2.5.1.1	Thin layer chromatography	41
2.5.1.2	Vacuum liquid chromatography.....	41
2.5.1.3	Normal column chromatography	42
2.5.1.4	Flash chromatography	42
2.5.1.5	Gas chromatography	42
2.5.2	Procedure for the isolation of the secondary metabolites.....	43
2.5.2.1	Isolation of the mixture 9 α - and 9 β -thiocyanatopupukeanane	43
2.5.2.2	Isolation of 2-thiocyanatoneopupukeanane.....	43
2.5.2.3	Isolation of 8-isocyano-1(12)-cycloamphilectene	44

2.5.2.4	Isolation of Epipolasin-A.....	44
2.5.3	Structure elucidation of the isolated secondary metabolites	45
2.5.3.1	Mass spectrometry (MS).....	45
2.5.3.2	Nuclear magnetic resonance spectroscopy (NMR).....	45
2.5.3.3	Optical activity.....	46
2.6	Organ-specific distribution of isolated compounds	46
2.7	Feeding deterrent experiments.....	48
2.7.1	Qualitative feeding deterrent experiments of phyllidiid species intact .	48
2.7.2	Quantitative feeding deterrent experiments of isolated compounds....	49
2.8	Bioassay	49
2.8.1	Brine-shrimp assay	50
2.8.2	Antibacterial activity	51
2.9	Chemicals used.....	52
2.9.1	General laboratory chemicals.....	52
2.9.2	Solvents	52
2.9.3	Chromatography:	52
2.10	Equipments used	53
3	Results	54
3.1	Identification of research objects	54
3.1.1	Phyllidiid species.....	54
3.1.2	Sponge-preys of phyllidiid species.....	54
3.2	Feeding and behaviour observations in the aquarium	58
3.3	Isolated isocyanide compounds.....	64
3.3.1	Isolated compound 9 α - & 9 β -thiocyanatopupukeanane (1, 2; new compounds).....	64

3.3.2	Isolated compound 2-thiocyanatoneopupukeanane (3; known compound)	76
3.3.3	Isolated compound 8-isocyano-1(12)-cycloamphilectene (4, known compound)	84
3.3.4	Isolated compound epipolasin-A (5, known compound)	96
3.4	Concentration variations of terpenes in collected sponges	101
3.4.1	Quantitative analysis of sesquiterpene isocyanides in sponge <i>Axinyssa</i> species	101
3.4.1.1	<i>Axinyssa</i> 1 n. sp.	101
3.4.1.2	<i>Axinyssa</i> 4 n. sp.	103
3.4.1.3	<i>Axinyssa</i> 5 n. sp.	105
3.4.1.4	<i>Axinyssa</i> 6 n. sp.	107
3.4.2	Quantitative analysis of terpene isocyanides in the sponge <i>Dragmacidon</i> sp.	108
3.4.3	Quantitative variation of compounds in the sponge <i>Acanthella cavernosa</i>	110
3.5	Analysis of isocyanide compounds between phyllidiid species and their sponge-preys	112
3.6	Organ specific distribution of terpene isocyanides in phyllidiids	116
3.7	Fish feeding experiments	118
3.7.1	Qualitative feeding deterrent experiments with intact phyllidiid species	118
3.7.2	Quantitative feeding deterrent experiments	119
3.8	Brine-shrimp and antimicrobial assays	122
4	Discussion	123
4.1	Feeding and behaviour of phyllidiid species	123
4.1.1	Feeding mechanism	123

4.1.2	Morphological correlations between phyllidiids and their sponge-preys	124
4.1.3	Phyllidiids behaviours in aquarium	125
4.2	Taxonomy and chemo-taxonomy of the collected sponge-preys of phyllidiid species	126
4.2.1	<i>Dragmacidon</i> sp.	127
4.2.2	<i>Axinyssa</i> spp.	128
4.3	Isolated compounds of diterpene isocyanide, thio- and isothiocyanate sesquiterpenes	131
4.3.1	Compounds containing the thiocyanato function (compounds 1 , 2 , & 3)	132
4.3.2	Compound containing the isothiocyanato function (5 ; epipolasin-A)	136
4.3.3	Compound containing isocyano function (4 ; known compound)	138
4.4	Quantitative variation of compounds in the collected sponges	138
4.5	Chemical correlations between phyllidiids and sponge-preys	139
4.6	Phyllidiids's organ specific distribution of isolated compounds	141
4.7	Ecological role of the isolated terpene isocyanides	142
5	Summary	145
6	References	147