Contents

1 Introduction **1**

2 An Analytical Model of Wireless LAN **5**

2.1 Introduction to Wireless LAN 6

2.1.1 A Short History 6

2.1.2 IEEE 802.11 Architecture 7

2.1.3 Protocol Architecture 8

2.1.4 IEEE 802.11 Medium Access Control 10

2.1.4.1 Frame Formats 10

2.1.4.2 Distributed Coordination Function 11

2.1.4.3 Point Coordination Function 14

2.2 Related Work 15

2.2.1 Packet Level Models under Saturation Conditions 15

2.2.2 Modeling WLAN by Queuing Systems 18

2.3 Bit Level Model 21

2.3.1 Propagation and Path Loss 21

2.3.2 Bit Error Rate 22

2.3.3 Transaction Error Probability 22

2.4 Packet Level Model 23

2.4.1 Channel Access Time 24

2.4.2 Throughput and Rate Adaptation 26

2.5 Constant Bit Rate Traffic over WLAN 27

2.5.1 Scenario and Assumptions 27

2.5.2 Queuing Model 28

2.5.3 Performance Evaluation and Verification 31
2.5.3.1 Service Time 31
2.5.3.2 Throughput 33
2.6 TCP Traffic over WLAN 36
2.6.1 TCP Model 36
2.6.2 Access Point Model 37
2.6.2.1 Arrival Process 37
2.6.2.2 Service Time Distribution 38
2.6.2.3 Markov Chain Analysis of the Queueing System 40
2.6.3 TCP Throughput Calculation 42
2.6.4 Performance Evaluation and Verification 43
2.6.4.1 Uniformly Distributed Users 43
2.6.4.2 Different User Locations 44
2.6.4.3 TCP Throughput Dependence on User Locations 45
2.7 Bi-Directional Voice Traffic over WLAN 47
2.7.1 Modifications of the Queueing Model 47
2.7.2 System of Equations 48
2.7.3 Performance Evaluation and Verification 50
2.7.3.1 Packet Loss Rate 50
2.7.3.2 Delay 52
2.7.3.3 Collision Probability 54
2.7.3.4 Idle Time Distribution 55
2.8 Conclusions 56

3 Location Based Quality of Service Control 59
3.1 Introduction 59
3.2 Requirements on QoS Control in WLAN 60
3.3 Related Work 61
3.4 Location Based QoS Control 63
3.4.1 Simple Location Based QoS Control (SLBQC) 64
3.4.2 Location and Throughput Based QoS Control (LTBQC) 64
3.5 Performance Evaluation 65

3.5.1 Scenario . . . 65
3.5.2 Quality of Service Violation Probability . . . 65
3.6 Conclusion . . . 69

4 Wireless Multi-Hop Internet Access **73**
4.1 A Model of the Multi-Hop Access Scenario . . . 74
4.2 Theoretical Performance Limits . . . 76
4.2.1 Power Control and Rate Adaptation in Wireless LANs . . . 77
4.2.1.1 Power Control . . . 77
4.2.1.2 Rate Adaptation . . . 78
4.2.2 Optimization Problem . . . 79
4.2.3 Performance Evaluation . . . 80
4.2.3.1 Power Control Performance . . . 81
4.2.3.2 Rate Adaptation Performance . . . 84
4.2.4 Conclusion . . . 86
4.3 Routing Algorithms and Metrics . . . 87
4.3.1 Introduction . . . 87
4.3.2 Existing Routing Algorithms and Metrics . . . 88
4.3.2.1 Hop Count . . . 89
4.3.2.2 Stability . . . 89
4.3.2.3 Link Load . . . 90
4.3.2.4 Interference . . . 92
4.3.2.5 Energy Consumption . . . 93
4.3.2.6 Other Algorithms . . . 93
4.3.3 Routing Metrics for More Efficient Use of the Network Capacity . 93
4.3.3.1 Interfering Load Metric . . . 93
4.3.3.2 Receiving Load Metric . . . 94
4.3.4 Performance Evaluation . . . 94
4.3.4.1 Analytical Performance Evaluation . . . 95
4.3.4.2 Verification of the Analytical Evaluation Procedure . . 99
4.3.4.3 Simulation of TCP Traffic Scenarios . . . 100
4.4 Conclusions . . . 101

5 Conclusions **103**

A Publications **107**

B List of Acronyms **109**

C List of Symbols **113**