



Michael Krause (Autor)

Efficient Raman Amplifiers and Lasers in Optical Fibers and Silicon Waveguides: New Concepts

Michael Krause

**Efficient Raman Amplifiers and Lasers
in Optical Fibers and Silicon Waveguides:
New Concepts**

 Cuvillier Verlag Göttingen

<https://cuvillier.de/de/shop/publications/1796>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

1. Introduction	1
2. Stimulated Raman scattering in optical waveguides	4
2.1. The Raman effect	4
2.2. Mathematical model of nonlinear wave coupling	5
2.2.1. Overview	6
2.2.2. Modal description of light propagation	8
2.2.3. Nonlinear coupling of spectral envelopes	11
2.2.4. Nonlinear Schrödinger Equation for temporal envelopes	13
2.2.5. Bulk nonlinear coefficients and effective areas	16
2.3. Raman amplification in optical fibers	19
2.3.1. Raman amplification in polarization-maintaining fibers	19
2.3.2. Raman amplification in standard single-mode fibers	21
2.3.3. Summary of the model	22
2.4. Chapter summary	23
3. Designs for efficient and tunable Raman fiber lasers	24
3.1. Basics of Raman fiber lasers	24
3.1.1. History and applications	24
3.1.2. Geometry and working principle	25
3.1.3. Modeling, simulation, and typical characteristics	26
3.1.4. Conversion efficiency versus threshold	28
3.1.5. Comparison of left-hand- and right-hand-output RFLs	31
3.2. Double-cavity Raman fiber lasers	32
3.2.1. Geometry and model	33
3.2.2. Input-output characteristics	34
3.2.3. Comparison of optimized DC-RFLs and SC-RFLs	38
3.3. Widely tunable cascaded Raman fiber lasers	42
3.3.1. Motivation	42

Contents

3.3.2. Geometry and design considerations	42
3.3.3. Modeling	45
3.3.4. Design results	46
3.4. Chapter summary	48
4. Stability of Raman fiber lasers	49
4.1. Pump-to-Stokes RIN transfer in RFLs	49
4.1.1. Significance of relative intensity noise in RFLs	49
4.1.2. Experimental RIN spectra	50
4.1.3. Modeling of pump-to-Stokes RIN transfer	51
4.2. Optimization of RFLs for low-noise co-pumped Raman amplifiers	56
4.2.1. Overview of the optimization task	57
4.2.2. Dependence of Q penalty on RFL parameters	58
4.3. Suppression of low-frequency RIN transfer in double-cavity RFLs	60
4.3.1. Geometry and model	60
4.3.2. Theoretical characteristics	61
4.3.3. Experimental characteristics	63
4.4. Stabilizing effect of line broadening	65
4.4.1. Overview	65
4.4.2. Power-dependent effective reflectivities	66
4.4.3. Stabilizing effect on single-wavelength RFLs	68
4.4.4. Stabilizing effect on multi-wavelength RFLs	70
4.5. Chapter summary	73
5. Raman gain and nonlinear absorption in silicon waveguides	74
5.1. Silicon waveguides	75
5.2. Stimulated Raman scattering in silicon waveguides	75
5.2.1. Properties of Raman gain in silicon	76
5.2.2. Co- and counter-propagating effective areas	78
5.3. Two-Photon Absorption	82
5.3.1. Degenerate TPA	83
5.3.2. Non-degenerate TPA	87
5.4. Free-Carrier Absorption	88
5.4.1. Steady-state charge-carrier density	89
5.4.2. Optical absorption due to free carriers	91
5.4.3. The effective carrier lifetime τ_{eff}	92
5.5. Summary of the model	94

Contents

5.6. Chapter summary	95
6. Analysis and design of silicon Raman amplifiers	96
6.1. Historical overview	96
6.2. Basic characteristics of silicon Raman amplifiers	97
6.2.1. Mathematical model	97
6.2.2. Amplifier characteristics	99
6.2.3. Maximum possible gain	101
6.3. Tapered Raman amplifiers	105
6.3.1. Principle	105
6.3.2. Optimal effective-area taper and maximum possible gain	108
6.4. Cladding-pumped Raman amplifiers	110
6.4.1. Geometry and principle	111
6.4.2. Results	112
6.5. Curvature loss in silicon waveguides	116
6.5.1. Modeling	117
6.5.2. Curvature loss in silicon rib waveguides	117
6.5.3. Insufficiency of semi-vectorial modeling	121
6.6. Chapter summary	122
7. Analysis and design of silicon Raman lasers	123
7.1. Basic characteristics of silicon Raman lasers	123
7.1.1. Geometry and model	123
7.1.2. Lasing and shutdown thresholds	125
7.1.3. Laser characteristics	127
7.2. Bidirectionally pumped silicon Raman lasers	129
7.2.1. Model	130
7.2.2. Lasing and shutdown thresholds	130
7.3. Tapered silicon Raman lasers	134
7.3.1. Modeling	134
7.3.2. Optimal non-tapered laser	135
7.3.3. Tapered lasers	136
7.3.4. Lasing and shutdown thresholds	137
7.4. Cascaded silicon Raman lasers as mid-infrared sources	138
7.4.1. Applications	138
7.4.2. Model	139
7.4.3. Conversion efficiency versus lifetime and pump wavelength	140

Contents

7.5. Chapter summary	143
8. Conclusions	144
A. Finite-difference mode solver	147
List of publications	149
Bibliography	152