

Contents	page
Abstract	III
List of abbreviations	IX
List of tables	XI
List of figures	XIV
1 Introduction	1
2 Literature review	3
2.1 The immune system	3
2.1.1 Innate immune response	4
2.1.2 Acquired immune response	4
2.1.3 Complement system	5
2.1.3.1 Classical pathway	5
2.1.3.2 Lectin pathway	6
2.1.3.3 Alternative pathway	6
2.1.3.4 Terminal pathway	7
2.1.3.5 Complement activation	7
2.1.4 Antibody response	8
2.1.4.1 Antigen-antibody complex	10
2.1.4.2 Antibody response to <i>Mycoplasma hyopneumoniae</i>	10
2.1.4.3 Antibody response to Tetanus toxoid (TT)	11
2.1.4.4 Antibody response to PRRS	12
2.1.5 Acute-phase proteins	13
2.1.5.1 Complement component 3 (C3)	13
2.1.5.2 Haptoglobin (Hp)	14
2.2 Immune competence determination	15
2.2.1 Haemolytic complement activity assay	15
2.2.2 Immunoassay	16
2.3 Quantitative traits loci (QTL) analysis	17
2.4 Mannose-binding lectin (MBL)	19
2.4.1 MBL molecular characterization	19
2.4.2 MBL activation and its biological activity	21
2.4.3 MBL genetics	22

2.4.3.1	Structure and sequence of the MBL gene	22
2.4.3.2	MBL gene polymorphisms	22
2.4.3.3	Positional and functional mapping of MBL gene	23
3	Material and methods	24
3.1	Materials	24
3.1.1	Animals	24
3.1.1.1	F2 DUMI resource population	24
3.1.1.2	Backcross DUMI resource population	25
3.1.2	Materials for laboratory analysis	26
3.1.2.1	Chemicals, biological materials, kits and other materials	26
3.1.2.2	Buffers and reagents	27
3.1.2.3	Software used	31
3.1.2.4	Equipments	31
3.2	Immunological methods	32
3.2.1	Haemolytic complement activity	32
3.2.1.1	Classical pathway activity	32
3.2.1.2	Alternative pathway activity	33
3.2.2	Immunoassays	33
3.2.2.1	Antibody response to mycoplasma vaccination	33
3.2.2.2	Antibody response to tetanus toxoid vaccination	34
3.2.2.3	Antibody response to PRRS vaccination	34
3.2.2.4	Complement component 3 (C3c) concentration	35
3.2.2.5	Haptoglobin concentration	36
3.3	QTL analysis	36
3.3.1	Selection of markers and genotyping methods	36
3.3.2	Statistical analysis of QTL	39
3.3.2.1	Characterization of markers	39
3.3.2.2	Construction of genetic maps	40
3.3.2.3	Identification of QTL	40
3.3.2.4	Significant threshold	41
3.4	Molecular genetic methods	42
3.4.1	DNA isolation	43
3.4.2	Polymerase chain reaction (PCR)	43

3.4.3	Sequencing	44
3.4.4	Expression study of porcine MBL genes	45
3.4.5	Single nucleotide polymorphism (SNP) detection	46
3.4.6	Genetic and physical mapping of porcine MBL genes	46
3.4.7	Genotyping of porcine MBL genes	46
3.4.8	Phylogenetic analyses of MBL genes	47
3.4.9	Linkage QTL study for porcine MBL genes	47
3.5	Statistical analyses	48
3.5.1	Immunological traits analyses	48
3.5.2	MBL genotype association study	48
4	Results	50
4.1	Immunological analyses	50
4.1.1	Classical complement activity assay	50
4.1.2	Alternative complement activity assay	52
4.1.3	Antibody response to mycoplasma vaccination	54
4.1.4	Antibody response to tetanus toxoid vaccination	55
4.1.5	Antibody response to PRRS vaccination	56
4.1.6	Complement C3c concentration	58
4.1.7	Haptoglobin concentration	59
4.2	Linkage analysis	61
4.2.1	Characterization of markers	61
4.2.2	Mapping of markers	62
4.2.3	Significance thresholds	64
4.2.4	Significant QTL	64
4.2.4.1	QTL for haemolytic complement activity traits	66
4.2.4.2	QTL for complement component C3c and Hp levels	69
4.2.4.3	QTL for antibodies responses to vaccinations	73
4.3	Molecular genetic analyses of porcine MBL genes	76
4.3.1	Expression study of porcine MBL genes	76
4.3.2	Single nucleotide polymorphism detection	77
4.3.3	Genetic and physical mapping of porcine MBL genes	77
4.3.4	Genotyping of the porcine MBL genes	78
4.3.5	Phylogenetic analyses of MBL genes	79

4.3.6	Association analyses	80
5	Discussion	83
5.1	Immunological analyses	83
5.1.1	Complement activity	83
5.1.2	Antibody response to vaccinations	84
5.1.3	Complement C3c concentration	85
5.1.4	Haptoglobin concentration	86
5.2	QTL analysis	86
5.2.1	QTL for haemolytic complement activity traits	88
5.2.2	QTL for complement component C3c and Hp concentrations	89
5.2.3	QTL for antibodies responses to vaccinations	90
5.2.4	Comparison of detected QTLs in DUMI F2 and backcross population	90
5.2.5	Conclusions from QTL identification	92
5.3	Molecular genetics analyses of porcine MBL genes	95
5.3.1	Expression study of porcine MBL genes	95
5.3.2	Comparison of porcine MBL gene	96
5.3.3	Genetic and physical mapping of porcine MBL genes	97
5.3.4	Association analyses	99
6	Summary	101
7	Zusammenfassung	105
8	References	109