




Daive Valtorta (Autor)
**Dynamic Torsion Test for the Mechanical
Characterization of Soft Biological Tissues**



<https://cuvillier.de/de/shop/publications/1871>

Copyright:
Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

Abstract	v
Sommario	vii
List of Symbols	ix
1 Introduction	1
2 The Dynamic Torsion Test	7
2.1 Introduction	7
2.2 Measurement principle	8
2.2.1 Description of the mechanical behavior at resonance	10
2.2.2 Phase stabilization loop	11
2.2.3 Modeling the dynamic behavior of the sensors	13
2.3 Sensors Design	15
2.3.1 The Torsional Resonator Device	16
2.3.2 The High Frequency Torsional Rheometer	22
3 Modeling the Interaction between Sensor and Material	29
3.1 Introduction	29
3.2 Problem statement: forced torsional oscillations on a viscoelastic half-space	31
3.2.1 Analytical solution of the half-space problem	33
3.2.2 Extension of the solution to a layered half-space	40
3.2.3 Partially embedded vibrator	45
3.3 Finite element solution	45
3.3.1 Description of the FE approach with Abaqus	46
3.3.2 Convergence analysis and validation of the FE approach	49
3.3.3 Capabilities of the FE model	53

3.4	Discussion	56
4	Characterization of Soft Biological Tissues	61
4.1	Introduction	61
4.2	Experimental procedure with the TRD	63
4.3	Validation of the measurement method with silicone phantoms	67
4.3.1	The Truth Cube 2	72
4.4	Results on soft biological tissues	75
4.4.1	Repeatability	75
4.4.2	Experiments with different bovine organs	78
4.4.3	Frequency dependence	79
4.4.4	Bi-layer model of the liver	81
4.4.5	Combined experiments with the Aspiration Device	83
4.5	Discussion	86
4.6	Conclusions and outlook	88
5	Characterization of Synthetic Materials	91
5.1	Introduction	91
5.2	Laboratory aging tests of bituminous binders	95
5.2.1	Dynamic mechanical analysis	95
5.2.2	High frequency rheometry	96
5.2.3	Material and samples preparation	96
5.2.4	General binder characterization	98
5.2.5	Effect of pressure and temperature	100
5.2.6	Depth dependence of the material properties	103
5.2.7	Discussion	106
5.3	The Long term aging of bituminous binders	107
5.3.1	Plug joint under investigation	108
5.3.2	The long-term field test	109
5.3.3	Extraction of the material parameters with the FE model	111
5.3.4	Discussion	113
5.4	Electroactive Polymers	114
5.4.1	Samples characteristics and preparation	115
5.4.2	Characterization of EAPs with dynamic torsion tests	116
5.4.3	Comparison with standard uniaxial tests	119
5.4.4	Discussion	122
5.5	Conclusions	122
6	Conclusions and Outlook	125
A	Modeling the mechanical behavior of the sensors	129
A.1	Analytical model of the TRD	129
A.2	Analytical Model of the HFTR	135

B Comparison with quasi-static tests	137
B.1 Hyperelastic material modeling	137
B.2 Aspiration experiments on bovine liver tissue ex-vivo	141
B.3 Uniaxial tests for the dielectric polymer VHB 4910	143
Bibliography	147
Curriculum Vitae	155