

## Table of contents

---

<b>CHAPTER ONE.....</b>	<b>1</b>
<b>GENERAL INTRODUCTION .....</b>	<b>1</b>
1. THE IMPORTANCE OF TOMATO.....	1
2. IMPORTANCE OF PLANT PARASITIC NEMATODES.....	4
3. ROOT-KNOT NEMATODE .....	6
4. ROOT-KNOT NEMATODE MANAGEMENT TECHNIQUES.....	9
5. BIOLOGICAL CONTROL OF PLANT PARASITIC NEMATODES .....	11
6. NON-PATHOGENIC ENDOPHYTIC <i>FUSARIUM OXYSPORUM</i> AS BIOLOGICAL CONTROL AGENT .....	12
7. <i>TRICHODERMA</i> AS BIOLOGICAL CONTROL AGENTS .....	15
8. SCOPE OF THE STUDY .....	17
<b>CHAPTER TWO .....</b>	<b>18</b>
<b>GENERAL MATERIALS AND METHODS.....</b>	<b>18</b>
1. FUNGAL ISOLATES.....	18
1.1 Origin.....	18
1.2 Mass production of the different biocontrol agents .....	18
2. NEMATODES.....	19
2.1 Nematode inoculum.....	19
2.2 Nematode sterilization.....	20
3. CULTURE MEDIA AND REAGENTS.....	21
4. STATISTICAL ANALYSIS .....	22
<b>CHAPTER THREE .....</b>	<b>23</b>
<b>USE OF <i>TRICHODERMA HARZIANUM</i> AND <i>TRICHODERMA VIRIDE</i> FOR THE BIOLOGICAL CONTROL OF <i>MELOIDOGYNE INCOGNITA</i> ON TOMATO AND THEIR MODE OF ACTION .....</b>	<b>23</b>
1. INTRODUCTION.....	23
2. MATERIALS AND METHODS.....	25
2.1 Influence of duration of exposure of <i>Trichoderma</i> to <i>Meloidogyne incognita</i> on biocontrol.....	25
2.1.1 Soil treatment at planting.....	25
2.1.2 Soil treatment before transplanting.....	26
2.2 Pathogenicity of <i>Trichoderma</i> isolates toward <i>M. incognita</i> in soil in the absence of tomato .....	26
2.3 <i>In vitro</i> effects of metabolites of <i>Trichoderma</i> on mobility and mortality of <i>M. incognita</i> .....	27
3. RESULTS.....	28
3.1 Influence of duration of exposure of <i>Trichoderma</i> to <i>Meloidogyne incognita</i> on biocontrol.....	28
3.1.1 Soil treatment at transplanting .....	28
3.1.2 Soil treatment before transplanting.....	30
3.2 Pathogenicity of <i>Trichoderma</i> toward <i>M. incognita</i> in soil in the absence of tomato .....	32
3.3 <i>In vitro</i> effects of metabolites of <i>Trichoderma</i> on mobility and mortality of <i>M. incognita</i> .....	32
4. DISCUSSION.....	34
4.1 Influence of duration of exposure of <i>Trichoderma</i> to <i>M. incognita</i> on biocontrol .....	34

## Table of contents

---

4.2 Pathogenicity of <i>Trichoderma</i> toward <i>M. incognita</i> in soil in the absence of tomato .....	35
4.3 <i>In vitro</i> effects of metabolites of <i>Trichoderma</i> on mobility and mortality of <i>M. incognita</i> .....	36
5. CONCLUSION .....	38
<b>CHAPTER FOUR.....</b>	<b>39</b>
<b>IMPORTANCE OF APPLICATION TIME AND INOCULUM DENSITY OF THE NON-PATHOGENIC ENDOPHYTIC FUNGUS <i>FUSARIUM OXYSPORUM</i> 162 FOR THE BIOLOGICAL CONTROL OF THE ROOT-KNOT NEMATODE <i>MELOIDOGYNE INCOGNITA</i> ON TOMATO .....</b>	<b>39</b>
1. INTRODUCTION.....	39
2. MATERIALS AND METHODS.....	42
2.1 Application time on biocontrol.....	42
2.2 Application time and inoculum density on biocontrol.....	43
2.3 Influence of <i>F. oxysporum</i> 162 on <i>M. incognita</i> fecundity.....	44
3. RESULTS.....	45
3.1 Effect of application time .....	45
3.2 Application time and inoculum density on biocontrol.....	46
3.3. Influence of FO162 on <i>M. incognita</i> fecundity.....	47
4. DISCUSSION.....	51
4.1 Inoculation time.....	51
4.2 Application time and inoculum density .....	51
4.3 <i>M. incognita</i> fecundity.....	52
5. CONCLUSION .....	54
<b>CHAPTER FIVE.....</b>	<b>55</b>
<b>MECHNISIMS OF ACTION ASSOCIATED WITH THE MUTUALISTIC ENDOPHYTE <i>FUSARIUM OXYSPORUM</i> 162 TOWARDS ROOT-KNOT NEMATODE <i>MELOIDOGYNE INCOGNITA</i> ON TOMATO .....</b>	<b>55</b>
1. INTRODUCTION.....	55
2. MATERIALS AND METHODS.....	57
2.1 Development in tomato roots.....	57
2.2 Juvenile attraction and penetration .....	57
2.3 Induced systemic resistance.....	59
2.4 Repellent activity of root exudates .....	60
3. RESULTS.....	62
3.1 Development in tomato roots.....	62
3.2 Juvenile attraction and penetration .....	63
3.3. Induced systemic resistance.....	65
3.4 Repellent activity of root exudates .....	67
4. DISCUSSION.....	69
4.1 Development in tomato roots.....	69
4.2 Attraction and penetration .....	69

## Table of contents

---

4.3 Induced resistance.....	70
5. CONCLUSION .....	73
<b>CHAPTER SIX.....</b>	<b>74</b>
<b>RELATIONSHIP BETWEEN LEVEL OF COLONIZATION OF THE MUTUALISTIC ENDOPHYTIC FUNGUS ‘FUSARIUM OXYSPORUM STRAIN 162’ ON FUSARIUM WILT RESISTANT TOMATO VARIETIES AND ITS IMPORTANCE FOR CONTROL OF MELOIDOGYNE INCOGNITA .....</b>	<b>74</b>
1. INTRODUCTION .....	74
2. MATERIALS AND METHODS.....	78
2.1 Colonization of <i>F. oxysporum</i> wilt resistant and susceptible tomato varieties. ....	80
2.2 Relationship between <i>F. oxysporum</i> 162 colonization and control of <i>M. incognita</i> .....	81
3. RESULTS.....	83
3.1 Colonization of <i>F. oxysporum</i> wilt resistant and susceptible tomato varieties. ....	83
3.2 Relationship between <i>F. oxysporum</i> 162 colonization and control of <i>M. incognita</i> .....	85
4. DISCUSSION.....	87
4.1 Root colonization.....	87
4.2 Relationship between colonization and nematode control.....	89
5. CONCLUSION .....	91
<b>CHAPTER SEVEN.....</b>	<b>92</b>
<b>REFERENCES.....</b>	<b>92</b>
<b>ACKNOWLEDGEMENTS.....</b>	<b>105</b>