




Marianne Valdebenito Alvarez (Autor)
**Isolation, Structure and Detection of Salmochelins:
Novel Siderophores in Enterobacteria**



<https://cuvillier.de/de/shop/publications/1943>

Copyright:
Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Index

I ABBREVIATIONS USED IN THE TEXT	1
II SUMMARY	3
III ZUSAMMENFASSUNG	5
1 INTRODUCTION	7
1.1 Biochemical significance of iron in Enterobacteriaceae	7
1.2 Siderophores secreted by enteric bacteria. Advantages for growth.....	8
1.3 Siderophore transport systems in Enterobacteriaceae.....	11
1.4 Bacterial competence for iron acquisition.....	13
2 OBJECTIVES	16
2.1 General objectives	16
2.2 Specific objectives	16
3 RESULTS	17
3.1 The structure of salmochelins: C-glucosylated enterobactins of <i>Salmonella enterica</i>	17
3.2 The detection of salmochelin and yersiniabactin in uropathogenic <i>Escherichia coli</i> strains by a novel hydrolysis-fluorescence-detection (HFD) method	20
3.3 Functions of the siderophore esterases IroD and IroE in iron-salmochelin utilization	25
3.3.1 Enzyme activity of IroD with <i>apo</i> and ferric-enterobactin/salmochelins..	25
3.3.2 IroD complements a <i>fes</i> mutant.	26
3.3.3 Enzyme activity of IroE with <i>apo</i> and ferric-enterobactin/salmochelins..	27

3.3.4 PfeE of <i>Pseudomonas aeruginosa</i> is an IroE homologue.....	28
3.3.5 Function of IroE and IroD in iron-salmochelin uptake	28
3.3.6 Function of IroC in iron-salmochelin uptake.....	29
4 DISCUSSION	31
5 REFERENCES	37
6 CONTRIBUTIONS TO THE PUBLICATIONS.....	45
7 PUBLICATIONS AND POSTERS.....	47
7.1 Publications	47
7.2 Posters.....	47
8 APPENDIX	49
PUBLICATIONS.....	49

- ❖ **Bister B., Bischoff D., Nicholson G., Valdebenito M., Schneider K., Winkelmann G., Hantke K., and Süssmuth R.** 2004. The structure of salmochelins: C-glucosylated enterobactins of *Salmonella enterica*. *BioMetals*. **17**: 471-481.
- ❖ **Valdebenito M., Bister B., Reissbrodt R., Hantke K., and Winkelmann G.** 2005. The detection of salmochelin and yersiniabactin in uropathogenic *Escherichia coli* strains by a novel hydrolysis-fluorescence-detection (HFD) method. *Int. J. Med. Microbiol.* **295**: 99-107.
- ❖ **Zhu M., Valdebenito M., Winkelmann G., and Hantke K.** 2005. Functions of the siderophore esterases IroD and IroE in iron-salmochelin utilization. *Microbiol.* **151**: 2363-2372.