



Petra Moser (Autor)

Regeneration and utilization of *Faidherbia albida* and *Acacia erioloba* along ephemeral rivers of Namibia

Ecology and Development Series

No. 42, 2006

Petra M. Moser

**Regeneration and utilization of
Faidherbia albida and *Acacia erioloba*
along ephemeral rivers of Namibia**



Zentrum für Entwicklungsforschung
Center for Development Research
University of Bonn

ZEF Bonn

<https://cuvillier.de/de/shop/publications/2063>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

TABLE OF CONTENTS

1	INTRODUCTION.....	1
1.1	General introduction.....	1
1.2	Research objectives and key questions.....	4
1.3	Literature Review	6
1.3.1	Ephemeral rivers.....	6
1.3.2	Riparian habitats	8
1.3.3	Plant regeneration.....	11
1.3.4	Flood pulse concept and disturbance ecology	13
2	STUDY AREAS AND SPECIES	15
2.1	Ecology of the ephemeral river catchments in western Namibia	15
2.2	Land use and land-use history of the ephemeral river catchments.....	18
2.3	Study site selection and study areas	20
2.3.1	The Kuiseb ephemeral river	20
2.3.2	The Omaruru ephemeral river	27
2.3.3	The Ugab ephemeral river	29
2.4	Study species	29
2.4.1	<i>Faidherbia albida</i>	32
2.4.2	<i>Acacia erioloba</i>	35
3	GERMINATION AND EARLY SEEDLING DEVELOPMENT OF <i>FAIDHERBIA ALBIDA</i> AND <i>ACACIA ERIOLOBA</i>	38
3.1	Introduction	38
3.2	Material and methods	39
3.2.1	Germination.....	39
3.2.2	Seed burial	41
3.2.3	Additional seedling watering.....	41
3.2.4	Seedling performance.....	42
3.2.5	Data analyses	43
3.3	Results	44
3.3.1	Germination.....	44
3.3.2	Seed burial	46
3.3.3	Additional seedling watering.....	47
3.3.4	Seedling performance.....	47
3.4	Discussion.....	49
3.5	Conclusion.....	52

4	INFLUENCE OF LIVESTOCK ON <i>FAIDHERBIA ALBIDA</i> AND <i>ACACIA ERIOLOBA</i> REGENERATION	53
4.1	Introduction	53
4.2	Material and methods	54
4.2.1	Variation of livestock density.....	54
4.2.2	Seedling survival	55
4.2.3	Vegetation transects.....	57
4.2.4	Data analyses	59
4.3	Results	60
4.3.1	Variation of livestock density.....	60
4.3.2	Seedling survival	60
4.3.3	Juvenile height increase.....	62
4.3.4	Size-class distribution.....	63
4.3.5	Tree density	65
4.3.6	Juvenile fitness in two size groups	66
4.4	Discussion.....	68
4.5	Conclusion.....	72
5	SAFE SITES FOR <i>FAIDHERBIA ALBIDA</i> AND <i>ACACIA ERIOLOBA</i> SEEDLING ESTABLISHMENT	73
5.1	Introduction	73
5.2	Material and methods	74
5.2.1	Seedling survival after flooding	74
5.2.2	Characteristics of overbank floods	74
5.2.3	Vegetation transects.....	75
5.2.4	Vegetation and topographic profiles in the Kuiseb River	76
5.2.5	Data analyses	77
5.3	Results	78
5.3.1	Seedling survival and overbank floods.....	78
5.3.2	<i>Faidherbia albida</i> and <i>Acacia erioloba</i> juvenile and adult growth locations in relation to active channel	79
5.3.3	Vegetation cover types	81
5.3.4	Vegetation and topographic profiles in the Kuiseb River	82
5.4	Discussion.....	84
5.5	Conclusion.....	86
6	CONTRIBUTION OF <i>FAIDHERBIA ALBIDA</i> AND <i>ACACIA ERIOLOBA</i> TO THE LIVELIHOODS OF COMMUNAL FARMERS.....	87
6.1	Introduction	87
6.2	Material and methods	88
6.2.1	Questionnaire.....	88
6.2.2	Pod production.....	88
6.2.3	Browsable biomass stock	90
6.2.4	Monetary value of trees	91
6.2.5	Data analyses	92

6.3	Results	93
6.3.1	Tree utilization by natural resource users.....	93
6.3.2	Production of pods and browsable biomass stock.....	96
6.3.3	Monetary value of trees	97
6.4	Discussion.....	98
6.5	Conclusion.....	101
7	PERSPECTIVES	102
8	REFERENCES	104
9	APPENDICES	114
	ACKNOWLEDGEMENTS	