

Patricio Ponce-Barajas (Autor) Expression analysis of homeobox gene family in bovine pre- and post-implantative developmental stages



https://cuvillier.de/de/shop/publications/2139

Copyright: Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: https://cuvillier.de

Contents		Page
Abstract		III
List of abbreviations		
List of tables		XIV
List of figures		XV
1	Introduction	1
2	Literature review	3
2.1	The role of homeobox genes in the mammalian development	3
2.1.1	Homeobox proteins and mammalian evolution	3
2.1.2	The homeodomain (homeobox)	4
2.1.3	Activities of the homeobox gene family	5
2.1.4	Hox genes in early development	7
2.2	Cdx proteins and functions in embryonic development	10
2.2.1	Cdx proteins and functions	10
2.2.2	Cdx proteins and embryonic development	12
2.2.3	Loss of Cdx proteins in implantation and further development	15
2.3	Association of the homeobox gene family, nutrition and	16
	reproduction to developmental important pathways	
3	Materials and Methods	23
3.1	Materials	23
3.1.1	Materials for molecular analysis	23
3.1.1.1	Reagents and media	23
3.1.1.2	Softwares	28
3.1.1.3	Equipment	28
3.1.1.4	Manufacturers, chemicals and kits	29
3.1.2	Biological materials	31
3.2	Molecular analysis procedures	31
3.2.1	Primer design	31
3.2.3	Samples collection	34

3.2.3.1	Tissues for gene expression analysis in adult tissues	34
3.2.3.2	Sample preparation for the preimplantation analysis	35
	In vitro maturation of oocytes	35
	In vitro fertilization (IVF)	36
	In vitro culture of embryos	38
3.2.3.4	Sample preparation for the postimplantation analysis	39
	Synchronization and insemination of cows	39
	Sample preparation	39
3.2.4	Isolation of nucleic acids for molecular analysis	41
3.2.4.1	RNA isolation	41
	mRNA isolation from preimplantation bovine embryos	41
	Total RNA isolation from postimplantation bovine fetuses, colon and jejunum	42
5.2.5 2 2 5 1	aDNA synthesis by SuperSeriet II DNess reverse transcriptese	44
5.2.5.1 2.2.5.2	aDNA synthesis by DACE first strond	44
3.2.3.2 2.2.6	Identification of homoshov gapes EST's by DCD	43
5.2.0 2.2.6.1	Delumeness chain resetion	40
5.2.0.1 2.2.7	Polymerase chain reaction	40
5.2.1 2.2.9	Lightion of the DCB amplican	40
2.2.0	Transformation of lighted from ante	49
3.2.9	M12 DCD to be be the first of the best of the first of the first of the best of the first of the best	49 51
3.2.9.1	transformation Sequencing of PCR amplicons by Sequiterm Exel II protocol	51
3.2.11	Plasmid DNA isolation to perform serial dilutions	53
3.2.12	Gene expression by real-time PCR system	54
3.2.12.1	Preparation of aliquots from plasmid DNA (recDNA-GS)	55
3.2.12.2	Optimization of GSS primer concentration for real-time PCR	57
3.2.12.3	mRNA expression quantification by real-time PCR	58
3.2.13	Statistical analysis	60
4	Results	61
4.1	Results of molecular analysis by polymerase chain reaction	61

4.2	Results of primer design by choosing homologous fragments	61
4.3	Homeobox-gene expression by real-time PCR system	64
5	Discussion	75
5.1	Molecular analysis by polymerase chain reaction	76
5.2	Quantitative homeobox-gene expression by real-time PCR	78
5.3	Early embryonic development, surroundings, and protein pathways	81
6	Summary	87
7	Bibliography	90