Franziska Adamek (Autor)

Demand Response and Energy Storage for a Cost Optimal Residential Energy Supply with Renewable Generation



https://cuvillier.de/de/shop/publications/171

Copyright:
Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: https://cuvillier.de

Contents

1 Problem Statement **1**

2 State of the Art **3**
2.1 Technical Background and Modeling of a Residential Building and its Energy Supply 3
2.1.1 Demand Response 3
2.1.2 Energy Storage 5
2.1.3 Residential Building and Energy Supply System 7
2.2 Research Overview 21
2.2.1 Cost-Driven Use of Demand Response 21
2.2.2 Theoretical Potential and Practical Application of Demand Response 24
2.2.3 Cost-Driven Use of Energy Storage 25
2.2.4 Intermittent Renewable Generation and Energy Storage 26
2.2.5 Cooperation of Consumers 27
2.2.6 Summary of the Research Overview 28

3 Research Goal **29**
3.1 Research Questions 29
3.2 Locations of Influence of Demand Response and Energy Storage 30
3.3 Methodology to Assess the Research Questions 31
3.4 Thesis Outline 34

4 Modeling and Examined Cases 35
4.1 Modeling of the Single-Family House 35
4.1.1 Parameters of the Single-Family House 36
4.1.2 Extension of the Energy Hub Model with Demand Response 38
4.1.3 Conversion and Storage Technologies of the Houses in Moderate and Hot Climate 39
4.1.4 Load Demand Curves of the Houses 42
4.1.5 Determination of the Optimal Energy Supply Strategy for the Single-Family House 45
4.2 Modeling of a Group of Houses 47
4.2.1 Model Description 47
4.2.2 Examined Groups of Swiss Houses 49
4.2.3 Determination of the Optimal Energy Supply Strategy for a Group of Houses 51
4.3 Cost Optimization and Energy Prices 52
4.4 Parameters of the Sensitivity Analysis 55
4.5 Optimization Interval and Parameters 57

5 Case Studies 61
5.1 Influence of the Parameters on Energy Costs and Supply Strategy (House in Moderate Climate) 61
5.1.1 Influence of the Electric Demand Response Parameters 61
5.1.2 Influence of the Cycle Efficiency (Electric Storage) 71
5.1.3 Influence of the Available Storage Capacity (Electric Storage) 79
5.1.4 Influence of the Optimization Horizon and the Solution Horizon 82
5.1.5 Influence of the Amount of Local Photovoltaic Electricity 84
5.1.6 Verification of the Results for One Year 92
5.2 Influence of the Parameters on Energy Costs and Supply Strategy (House in Hot Climate) 95
5.2.1 Influence of the Electric Demand Response Parameters 95
5.2.2 Influence of the Cycle Efficiency (Electric Storage) 101

5.2.3 Influence of the Available Storage Capacity (Electric Storage) 103
5.2.4 Influence of the Amount of Local Photovoltaic Electricity 106
5.2.5 Verification of the Results for One Year 112
5.3 Influence of Cooperation, Demand Response and Energy Storage on the Energy Costs for a Group of Houses in Moderate Climate 114

6 Discussion 119
6.1 Energy Storage Utilization 119
6.2 Demand Response Application 121
6.3 Impact of the Combination of Demand Response and Energy Storage 121
6.4 Cooperation of Consumers 122
6.5 Influence of Energy Prices and Renewable Generation 123
6.6 Data Availability and Exchange 125
6.7 Socio-Economic Issues 125

7 Summary of Key Results 127

8 Conclusions 131

List of Figures 133

List of Tables 137

Bibliography 139

A Nomenclature 147
A.1 Latin Symbols 147
A.2 Greek Symbols 152
A.3 Abbreviations 154

B Assumptions and Simplifications of the Applied House Model 155

C Comments on the Matlab Implementation 157
C.1 Constraints on Heating and Cooling Power 157
C.2 Interval for Demand Response Balance 159