

Inhaltsverzeichnis

1. VORWORT	- 7 -
2. REFERENZEN	- 9 -
3. ABSTRACT	- 11 -
4. EINFÜHRUNG	- 13 -
5. SYSTEMANWENDUNGEN DER OPTISCHEN NACHRICHTENTECHNIK	- 17 -
5.1 OPTISCHE TELEKOMMUNIKATIONSSYSTEME	- 17 -
5.2 OPTISCHE DATAKOMSYSTEME	- 23 -
5.3 OPTISCHE SYSTEME IM AUTOMOBIL UND INHOUSEBEREICH	- 27 -
6. PHOTONISCHE AUFBAU- UND VERBINDUNGSTECHNIK	- 33 -
6.1 EINFÜHRUNG IN DIE PHOTONISCHE AVT	- 33 -
6.2 MECHANISCHES PACKAGING	- 38 -
6.2.1 <i>Justagetechniken</i>	- 38 -
6.2.2 <i>Fixierungstechniken</i>	- 41 -
6.3 OPTISCHE VERBINDUNGSTECHNIK	- 42 -
6.3.1 <i>Wellenleiter</i>	- 42 -
6.3.2 <i>Theorie der optischen Modenfeldanpassung</i>	- 43 -
6.3.3 <i>Definition des Feldradius</i>	- 44 -
6.3.4 <i>Näherungen zur Bestimmung des Modenfeldradius</i>	- 51 -
6.3.5 <i>Verlustmechanismen bei der Wellenleiterkopplung</i>	- 54 -
6.3.5.1 <i>Koppelwirkungsgrad bei unterschiedlichen Modenfeldern</i>	- 54 -
6.3.5.2 <i>Koppelwirkungsgrad bei longitudinalem Versatz</i>	- 59 -
6.3.5.3 <i>Koppelwirkungsgrad bei transversalem Versatz</i>	- 60 -
6.3.5.4 <i>Koppelwirkungsgrad bei Winkel-Versatz</i>	- 62 -
7. TRANSMITTER MODULES WITH REUSABLE FIBER-CHIP COUPLING METHOD FOR OPTICAL COMMUNICATIONS SYSTEMS	- 65 -
7.1 INTRODUCTION	- 65 -
7.2 THE OPTICAL MODE FIELD	- 67 -
7.3 ADAPTATION OF MODE FIELDS	- 69 -
7.4 PATENTED FIBER-CHIP COUPLING MECHANISM	- 71 -
7.5 AUTOMATED COUPLING PROCEDURE	- 73 -
7.6 STANDARDIZED OPTO-ELECTRONICALLY PACKAGES	- 73 -
7.7 ENVIRONMENTAL TESTS	- 74 -
7.8 CONCLUSIONS	- 75 -
8. OPTICAL CHARACTERISATION OF SINGLE MODE COMPONENTS BY NEW MEDIANFIELD-METHODE	- 77 -
8.1 INTRODUCTION	- 77 -
8.2 OEIC-FIBER COUPLING	- 78 -
8.3 MODE FIELD MEASUREMENT	- 78 -
8.4 NEW MEDIANFIELD-METHOD	- 79 -
8.5 AUTOMATED ACQUISITION WITH LABVIEW	- 81 -
8.6 MEASUREMENT SET-UP	- 83 -
8.7 RESULTS	- 83 -
8.8 SUMMARY	- 85 -
9. LASER MICRO WELDING FOR FIBER-CHIP COUPLING MODULES WITH TAPERED SMF-FIBER ENDS FOR OPTICAL COMMUNICATION SYSTEMS	- 87 -
9.1 INTRODUCTION	- 88 -
9.2 COUPLING CONCEPT	- 88 -
9.3 MODULE SET-UP	- 91 -
9.4 FLANGE SET-UP	- 92 -

9.5	WELDING RESULTS	- 93 -
9.6	INITIAL WELDING RESULTS	- 95 -
9.7	CORRECTION AFTER INITIAL WELDING	- 97 -
9.8	TIME RESOLVED MEASUREMENTS	- 99 -
9.9	SUMMARY	- 101 -
10.	A NEW FIBER-CHIP COUPLING CONCEPT FOR REUSABLE MULTIPURPOSE PACKAGING SUITABLE FOR UP TO 45 GHZ BANDWIDTH	- 103 -
10.1	INTRODUCTION	- 103 -
10.2	COUPLING CONCEPT	- 103 -
10.3	ENVIRONMENTAL TESTS	- 105 -
10.4	RF RESULTS	- 106 -
10.5	SUMMARY	- 107 -
11.	FIBER-CHIP-COUPLING MODULES WITH UP TO 50 GHZ MODULATION BANDWIDTH AND REUSABLE FIBER-CHIP-COUPLING MECHANISM	- 109 -
11.1	INTRODUCTION	- 109 -
11.2	COUPLING CONCEPT	- 110 -
11.3	MODULE SET-UP	- 111 -
11.4	TEMPERATURE MANAGEMENT	- 112 -
11.5	LASER WELDING RESULTS	- 113 -
11.6	RF RESULTS	- 114 -
11.7	ENVIRONMENTAL TESTS	- 115 -
11.8	SUMMARY	- 115 -
12.	PACKAGING OF INTEGRATED MACH-ZEHNDER INTERFEROMETERS FOR OPTICAL COMMUNICATION SYSTEMS	- 117 -
12.1	INTRODUCTION	- 117 -
12.2	COUPLING CONCEPT	- 118 -
12.3	MODULE SET-UP	- 119 -
12.4	COUPLING PROCEDURE	- 120 -
12.5	RESULTS	- 120 -
12.6	SUMMARY	- 122 -
13.	OPTOELECTRONIC PACKAGING OF ARRAYED-WAVEGUIDE-GRATING MODULES AND THEIR ENVIRONMENTAL STABILITY TESTS	- 123 -
13.1	INTRODUCTION	- 123 -
13.2	DEVICE CHARACTERISTICS	- 124 -
13.3	OPTICAL COUPLING SET-UP	- 126 -
13.4	MODULE PACKAGING	- 128 -
13.5	ENVIRONMENTAL STABILITY	- 130 -
13.6	SUMMARY	- 133 -
14.	HIGH-SPEED PHOTO DIODE MODULES WITH UP TO 45 GHZ MODULATION BANDWIDTH FOR OPTICAL COMMUNICATION SYSTEMS	- 135 -
14.1	INTRODUCTION	- 135 -
14.2	OEIC-FIBER COUPLING	- 136 -
14.3	MODULE SET-UP	- 138 -
14.4	SUMMARY	- 139 -
15.	RECEIVER MODULES FOR 40 GB/S LIGHTWAVE SYSTEMS	- 141 -
15.1	INTRODUCTION	- 141 -
15.2	OEIC-FIBER COUPLING	- 142 -
15.3	MEASUREMENT SET-UP	- 143 -
15.4	RESULTS	- 144 -
15.4.1	Return loss	- 144 -
15.4.2	Coupling efficiency	- 146 -
15.5	MODULE SET-UP	- 147 -
15.6	ENVIRONMENTAL TESTS	- 148 -

15.7	SUMMARY	- 149 -
16.	ZUSAMMENFASSUNG UND AUSBLICK	- 151 -
17.	ABKÜRZUNGSVERZEICHNIS	- 159 -
	FORMELZEICHEN	- 159 -
	ALLGEMEINE ABKÜRZUNGEN UND BEGRIFFE	- 163 -
18.	LITERATURVERZEICHNIS	- 165 -