




Maurício Hunsche (Autor)

**Rainfastness of selected agrochemicals as affected
by leaf surface characteristics and environmental
factors**



<https://cuvillier.de/de/shop/publications/2244>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentzsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen,
Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Table of Contents

A Introduction.....	1
1 Influence of rainfall on pesticide deposits	1
2 Influencing factors on rainfastness and rain-induced wash-off	2
2.1 Active ingredient.....	2
2.2 Physical form of the pesticide formulation and deposit characteristics.....	2
2.3 Adjuvants	3
2.3.1 Influence on rainfastness.....	4
2.3.2 Influence on penetration	4
2.4 Drying time and environmental conditions.....	5
2.5 Rain characteristics	6
2.5.1 Amount and intensity.....	6
2.5.2 Acidity.....	7
2.6 Leaf surface characteristics.....	8
3 Objective of our studies	8
4 References.....	11
B Rainfastness of mancozeb on apple seedling leaves as affected by drying time of the fungicide deposit as well as by quantity and intensity of rain and rainfall interruptions	20
1 Introduction.....	20
2 Material and methods.....	21
2.1 Plant material and growth conditions	21
2.2 Fungicide application.....	21
2.3 Rainfall simulation.....	22
2.4 Experiments	22
2.4.1 Effect of drying time and rain quantity.....	22
2.4.2 Effect of rain intensity and rain quantity	22
2.4.3 Interruptions of rainfall.....	22
2.5 Sampling procedure and fungicide analysis	23
2.5.1 Recovery assay.....	23
2.6 Experimental design and statistical analysis.....	23
3 Results.....	24
3.1 Drying time and rain quantity	24
3.2 Rain intensity vs. rain quantity.....	25
3.3 Rainfall interruptions	27
4 Discussion	28
4.1 Drying time and rain quantity	28
4.2 Rain intensity vs. rain quantity.....	29
4.3 Rainfall interruptions	31
5 References.....	31
C Seed oil ethoxylate adjuvants and their influence on retention and rainfastness of the contact fungicide mancozeb.....	35
1 Introduction.....	35

2	Material and methods.....	36
2.1	Plant material and growth conditions	36
2.2	Fungicide and adjuvants	36
2.3	Determination of physicochemical properties	37
2.3.1	Surface tension.....	37
2.3.2	Contact angle	37
2.3.3	Drying time	37
2.4	Fungicide application.....	38
2.5	Rainfall simulation.....	38
2.6	Sampling procedure and fungicide analysis	38
2.7	Deposit characteristics	39
2.8	Experimental design and statistical analysis.....	39
3	Results.....	39
3.1	Surface tension, contact angle and drying time	39
3.1.1	Rapeseed oil (RSO) ethoxylates	39
3.1.2	Linseed oil (LSO) ethoxylates	40
3.1.3	Soybean oil (SBO) ethoxylates.....	40
3.2	Retention and rainfastness	41
3.2.1	Rapeseed oil ethoxylates.....	41
3.2.2	Linseed oil ethoxylates	41
3.2.3	Soybean oil ethoxylates	42
3.2.4	RSO 10, LSO 10, SBO 10 and commercial adjuvants	43
3.3	Deposit characteristics	44
4	Discussion.....	45
4.1	Surface tension, contact angle and drying time	45
4.2	Retention and rainfastness	46
5	References.....	48
D	Effect of adaxial leaf surface characteristics of apple seedlings, bean seedlings, and kohlrabi plants on retention and rainfastness of mancozeb	54
1	Introduction.....	54
2	Material and methods.....	55
2.1	Plant material and growth conditions	55
2.2	Characterization of leaf micromorphology	55
2.2.1	Roughness	55
2.2.2	SEM micrographs	55
2.3	Extraction, sample preparation and determination of epicuticular wax (EW).....	55
2.4	Fungicide and adjuvants	56
2.5	Application of spray solutions	56
2.6	Simulation of rainfall	56
2.7	Sampling procedure and fungicide determination	57
2.8	Statistical analysis.....	57
3	Results.....	58
3.1	Surface characteristics	58
3.1.1	Amount and composition of epicuticular wax (EW)	58
3.1.2	Surface micromorphology	59
3.2	Fungicide retention and rainfastness.....	61
3.2.1	Apple seedlings.....	61

3.2.2 Bean seedlings	62
3.2.3 Kohlrabi	62
3.2.4 Pearson's correlation analysis	63
4 Discussion	65
4.1 Amount and composition of EW	65
4.2 Surface micromorphology	66
4.3 Fungicide retention and rainfastness.....	67
5 References.....	68
E Influence of linseed oil ethoxylate adjuvants on rainfastness and biological efficacy of glyphosate, evaluated in <i>Chenopodium album</i> , <i>Abutilon theophrasti</i> , and <i>Setaria viridis</i> ... 75	
1 Introduction.....	75
2 Material and methods.....	76
2.1 Plant material and growth conditions	76
2.2 Characterization of adaxial leaf surface.....	76
2.2.1 Micro roughness and contact angle of treatment solution droplets	76
2.2.2 Scanning electron microscopy (SEM)	76
2.3 Chemicals.....	76
2.4 Application of treatment solutions.....	77
2.5 Rainfall simulation.....	77
2.6 Evaluation of biological efficacy	77
2.7 Experimental design and statistical analysis.....	77
3 Results.....	78
3.1 Micro roughness.....	78
3.2 Contact angle of treatment solutions.....	78
3.3 SEM investigations	79
3.4 Influence of treatment solutions and rain intensity on biological efficacy	83
4 Discussion	86
4.1 Micro roughness and leaf wettability.....	86
4.2 Influence of rain intensity	87
4.3 Influence of treatment solutions.....	88
5 References.....	89
F Summary and conclusions	95
Acknowledgments.....	98
Curriculum vitae	99