




Guisheng Liu (Autor)

Detection and characterization of QTL in a porcine Duroc-Pietrain resource population



<https://cuvillier.de/de/shop/publications/2342>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany

Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents		Pages
	Abstract	IV
	List of abbreviations	IX
	List of tables	XI
	List of figures	XII
	List of appendix	XIV
1	Introduction	1
2	Literature review	3
2.1	The pig genome	4
2.2	Genetic markers and genetic maps	5
2.3	Strategies for QTL mapping	8
2.3.1	Construction of resource population	8
2.3.2	Genetic modeling of QTL mapping	9
2.3.3	Single-marker analysis and interval mapping	10
2.3.4	Maximum likelihood with least square	11
2.3.5	Permutation test in QTL mapping	13
2.3.6	Multiple QTL mapping	13
2.3.7	One-dimensional search and bi-dimensional search	15
2.3.8	Fine mapping of QTL	15
2.3.8.1	Fine mapping using current recombinations	15
2.3.8.2	Fine mapping using historical recombinations	16
2.3.9	Power of QTL mapping	16
2.4	Update QTL mapping results in swine	17
2.4.1	QTL database	17
2.4.2	General overview	17
2.4.3	QTL with gametic imprinting effects	19
2.4.4	Results of multiple QTL mapping	20
2.5	Map-based cloning and from QTL to QTN	20

2.6	Marker assisted selection	22
3	Materials and methods	23
3.1	Materials	23
3.1.1	Resource population	23
3.1.2	Laboratory materials	26
3.1.2.1	Equipments	26
3.1.2.2	Soft wares used	26
3.1.2.3	Chemicals	26
3.1.2.4	Solutions and buffers	27
3.1.2.5	Primer sequences used	27
3.1.2.6	Websites used in this study	29
3.2	Methods	29
3.2.1	General molecular genetic strategy	29
3.2.2	DNA isolation	30
3.2.3	Selection of microsatellites	31
3.2.4	Genotyping of F ₀ and F ₁ samples	31
3.2.5	Multiplex PCR to genotype F ₁ and F ₂ samples	31
3.2.6	Electrophoresis of PCR products	32
3.2.7	Evaluation of allele fragments	35
3.2.8	Definition and measurement of quantitative traits	36
3.2.9	Statistical analyses	36
3.2.9.1	Heterozygosity	36
3.2.9.2	Polymorphism information content	37
3.2.9.3	Linkage analyses and genetic map construction	37
3.2.9.4	QTL analyses	38
	Models of QTL analyses	38
	Single Mendelian QTL model	38
	Two Mendelian QTL model	39
	One QTL model with imprinting	40
	Two QTL model with imprinting	41

	Multiple QTL mapping (MQM) analyses	42
	Significant thresholds and confidence interval	43
4	Results and discussion	46
4.1	Microsatellites characterization	46
4.2	Linkage maps	46
4.2.1	Marker order	46
4.2.2	Differences in recombination rates between sex-specific maps	47
4.3	QTL results and discussion	52
4.3.1	General results of QTL mapping	52
4.3.2	QTL for growth and body composition traits	53
4.3.2.1	Birth weight (BWT)	53
4.3.2.2	QTL for average daily gain	56
4.3.3	QTL for fat traits	59
4.3.3.1	QTL for fat traits on SSC1 and on SSC2	59
4.3.3.2	QTL for fat traits on SSC3, 4, 8, 9, 15 and 17	61
4.3.4	QTL for loin eye area	62
4.3.5	QTL for carcass length	62
4.3.6	QTL for meat pH value	63
4.3.6.1	QTL for meat pH on SSC1	63
4.3.6.2	QTL for meat pH on SSC2	64
4.3.7	QTL for drip loss	65
4.3.8	QTL for meat conductivity, colour, cooking loss and shear force	66
4.3.9	QTL for estimated carcass leanness content and estimated belly leanness content	66
4.3.10	QTL for dressing, food conversion ratio and food consumption	67
4.3.11	Multiple QTL mapping	67
4.3.11.1	Multiple QTL mapping for shoulder BFT on SSC16	67
4.3.11.2	Multiple QTL mapping for LEA on SSC9	69
4.3.12	Multiple QTL with imprinted on SSC2	75
4.3.12.1	Simple case for three traits	75

4.3.12.2	Expression of significant multiple QTL for other four traits	75
4.3.12.3	Further test statistic of imprinting effects	80
4.3.13	Imprinted QTL on SSC5	81
4.3.14	Imprinted QTL on SSC6 and SSC11	82
5	Summary and conclusions	83
6	References	85
7	Appendix	102