




Ashish Ashok Kamat (Autor)

Characterization of the Cathode Behavior Polymer Electrolyte Membrane Fuel Cell



<https://cuvillier.de/de/shop/publications/196>

Copyright:

Cuvillier Verlag, Inhaberin Annette Jentsch-Cuvillier, Nonnenstieg 8, 37075 Göttingen, Germany
Telefon: +49 (0)551 54724-0, E-Mail: info@cuvillier.de, Website: <https://cuvillier.de>

Contents

Abstract.....	VII
Kurzfassung.....	VIII
Kurzdarstellung	IX
Nomenclature	XVII
1 Introduction	
1.1 Fuel Cells for Energy Conversion.....	1
1.2 Fuel Cells for Automotive Applications	2
1.3 Fundamentals of Polymer Electrolyte Membrane Fuel Cells	4
1.4 Principle	7
1.5 Motivation and Scope	8
2 HT PEM Fuel Cell: Fundamentals, Operation and Limitations	
2.1 Introduction.....	11
2.2 Experimental Setup.....	12
2.3 Characteristic Behavior.....	14
2.4 Limitations of the HT PEM vis-à-vis LT PEM.....	16
2.5 Concluding Remarks.....	19
3 Characterization of the Electrode-Electrolyte Interface	
3.1 Introduction.....	20
3.2 Theoretical Background.....	20
3.3 Experimental	21
3.4 Results and Discussion	24
3.4.1 Polarization curves.....	24
3.4.2 Reaction Zones	26
3.4.3 Electrode Active Area.....	29
3.4.4 Thin Film Boundary	31
3.4.5 Commercial Electrode Behavior.....	33
3.5 Conclusions and Outlook.....	35

4 Investigations into the Adsorbate Interactions on the Cathode Catalyst Surface	
4.1 Introduction	37
4.2 Cell Current Hysteresis.....	38
4.3 Experimental Investigations	41
4.3.1 Influence of Cooling Temperature	41
4.3.2 Influence of cell voltage.....	43
4.3.3 Cell Degradation Effects	46
4.4 Hypothesis	48
4.5 Modeling and Simulation: A Monte-Carlo Approach.....	49
4.5.1 Cell Current Hysteresis	49
4.5.2 Adsorbates on Platinum Catalysts.....	52
4.5.3 Modeling Hysteresis.....	53
4.6 Experimental Validation.....	56
4.7 Concluding Remarks	60
5 Conclusions and Outlook	61
A References	64
B Tables.....	68
C Experimental Measurement Error Estimation	71